



UNITED NATIONS

E/NL.1995/32
24 November 1995
ENGLISH ONLY*

LAWS AND REGULATIONS

**PROMULGATED TO GIVE EFFECT TO THE PROVISIONS OF
THE INTERNATIONAL TREATIES ON NARCOTIC DRUGS AND PSYCHOTROPIC SUBSTANCES**

*In accordance with the relevant articles of the international treaties on narcotic drugs and psychotropic substances,
the Secretary-General has the honour to communicate the following legislative texts.*

EGYPT

Communicated by the Government of Egypt

NOTE BY THE SECRETARIAT

- (a) Some editing of texts may be done by the Secretariat in the interest of clarity. In this connection, words in square brackets [] have been added or changed by the Secretariat.
- (b) Only passages directly relevant to the control of narcotic drugs or psychotropic substances have been reproduced in this document. Non-relevant parts of laws and regulations have been deleted by the Secretariat; such deletions

DECREE BY THE MINISTER OF HEALTH N° 13 FOR 1994

DECREE BY THE MINISTER OF HEALTH NO. 13 FOR 1994

The Minister of Health:

- After perusal of Law 182 of 1960^{1/} on the control of narcotic drugs and the regulation of their use and trafficking therein, as amended by Law 122 of 1989;^{2/}
- And of Ministerial Decree No. 295 of 1976 amending Schedules I and III of the Schedules annexed to Law 182 of 1960; ^{3/}
- And of Ministerial Decree 487 of 1985^{4/} on regulation of the circulation of certain psychotropic medicines;
- And on the basis of a submission by the Head of the Central Department of Pharmaceutical Affairs:

Has decided

Article 1. Schedule I annexed to Law 182 of 1960 as amended by Law 122 of 1989 shall be replaced with the Schedule annexed to this Decree.

Article 2. The following substances and their salts shall be added to Section C of Schedule III annexed to Law 182 of 1960 to which reference is made:

- N-acetylanthranilic acid
- Ergometrine
- Ergotamine
- Isosafrole
- Lysergic acid
- 3,4-methylenedioxyphenyl-2-propanone
- 1-phenyl-2-propanone
- Pseudoephedrine
- Safrole.

Article 3. The substances to which reference is made in the preceding article as well as ephedrine and its salts shall be added to Schedule I annexed to Ministerial Decree 487 of 1985 to which reference is made.

Article 4. The following substances and preparations shall be added to Schedule II annexed to Ministerial Decree 487 of 1985 to which reference is made:

1. Pharmaceutical preparations containing dextromethorphan and its salts;
2. Evanol tablets preparation produced by the Memphis Company;

1. E/NL.1960/83
2. E/NL.1989/14
3. E/NL.1976/42
4. E/NL.1986/20

3. Asmolag tablets preparation produced by the Memphis Company;
4. Tebedrine tablets preparation produced by the Egyptian Medical Products Co.;
5. Asmacid tablets preparation produced by the Cid Company.

Article 5. The maximum permitted dosage to be prescribed on a single medical prescription of tablets of morphine and its salts shall be 300 mg, in Schedule IV annexed to Law 182 of 1960 to which reference is made.

Article 6. This Decree shall be issued in the Official Gazette and shall enter into force from the date of its publication.

(Signed) Dr. Aly Abdel Fattah
Minister of Health
11 January 1994

Schedule I
Substances considered to be narcotic (1)
Section 1

1. Cocaine:

Methyl ester of benzoylecgonine and all cocaine preparations listed or unlisted in the various pharmacopoeia which contain more than 0.1 per cent cocaine, whether manufactured from coca leaves (liquid extract or tincture) or from cocaine diluents in a non-active liquid or solid substance in any concentration whatsoever.

2. Heroin:

Heroin-Diacetylmorphine-(Acetomorphine-Diamorphine), alone or mixed or diluted in any substance whatsoever in any concentration and in any percentage.

Section 2

1. Etorphine:

7,8-dihydro-7- α -(1(R)-hydroxy-1-methylbutyl)-O⁶-methyl-6,14-endoethenomorphine,
 or: tetrahydro-7- α -(1-hydroxy-1-methylbutyl)-6,14-endoetheno-oripavine,
 or: 1.2.3.3a.8.9-hexahydro-5-hydroxy-2 α -(1(R)-hydroxy-1-methylbutyl)-3-methoxy-12-methyl-3.9a-etheno-9,9b-imino-ethano-phenanthro (4,5-bcd) furan.

(1) Substances in Schedule I changed by Decree 295 of 1976 by the Minister of Health, Official Gazette, No. 206 of 5 September 1976, such as Immobilon M99.

(2) Ethylmethylthiambutene:

3-ethylmethylamino-1,1-di-(2'-thienyl)-1-butene,
 such as Emethibutin - Ethylmethiambutene.

(3) Acetylmethadol:

3-acetoxy-6-dimethylamino-4,4-diphenylheptane,
 such as Amidol acetate - Methyadyl acetate.

(4) Acetorphine:

O³-acetyl-7.8 dihydro-7 α -(1(R)-hydroxy-1-methylbutyl)-O⁶-methyl-6,14-endoethenomorphine,
 or: 3-O-acetyltetrahydro-7 α -(1-hydroxy-1-methylbutyl)-6,14-endoetheno-oripavine,
 or: 5-acetoxy-1,2,3,3a,8,9-hexahydro-2 α -(1(R)-hydroxy-1-methylbutyl) 3-methoxy-12-methyl-3,9a-etheno-9,9b-iminoethanophenanthro (4,5-bcd) furan,
 such as M 183.

(5) Ecgonine:

(-)-3-hydroxytropene-2-carboxylate,
 such as Laevo-ecgonine.

(6) Oxycodone:

14-hydroxydihydrocodeinone,
 or: dihydrohydroxycodone,
 such as Codeinon - Dihydrone - Eucodal.

- (7) Oxymorphone:
14-hydroxydihydromorphinone,
or: dihydrohydroxy morphinone,
such as Numorphan - 5501.
- (8) Morphine-N-Oxide:
As well as other pentavalent nitrogen morphine derivatives such as Genomorphine, as well as other pentavalent nitrogen morphine derivatives such as Codeine-N-Oxide-Genocodeine.
- (9) Opium:
This includes raw opium and medical opium and prepared opium under all their names, as well as all opium preparations listed or not listed in the various pharmacopoeia which contain more than .2 (*sic*) morphine, and morphine diluents in a non-active liquid or solid substance whatever its concentration.
- (10) Alphaprodine:
alpha-1,3-dimethyl-4-phenyl-4-propionoxypiperidine,
such as Gf 21-Nisentil-Prisilidene.
- (11) Alphacetylmethadol:
alpha-3-acetoxy-6-dimethylamino-4,4-diphenylheptane,
such as N.I.H. 2953.
- (12) Alphameprodine:
alpha-3-ethyl-1-methyl-4-phenyl-4-propionoxypiperidine,
such as Nu 2 - 1932.
- (13) Alphamethadol:
alpha-6-dimethylamino-4,4-diphenyl-3-heptanol.
- (14) Allylprodine:
3-allyl-1-methyl-4-phenyl-4-propionoxypiperidine,
such as Alperidine (N.I.H. 7440).
- (15) Amphetamine:
(±)-2-amino-1-phenylpropane itself or its salts themselves in all their various pharmaceutical forms such as Anorexine - Actédron - Benzedrin - Aktedron, noting that levoestamine is not considered a narcotic substance.
- (16) Amobarbital:
5-ethyl-5-(3-methylbutyl) barbituric acid,
5-ethyl-5-(isopentylbarbituric) acid,
such as Amytal.
- (17) Anileridine:
1-*para*-aminophenethyl-4-phenylpiperidine-4-carboxylic acid ethyl ester,
or: 1-[2-(*para*-aminophenyl)-ethyl]-4-phenylpiperidine-4-carboxylic acid ethyl ester,
such as Leritine - (MK 89) WIN 13797.

- (18) Etoxeridine:
1-[2-(2-hydroxyethoxy)-ethyl]-4-phenylpiperidine-4-carboxylic acid ethyl ester,
such as Atenorax - Atenos - Carbetidin - U.C. 2073.
- (19) Etonitazene:
1-diethylaminoethyl-2-*para*-ethoxybenzyl-5-nitrobenzimidazole,
such as N.I.H. 7607.
- (20) Hydrocodone:
Dihydrocodeinone,
such as Ambenyl - Calmodid - Dicodide - Diconone - Bicodone.
- (21) Hydroxypethidine:
4-*meta*-hydroxyphenyl-1-methylpiperidine-4-carboxylic acid ethyl ester,
or: 1-methyl-4-(3-hydroxyphenyl) piperidine-4-carboxylic acid ethyl ester,
such as Bemidone - Hydropethidine - Oxydolantin.
- (22) Hydroxy-2-ethoxy-2-ethyl-1-phenyl-4-propionyl-4-piperidine.
- (23) Hydromorphone:
Dihydromorphinone,
such as Laudadin - Dialudide - Dimorphone.
- (24) Hydromorphenol:
14-hydroxydihydromorphine,
such as N.I.H. 7472.
- (25) Isomethadone:
6-dimethylamino-5-methyl-4,4-diphenyl-3-hexanone,
such as Isoadanon - Isoamidone - N.I.H. 2880.
- (26) Pethidine:
1-methyl-4-phenylpiperidine-4-carboxylic acid ethyl ester,
such as Dolantin - Demerol - Dolosil.
- (27) Pethidine intermediate A:
4-cyano-1-methyl-4-phenylpiperidine,
or: 1-methyl-4-phenyl-4-cyanopiperidine,
such as Pre-pethidine.
- (28) Pethidine intermediate B:
4-phenylpiperidine-4-carboxylic acid ethyl ester,
or: ethyl-4-phenyl-4-piperidinecarboxylate,
such as Norpethidine.
- (29) Pethidine intermediate C:
1-methyl-4-phenylpiperidine-4-carboxylic acid,
such as Meperidinic acid.

- (30) Psilocybine:
3-(2-dimethylaminoethyl) indol-4-yl-dihydrogen phosphate.
- (31) Properidine:
1-methyl-4-phenylpiperidine-4-carboxylic acid isopropyl ester,
such as Gevelina - Ipropethidine - Isopedine.
- (32) Proheptazine:
1,3-dimethyl-4-phenyl-4-propionoxyazacycloheptane,
or: 1,3-dimethyl-4-phenyl-4-propriopoxyhexa methyleneimine,
such as Dimepheprimine - Wy 757.
- (33) Piritramide:
1-(3-cyano-3,3-diphenylpropyl)-4-(1-piperidino)-piperidine-4-carboxylic acid amide,
or: 2,2-diphenyl-4-[1-(4-carbamoyl-4-piperidino)] butyronitrile,
such as Dipidolor - R. 3365 - Piridolan.
- (34) Bezitramide:
1-(3-cyano-3,3-diphenylpropyl)-4-(2-oxo-3-propionyl-1-benzimidazoliny)-piperidine,
such as R. 4845.
- (35) Benzethidine:
1-(2-benzyloxyethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester.
- (36) Benzoylmorphine.
- (37) Benzylmorphine:
3-benzylmorphine,
such as Peronine.
- (38) Betacetylmethadol:
beta-3-acetoxy-6-dimethylamino-4,4-diphenylheptane.
- (39) Betaprodine:
beta-1,3-dimethyl-4-phenyl-4-propionoxypiperidine,
such as NU 1779.
- (40) Betameprodine:
beta-3-ethyl-1-methyl-4-phenyl-4-propionoxypiperidine.
- (41) Betamethadol:
beta-6-dimethylamino-4,4-diphenyl-3-heptanol.
- (42) Piminodine:
4-phenyl-1-(3-phenylaminopropyl)-piperidine-4-carboxylic acid ethyl ester,
such as Alvodine - Anopridine - Cimadon.

- (43) Butalbital:
5-allyl-5-isobutyl barbituric acid,
alone or with its salts alone in all its various pharmaceutical forms,
such as Allylbarbital - Sandoptal - Tetrallobarbital.
- (44) Trimeperidine:
1,2,5-trimethyl-4-phenyl-4-propionoxypiperidine,
such as Isopromedol - Promedol.
- (45) Diethylthiambutene:
3-diethylamino-1,1-di-(2'-thienyl)-1-butene,
such as Diethibutin - N.I.H. 4185 - Themalon.
- (46) Dioxaphetyl butyrate:
ethyl-4-morpholino-2,2-diphenylbutyrate,
such as Amidalgon - Spasmoxale.
- (47) Dipipanone:
4,4-diphenyl-6-piperidine-3-heptanone,
such as Fenpidon - Pamedone - Diconal.
- (48) Dihydromorphine:
such as Paramorfan.
- (49) Diphenoxylate:
1-(3-cyano-3,3-diphenylpropyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester,
or: 2,2-diphenyl-4[(4-carbethoxy-4-phenyl) piperidine] butyronitril,
such as Diphenoxyle - R.1132 - 1592.
- (50) Difenoxin:
1-(3-cyano-3,3-diphenylpropyl)-4-phenylisonipectic acid as well as all its preparations of which
one dosage unit contains more than 0.5 mg of the substance and mixed with atropine sulphate in a quantity
equivalent to five per cent at least of the substance difenoxin.
- (51) Dimethylthiambutene:
3-dimethylamino-1,1-di-(2'-thienyl)-1-butene,
such as Dimethibutin.
- (52) Dimepheptanol:
6-dimethylamino-4,4-diphenyl-3-heptanol,
such as Amidol - Methadol - N.I.H. 2933.
- (53) Dimenoxadol:
2-dimethylaminoethyl-1-ethoxy-1,1-diphenylacetate,
or: dimethylamino ethyl diphenyl-*alpha*-ethoxyacetate,
such as Lokarin.

- (54) Thebacon:
acetyldihydrocodeinone,
or: acetyldemethyl dihydrothebaine,
such as: Acedicon - Novocodon.
- (55) Thebaine:
3,6-dimethoxy-N-methyl-4,5-epoxy-morphinadiene-6,8,
such as Paranorpin 11686.
- (56) Glutethimid:
2-ethyl-2-phenylglutarimide,
such as Dormine - Doriden - Alfimid.

(57) Cannabis:
In all its types and under all its names such as kamanga or bhango or marijuana or other names given to it, resulting or prepared from or extracted from the flowers, leaves, stems, roots or resin of the Indian hemp plant (*Cannabis sativa*) male or female. Galenical preparations of Indian hemp (extract or tincture). Preparations the base of which are extract or tincture of Indian hemp. Preparations of Indian hemp resin (that is all preparations containing the active ingredient of Indian hemp, that is resin in any proportion whatsoever). Extract of the plant or any part thereof. Hashish oil. Powder composed of all or part of the cannabis plant, such as hashish powder or in any other mixture. Resins resulting from the plant, whether in a pure form or in the form of a mixture of any type whatsoever.

- (58) Dexamphetamine:
(±)-2-amino-1-phenylpropane,
(±)-α-methyl phenethylamine,
such as Maxiton - Dexedrine.
- (59) Dextromoramide:
(+)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl)butyl]-morpholine,
or: (+) 2,2-diphenyl-3-methyl-4-morpholinobutyrylpyrrolidine,
such as Pyrrolamidol - N.I.H. 7422 - SKFD 5137.
- (60) Drotebanol:
3,4-dimethoxy-17-methylmorphinan-6-β,14-diol.
- (61) Diampromide:
N-[2-(methylphenethylamino)-propyl]propionanilide.
- (62) Desomorphine:
Dihydrodeoxymorphine,
or: 4,5-epoxy-3-hydroxy-N-methylmorphinan,
such as Permonid.
- (63) Racemoramide:
(±)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl)-butyl]-morpholine,
or: (±)-3-methyl-2,2-diphenyl-4-morpholino-butyryl-pyrrolidin,
such as N.I.H. 7421 - SKF 5137.

(64) Racemorphan:
(±)-3-hydroxy-*N*-methyldmorphinan,
such as Citarin - Methorphan 1-5431.

(65) Racemethorphan:
(±)-3-methoxy-*N*-methyldmorphinan,
such as Methorphan - Ro. 1-5470.

Note: Dextromethorphan is not considered a narcotic substance.

(66) Secobarbital:
5-allyl-5-(1-methylbutyl) barbituric acid, alone or its salts alone in all their various
pharmaceutical forms,
such as Seconal - Quinalbarbital.

(67) Phenadoxone:
6-morpholino-4,4-diphenyl-3-heptanone,
such as C.B. 11 - Heptalgin.

(68) Phenazocine:
2'-hydroxy-5,9-dimethyl-2-phenethyl-6,7-benzomorphin,
or: 1,2,3,4,5,6-hexahydro-6,11-dimethyl-3-phenethyl-2,6-methano-3-benzazocine-8-ol,
such as Narcidine - Prinadol - N.I.H. 7519.

(69) Phenampromide:
N-(1-methyl-2-piperidinoethyl)-propionanilide,
or: *N*-[2-(1-methylpiperid-2'yl) ethyl] propionanilide.

(70) Fentanyl:
1-phenethyl-4-*N*-propionylanilinopiperidine,
such as R. 4263 - Thalamonial.

(71) Phenoperidine:
1-(3-hydroxy-3-phenylpropyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester,
or: 1-phenyl-3-(4-carbethoxy-4-phenyl-piperidine) propanol,
such as Phenopropidine - R. 1406.

(72) Phenomorphan:
3-hydroxy-*N*-phenethylmorphinan.

(73) Furethidine:
1-(2-tetrahydrofurfuryloxyethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester,
such as TA 48.

(74) Clonitazene:
(2-*para*-chlorbenzyl)-1-diethylaminoethyl-5-nitrobenzimidazole.

(75) Codoxime:
dihydrocodeinone-6-carboxymethyloxime.

- (76) Ketobemidone:
4-*meta*-hydroxyphenyl-1-methyl-4-propionylpiperidine,
or: 4-(3-hydroxyphenyl-1-methyl-4-propionylpiperidine,
or: 1-methyl-4-*meta*-hydroxyphenyl-4-propionylpiperidine,
such as Cliradon - Ketogan.
- (77) Lysergide:
(+)-*N,N*-diethyllysergamide,
or: dextro-lysergic acid diethylamide,
such as LSD - LSD-25.
- (78) Levorphanol:
(-)-3-hydroxy-*N*-methylmorphinan,
such as Levorphan - Dromoran - N.I.H. 4590.

Note: Dextrophanol is not considered a narcotic substance.

- (79) Levophenacymorphan:
(-)-3-hydroxy-*N*-phenacymorphinan,
such as Ro. 4-0288 - N.I.H. 7525.
- (80) Levomoramide:
(-)-4-[2-methyl-4-oxo-3,3-diphenyl-4-(1-pyrrolidinyl) butyl] morpholine,
or: L-3-methyl-2,2-diphenyl-4-morpholino-butyryl-pyrrolidine.
- (81) Levomethorphan:
(-)-3-methoxy-*N*-methylmorphinan,
such as Ro. 1-5470/6.

Note: Dextromethorphan is not considered a narcotic substance.

- (82) Methyldihydromorphine:
6-methyldihydromorphine,
such as 2178.
- (83) Methyldesorphine:
6-methyl-*delta*-6-deoxymorphine,
such as Methyldesormorphan - MK 57.
- (84) Concentrate of poppy straw:
The material arising when poppy straw has entered into a process for the concentration of its alkaloids when such material is made available in trade.
- (85) Moramide intermediate:
2-methyl-3-morpholino-1,1-diphenylpropane carboxylic acid,
or: 1,1-diphenyl-2-methyl-3-morpholinopropane carboxylic acid,
such as Pre-moramide.

- (86) Morpheridine:
1-(2-morpholinoethyl)-4-phenylpiperidine-4-carboxylic acid ethyl ester,
such as Morpholinoethylnorpethidine.
- (87) Morphine:
All morphine preparations registered or not registered in the various pharmacopeia which contain more than 0.2 per cent morphine. Morphine residues in a non-active liquid or solid substance at any degree of concentration whatsoever.
7,8-dehydro-4,5-epoxy-3,6-dihydroxy-*N*-methyl-morphinan.
- (88) Metazocine:
2'-hydroxy-2,5,9-trimethyl-6,7-benzomorphan,
or: 1,2,3,4,5,6-hexahydro-9-hydroxy-3,6,11-trimethyl 2,6-methano-3-benzazocine,
such as Methobenzorphan - N.I.H. 7410.
- (89) Metopon:
5-methyldihydromorphinone,
such as Methyldihydromorphinone - 1586.
- (90) Methadone:
6-dimethylamino-4,4-diphenyl-3-heptanone,
such as Amilone - Heptanon - Polamidon - Dolophin - Physeptone.
- (91) Methadone intermediate:
4-cyano-2-dimethylamino-4,4-diphenylbutane,
or: 2-dimethylamino-4,4-diphenyl-4-cyano butane,
such as Pre-methadone.
- (92) Methamphetamine:
(+)-2-methylamino-1-phenylpropane,
such as Methedrine.
- (93) Methaqualone:
2-methyl-3-*o*-tolyl-4(3*H*)-quinazolinone,
such as Revonal.
- (94) Methylphenidate:
2-phenyl-2-(2-piperidyl) acetic acid methyl ester itself or its salts alone in all their various pharmaceutical forms,
such as Ritalin.
- (95) Myrophine:
myristylbenzylmorphine,
such as Myristyl peronine - N.I.H. 5986 A.
- (96) Noracymethadol:
(±)-*alpha*-3-acetoxy-6-methylamino-4,4-diphenylheptane,
such as N.I.H. 7667.

- (97) Norpipanone:
4,4-diphenyl-6-piperidino-3-hexanone,
such as Hexalgon.
- (98) Norlevorphanol:
(-)-3-hydroxymorphinan,
such as Ro. 1-7687 - N.I.H. 7539.
- (99) Normorphine:
demethylmorphine,
or: *N*-demethylated morphine.
- (100) Normethadone:
6-dimethylamino-4,4-diphenyl-3-hexanone,
or: 1,1-diphenyl-1-dimethylaminoethyl-butanone,
or: 1-dimethylamino-3,3-diphenyl-hexanon-(4),
such as Deatussan - Extussin - Mepidon - Veryl - Ticarda.
- (101) Nicomorphine:
3,6-dinicotinylmorphine,
or: di-nicotinic acid ester of morphine,
such as Nicophine - Vendal.
- (102) 1-hydroxy-3-pentyl-6a,7,10,10a-tetrahydro-6,6,9-trimethyl-6*H*-dibenzo [b,d] pyran:
known by the trade name or trivial name tetrahydrocannabinol.
- (103) 2-amino-1-(2,5-dimethoxy-4-methyl) phenylpropane:
known by the trade name or trivial name STP - DOM.
- (104) 3-(1,2-dimethylheptyl)-1-hydroxy-7,8,9,10-tetrahydro-6,6,9-trimethyl-6*H*-dibenzo [b,d] pyran:
known by the trade name or trivial name DMHP.
- (105) 3-(2-dimethylaminoethyl)-4-hydroxyindole:
known by the trade name or trivial name Psilocine - Psilocin.
- (106) 3,4,5-trimethoxyphenethylamine:
known by the trade name or trivial name Mescaline.
- (107) 3-hexyl-1-hydroxy-7,8,9,10-tetrahydro-6,6,9-trimethyl-6*H*-dibenzo [b,d] pyran:
known by the trade name or trivial name Parahexyl.
- (108) *N,N*-diethyltryptamine:
known by the trade name or trivial name DET.
- (109) *N,N*-dimethyltryptamine:
known by the trade name or trivial name DMT.
- (110) Pentazocine:
1,2,3,4,5,6-hexahydro-6,11-dimethyl-3-(3-methyl-2-butenyl)-2,6-methano-3-benzazocin-8-ol,
known by the name Sosegon - Fortral - Telwin and other names.

The substances listed under 102 to 109 and from 111 to 118 do not as yet have internationally recognized names, as well as the salts, isomers, esters, ethers, salts of isomers, esters and ethers of those substances, unless otherwise stipulated.

- (111) 3-(*O*-chlorphenyl)-2-methyl-4-(3*H*)-quinazolinone:
known by the international trivial name Mecloqualone.
- (112) 1-[1-(2-thienyl) cyclohexyl] piperidine:
known by the trade name or the trivial name Tenocyclidine or TCP.
- (113) 1-(1-phenylcyclohexyl) pyrrolidine:
known by the trade name or the trivial name Rolicyclidine or PHP or PCPY.
- (114) *N*-ethyl-1-phenylcyclohexylamine:
known by the trade name or the trivial name Eticyclidine or PCE.
- (115) *N*-benzyl-*N*, α -dimethylphenethylamine:
known by the international trivial name Benzphetamine, itself and its salts themselves in all their various pharmaceutical forms.
- (116) *N*-[1-[2-(4-ethyl-4,5-dihydro-5-oxo-1*H*-tetrazol-1-yl)ethyl]-4-(methoxymethyl)-4-piperidinyl]-*N*-phenylpropanamide:
such as Alfentanil - Rapifen.
- (117) Di-methoxy bromoamphetamine:
known by the trivial name Brolamfetamine DOB
(\pm)-4-bromo-2,5-dimethoxy- α -methylphenethylamine.
- (118) Methylene-dioxyamphetamine:
 α -methyl-3,4-(methylenedioxy) phenethylamine
known by the trivial name Tenamfetamine MDA.
- (119) Sufentanil:
N-[4-(methoxymethyl)-1-[2-(2-thienyl)-ethyl]-4-piperidyl] propionanilide.
- (120) Thiofentanyl:
N-[1-[2-(2-thienyl) ethyl]-4-piperidyl] propionanilide.
- (121) Fenetylline:
7-[2-[(α -methylphenethyl)amino] ethyl] theophylline.
- (122) *Alpha*-methylfentanyl:
N-[1-(α -methylphenethyl)-4-piperidyl] propionanilide.
- (123) *Para*-fluorofentanyl:
4'-fluoro-*N*-(1-phenethyl-4-piperidyl) propionanilide.
- (124) *Beta*-hydroxyfentanyl:
N-[1-(*beta*-hydroxyphenethyl)-4-piperidyl] propionanilide.

- (125) *Beta*-hydroxy-3-methylfentanyl:
N-[1-(β -hydroxyphenethyl)-3-methyl-4-piperidyl] propionanilide.
- (126) 3-methylfentanyl:
N-(3-methyl-1-phenethyl-4-piperidyl) propionanilide.

As well as any other preparation, mixture or extract or any other compounds containing one of the substances listed in this Schedule or any of their salts, isomers, esters, ethers, salts of isomers or esters or ethers of these substances in any percentage whatsoever unless a specific percentage is stipulated.