



Secretariat

GENERAL

ST/SG/AC.10/C.3/24/Add.2
29 July 1996

Original: ENGLISH

COMMITTEE OF EXPERTS ON THE
TRANSPORT OF DANGEROUS GOODS

Sub-Committee of Experts on the
Transport of Dangerous Goods

REPORT OF THE SUB-COMMITTEE OF EXPERTS ON ITS TWELFTH SESSION
(Geneva, 1-12 July 1996)

Addendum 2

Annexes 3, 4 and 5

- Annex 3 - Amendments to the draft reformatted Recommendations on the Transport of Dangerous Goods (English only) (refer to ST/SG/AC.10/C.3/R.700/Add.1)
- Annex 4 - Draft amendments to the Recommendations on the Transport of Dangerous Goods (refer to ST/SG/AC.10/1/Rev.9)
- Annex 5 - Draft amendments to the Manual of Tests and Criteria (refer to ST/SG/AC.10/11/Rev.2)

ANNEX 3

AMENDMENTS TO THE DRAFT REFORMATTED RECOMMENDATIONS ON THE TRANSPORT OF DANGEROUS GOODS (refer to ST/SG/AC.10/C.3/R.700/Add.1)

Amend ST/SG/AC.10/C.3/R.710/Rev.1 in accordance with ST/SG/AC.10/C.3/R.736 paras. 7, 8, 9, 10, 14, 15, 16 and 19 except as otherwise provided for below

Replace everywhere	Table 2.3	by the reference number 2.3.2.5
	Table 2.4	by the reference number 2.4.2.3.2.4
	2.4.2.3.2.4	by 2.4.2.3.2.5
	2.4.2.3.2.4.1	by 2.4.2.3.2.5.1
	2.4.2.3.2.4.2	by 2.4.2.3.2.5.2
	Table 2.5	by the reference number 2.5.3.2.4
	2.5.3.2.4	by 2.5.3.2.5
	2.5.3.2.4.1	by 2.5.3.2.5.1
	Table 2.7	by the reference number 2.7.2.5
	Table 3.1	by the reference number 3.4.8
	Table 3.2	by the reference number 3.4.9
	Table 5.1	by the reference number 5.2.2.1.4
	Table 6.1	by the reference number 6.1.4.3.1.2
	Table 7.1	by the reference number 7.3.2.3

(Doc. Ref. ST/SG/AC.10/C.3/R.734)

INTRODUCTION AND PURPOSE

1.1 to 1.5	Amend paras. 1.1 to 1.5 as proposed in Annex 2 to ST/SG/AC.10/C.3/R.736
1.6 to 1.8	To be deleted
1.15	Delete text under (b)
1.18	To be deleted
1.19	To be transferred after 1.13

Notes on the structure of the Model Regulation

Add the first three lines (up to reference to ST/SG/AC.10/11/Rev.2) from 1.1.2.1 of ST/SG/AC.10/C.3/R.700/Add.1.

Table of contents: to be amended in accordance with the amendments to Parts 1 to 7.

PART 1

Change the title in "General Provisions, Definitions and Training".

CHAPTER 1.1

Change the title of Chapter 1.1 in "General Provisions"

Delete editorial notes in 1.1.1 and 1.1.1.3

1.1.2 Delete existing section

Insert the following paragraphs:

"1.1.2 Dangerous Goods Forbidden from Transport"

1.1.2.1 Unless provided otherwise by these regulations, the following are forbidden from transport:

Any substance or article which, as presented for transport, is liable to explode, dangerously react, produce a flame or dangerous evolution of heat or dangerous emission of toxic, corrosive or flammable gases or vapours under normal conditions normally encountered in transport.

(Doc. Ref. ST/SG/AC.10/C.3/R.739)

1.1.3 (existing) Transferred to Chapter 1.2

CHAPTER 1.2

This Chapter is structured as follows:

"1.2 Definitions and Unit of Measurements

1.2.1 Definitions

1.2.2 Units of Measurements"

1.2.1 Add the definition for "overpack" from existing 5.1.3.1

1.2.2 (existing) To be at the end of 1.2.1

Add a new 1.2.2 as follows:

"1.2.2

Units of Measurement

The following units of measurement^{1/} are applicable in this regulation:

Measurement of	SI Unit ^{2/}	Acceptable alternative unit	Relationship between units
Length	m (metre)	--	--
Area	m ² (square metre)	--	--
Volume	m ³ (cubic metre)	l ^{3/} (litre)	1 l = 10 ⁻³ m ³
Time	s (second)	min (minute)	1 min = 60 s
		h (hour)	1 h = 3 600 s
		d (day)	1 d = 86 400 s
Mass	kg (kilogramme)	g (gramme)	1 g = 10 ⁻³ kg
		t (ton)	1 t = 10 ³ kg
Mass density	kg/m ³	kg/l	1 kg/l = 10 ³ kg/m ³
Temperature	K (kelvin)	°C (degree Celsius)	0 °C = 273.15 K
		Difference of temperature	K (kelvin)
Force	N (newton)	--	1 N = 1 kg · m/s ²
Pressure	Pa (pascal)	bar (bar)	1 bar = 10 ⁵ Pa
			1 Pa = 1 N/m ²
Stress	N/m ²	N/mm ²	1 N/mm ² = 1 MPa
Work)	kWh (kilowatt hour)	1 kWh = 3.6 MJ
Energy)		
)	J (joule)	1 J = 1 N · m = 1 W · s
Quantity of heat)	eV (electronvolt)	1 eV = 0.1602 × 10 ⁻¹⁸ J
Power	W (watt)	--	1 W = 1 J/s = 1 N · m/s
Kinematic viscosity	m ² /s	mm ² /s	1 mm ² /s = 10 ⁻⁶ m ² /s
Dynamic viscosity	Pa · s	mPa · s	1 mPa · s = 10 ⁻³ Pa · s
Activity	Bq (becquerel)		
Dose equivalent	Sv (sievert)		

Notes

^{1/} The following round figures are applicable for the conversion of the units hitherto used into SI Units.

Force

$$1 \text{ kg} = 9.807 \text{ N}$$

$$1 \text{ N} = 0.102 \text{ kg}$$

Stress

$$1 \text{ kg/mm}^2 = 9.807 \text{ N/mm}^2$$

$$1 \text{ N/mm}^2 = 0.102 \text{ kg/mm}^2$$

Pressure

1 Pa	$= 1 \text{ N/m}^2 = 10^{-5} \text{ bar}$	$= 1.02 \times 10^{-5} \text{ kg/cm}^2$	$= 0.75 \times 10^{-2} \text{ torr}$
1 bar	$= 10^5 \text{ Pa}$	$= 1.02 \text{ kg/cm}^2$	$= 750 \text{ torr}$
1 kg/cm^2	$= 9.807 \times 10^4 \text{ Pa}$	$= 0.9807 \text{ bar}$	$= 736 \text{ torr}$
1 torr	$= 1.33 \times 10^2 \text{ Pa}$	$= 1.33 \times 10^{-3} \text{ bar}$	$= 1.36 \times 10^{-3} \text{ kg/cm}^2$

Energy, Work, Quantity of heat

1 J	$= 1 \text{ Nm}$	$= 0.278 \times 10^{-6} \text{ kWh}$	$= 0.102 \text{ kgm}$	$= 0.239 \times 10^{-3} \text{ kcal}$
1 kWh	$= 3.6 \times 10^6 \text{ J}$	$= 367 \times 10^3 \text{ kgm}$	$= 860 \text{ kcal}$	
1 kgm	$= 9.807 \text{ J}$	$= 2.72 \times 10^{-6} \text{ kWh}$	$= 2.34 \times 10^{-3} \text{ kcal}$	
1 kcal	$= 4.19 \times 10^3 \text{ J}$	$= 1.16 \times 10^{-3} \text{ kWh}$	$= 427 \text{ kgm}$	

PowerKinematic viscosity

1 W	$= 0.102 \text{ kgm/s}$	$= 0.86 \text{ kcal/h}$	$1 \text{ m}^2/\text{s}$	$= 10^4 \text{ St (Stokes)}$
1 kgm/s	$= 9.807 \text{ W}$	$= 8.43 \text{ kcal/h}$	1 St	$= 10^{-4} \text{ m}^2/\text{s}$
1 kcal/h	$= 1.16 \text{ W}$	$= 0.119 \text{ kgm/s}$		

Dynamic viscosity

$1 \text{ Pa} \cdot \text{s}$	$= 1 \text{ Ns/m}^2$	$= 10 \text{ P (poise)}$	$= 0.102 \text{ kgs/m}^2$
1 P	$= 0.1 \text{ Pa} \cdot \text{s}$	$= 0.1 \text{ Ns/m}^2$	$= 1.02 \times 10^{-2} \text{ kgs/m}^2$
1 kgs/m^2	$= 9.807 \text{ Pa} \cdot \text{s}$	$= 9.807 \text{ Ns/m}^2$	$= 98.07 \text{ P}$

^{2/} The International System of Units (SI) is the result of decisions taken at the General Conference on Weights and Measures (Address: Pavillon de Breteuil, Parc de St-Cloud, F-92 310 Sèvres).

^{3/} The abbreviation "L" for litre may also be used in place of the abbreviation "l" when a typewriter cannot distinguish between figure "1" and letter "l".

(Doc. Ref. ST/SG/AC.10/C.3/R.736)

The decimal multiples and sub-multiples of a unit may be formed by prefixes or symbols, having the following meanings, placed before the name or symbol of the unit:

<u>Factor</u>			<u>Prefix</u>	<u>Symbol</u>
1 000 000 000 000 000 000	= 10^{18}	quintillion	exa	E
1 000 000 000 000 000	= 10^{15}	quadrillion	peta	P
1 000 000 000 000	= 10^{12}	trillion	tera	T
1 000 000 000	= 10^9	billion	giga	G
1 000 000	= 10^6	million	mega	M
1 000	= 10^3	thousand	kilo	k
100	= 10^2	hundred	hecto	h
10	= 10^1	ten	deca	da
0.1	= 10^{-1}	tenth	deci	d
0.01	= 10^{-2}	hundredth	centi	c
0.001	= 10^{-3}	thousandth	milli	m
0.000 001	= 10^{-6}	millionth	micro	μ
0.000 000 001	= 10^{-9}	billionth	nano	n
0.000 000 000 001	= 10^{-12}	trillionth	pico	p
0.000 000 000 000 001	= 10^{-15}	quadrillionth	femto	f
0.000 000 000 000 000 001	= 10^{-18}	quintillionth	atto	a

NOTE: $10^9 = 1$ billion is United Nations usage in English. By analogy, so is $10^9 = 1$ billionth.

- (2) Whenever the word "weight" is used, it means "mass".
- (3) Whenever the weight of a package is mentioned, the gross mass is meant unless otherwise stated. The mass of containers or tanks used for the carriage of goods is not included in the gross mass.
- (4) Unless expressly stated otherwise, the sign "%" represents:
 - (a) in the case of mixtures of solids or of liquids, and also in the case of solutions and of solids wetted by a liquid: a percentage mass based on the total mass of the mixture, the solution or the wetted solid;
 - (b) in the case of mixtures of compressed gases: when filled by pressure, the proportion of the volume indicated as a percentage of the total volume of the gaseous mixture, or, when filled by mass, the proportion of the mass indicated as a percentage of the total mass of the mixture;
in the case of mixtures of liquefied gases and gases dissolved under pressure: the proportion of the mass indicated as a percentage of the total mass of the mixture.
- (5) Pressures of all kinds relating to receptacles (such as test pressure, internal pressure, safety-valve opening pressure) are always indicated in gauge pressure (pressure in excess of atmospheric pressure); however, the vapour pressure of substances is always expressed in absolute pressure.
- [(6) The following approximate conversion formula is authorized until SI units have been

incorporated throughout the texts of this regulation.

$$1 \text{ kg/mm}^2 = 10 \cdot \text{N/mm}^2 \quad 1 \text{ kg/cm}^2 = 1 \text{ bar}]$$

(Doc. Ref. ST/SG/AC.10/C.3/R.736)

PART 2

Delete existing introductory notes (pages 28 and 29, ST/SG/AC.10/C.3/R.700/Add.1).

Insert a new chapter 2.0 as follows:

"CHAPTER 2.0

INTRODUCTION

Responsibilities

The classification shall be made by the appropriate competent authority when so required or may otherwise be made by the consignor.

2.0.1 Classes, divisions, packing groups

2.0.1.1 Definitions

Substances (including mixtures and solutions) and articles subject to these regulations are assigned to one of nine classes according to the hazard or the most predominant of the hazards they present. Some of these classes are subdivided into divisions. These classes and divisions are:

Class 1: Explosives

- Division 1.1: Substances and articles which have a mass explosion hazard
- Division 1.2: Substances and articles which have a projection hazard but not a mass explosion hazard
- Division 1.3: Substances and articles which have a fire hazard and either a minor blast hazard or a minor projection hazard or both, but not a mass explosion hazard
- Division 1.4: Substances and articles which present no significant hazard
- Division 1.5: Very insensitive substances which have a mass explosion hazard
- Division 1.6: Extremely insensitive articles which do not have a mass explosion hazard

Class 2: Gases

- Division 2.1: Flammable gases
- Division 2.2: Non-flammable, non toxic gases
- Division 2.3: Toxic gases

Class 3: Flammable liquids

Class 4: Flammable solids; substances liable to spontaneous combustion; substances which, on contact with water, emit flammable gases

- Division 4.1: Flammable solids, self-reactive and related substances and desensitised explosives
- Division 4.2: Substances liable to spontaneous combustion
- Division 4.3: Substances which in contact with water emit flammable gases

Class 5: Oxidizing substances and organic peroxides

- Division 5.1: Oxidizing substances
- Division 5.2: Organic peroxides

Class 6: Toxic and infectious substances

- Division 6.1: Toxic substances
- Division 6.2: Infectious substances

Class 7: Radioactive materials

Class 8: Corrosives

Class 9: Miscellaneous dangerous substances and articles

The numerical order of the classes and divisions is not that of the degree of danger.

(Doc. Ref. ST/SG/AC.10/C.3/R.735)

2.0.1.2 Many of the substances assigned to Classes 1 to 9 are deemed, without additional labelling, as being environmentally hazardous. Wastes shall be transported under the requirements of the appropriate class considering their hazards and the criteria in these Regulations.

Wastes not otherwise subject to these Regulations but covered under the Basel Convention 1/ may be transported under Class 9.

(Doc. Ref. ST/SG/AC.10/C.3/R.736)

2.0.1.3 Within certain of these classes or divisions, the substances and articles are assigned to a packing group according to the degree of the danger they present:

- high danger - packing group I
- medium danger - packing group II
- low danger - packing group III.

(Doc. Ref. ST/SG/AC.10/C.3/R.735)

2.0.1.4 Dangerous goods are determined to present one or more of the dangers represented by Classes 1 to 9 and Divisions and, if applicable, the degree of danger on the basis of the requirements in

1/ Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal (1989).

Chapters 2.1 to 2.9.

(Doc. Ref. ST/SG/AC.10/C.3/R.736)

- 2.0.1.5 Dangerous goods presenting a danger of a single class and division are assigned to that class and division and the degree of danger (Packing Group), if applicable, determined. When an article or substance is specifically listed by name in the Dangerous Goods List in Chapter 3.2, its class or division, its subsidiary risk(s) and - when applicable - its packing group are taken from this list.

(Doc. Ref. ST/SG/AC.10/C.3/R.735)

- 2.0.1.6 Dangerous goods meeting the defining criteria of more than one hazard class or division and which are not listed by name in the Dangerous Goods List, are assigned to a class and division and subsidiary risk(s) on the basis of the precedence of hazards in 2.0.3.

(Doc. Ref. ST/SG/AC.10/C.3/R.736)

2.0.2 **UN numbers and proper shipping names**

- 2.0.2.1. Dangerous goods are assigned to UN numbers and proper shipping names according to their hazard classification and their composition.

(Doc. Ref. ST/SG/AC.10/C.3/R.736)

- 2.0.2.2 Dangerous goods commonly carried are listed in the Dangerous Goods List in Chapter 3.2. Where an article or substance is specifically listed by name, it shall be identified in transport by the proper shipping name in the Dangerous Goods List. For dangerous goods not specifically listed by name "generic" or "not otherwise specified" entries are provided (see 2.0.2.7) to identify the article or substance in transport.

Each entry in Dangerous Goods List is characterized by a UN number. This list also contains relevant information for each entry, such as hazard class, subsidiary risk(s) (if any), packing group (where assigned), packing and tank transport requirements, etc. Entries in the Dangerous Goods List are of the following four types:

- (a) single entries for well defined substances or articles
 - e.g. 1090 acetone
 - 1194 ethyl nitrite solution
- (b) generic entries for well defined group of substances or articles
 - e.g. 1133 adhesives
 - 1266 perfumery product
 - 2757 carbamate pesticide, solid, toxic
 - 3101 organic peroxide, type B, liquid

(c) specific n.o.s. entries covering a group of substances or articles of a particular chemical or technical nature

- e.g. 1477 nitrates, inorganic, n.o.s.
1987 alcohols n.o.s.

(d) general n.o.s. entries covering a group of substances or articles meeting the criteria of one or more classes or divisions

- e.g. 1325 flammable solid, organic, n.o.s.
1993 flammable liquid, n.o.s.

(Doc. Ref. ST/SG/AC.10/C.3/R.736)

2.0.2.3 All self-reactive substances of Division 4.1 are assigned to one of twenty generic entries in accordance with the classification principles and flow chart described in 2.4.2.3.3 and Figure 2.1.

(Doc. Ref. ST/SG/AC.10/C.3/R.700/Add.1)

2.0.2.4 All organic peroxides of Division 5.2 are assigned to one of twenty generic entries in accordance with the classification principles and flow chart described in 2.5.3.3.2 and Figure 2.2

(Doc. Ref. ST/SG/AC.10/C.3/R.700/Add.1)

2.0.2.5 A mixture or solution containing a single dangerous substance specifically listed by name in the Dangerous Goods List and one or more substances not subject to these regulations shall be assigned the UN number and proper shipping name of the dangerous substance, unless:

- (a) the mixture or solution is specifically identified by name in these regulations; or
- (b) the entry in these regulations specifically indicates that it applies only to the pure substance; or
- (c) the hazard class or division, physical state or packing group of the solution or mixture is different from that of the dangerous substances; or
- (d) there is significant change in the measures to be taken in emergencies.

In those other cases, except the one described in (a), the mixture or solution shall be treated as a dangerous substance not specifically listed by name in the Dangerous Goods List.

(Doc. Ref. ST/SG/AC.10/C.3/R.735)

2.0.2.6 For a solution or mixture when the hazard class, the physical state or the packing group is changed in comparison with the listed substance, the appropriate N.O.S. entry shall be used including its packaging and labelling provisions.

(Doc. Ref. ST/SG/AC.10/C.3/R.700/Add.1)

2.0.2.7 Substances or articles which are not specifically listed by name in the Dangerous Goods List

shall be classified under a "generic" or "not otherwise specified" ("N.O.S.") proper shipping name. The substance or article shall be classified according to the class definitions and test criteria in this part, and the article or substance classified under the generic or "n.o.s." proper shipping name in the Dangerous Goods List which most appropriately describes the article or substance (see also the "List of Generic or N.O.S. Proper Shipping Names" in Appendix A).

This means that a substance is only to be assigned to an entry of type c) - as defined in 2.0.2.2 - if it cannot be assigned to an entry of type b), and to an entry of type d) if it cannot be assigned to an entry of type b) or c) 2/.

(Doc. Ref. ST/SG/AC.10/C.3/R.700/Add.1 et -/C.3/R.735)

2.0.3 **Precedence of Hazard Characteristics**

The table below shall be used to determine the class of a substance, mixture or solution having more than one risk, when it is not named in the Dangerous Goods List in 3.4.9. For goods having multiple risks which are not specifically listed by name in the Dangerous Goods List, the most stringent packing group denoted to the respective hazards of the goods takes precedence over other packing groups, irrespective of the precedence of hazard table in this chapter. The precedence of hazard characteristics of the following have not been dealt with in the Precedence of Hazards Table (below), as these primary characteristics always take precedence:

- substances and articles of Class 1,
- gases of Class 2,
- self-reactive and related substances and desensitized explosives of Division 4.1,
- pyrophoric substances of Division 4.2,
- substances of Division 5.2,
- substances of Division 6.1 with a Packing Group I inhalation toxicity 3/,
- substances of Division 6.2
- material of Class 7.

(Table 2.8 of ST/SG/AC.10/C.3/R.700/Add.1 to be included below.)

(Doc. Ref. ST/SG/AC.10/C.3/R.700/Add.1)

CHAPTER 2.4

Delete 2.4.2.3.4 (including 2.4.2.3.4.1, 2.4.2.3.4.2) and renumber subsequent paragraphs.

(Doc. Ref. ST/SG/AC.10/C.3/R.712)

2/ See also the "List of generic or n.o.s. proper shipping names" in Appendix A.

3/ Except for substances or preparations meeting the criteria of Class 8 having an inhalation toxicity of dusts and mists (LC₅₀) in the range of Packing Group I, but toxicity through oral ingestion or dermal contact only in the range of Packing Group III or less, which shall be allocated to Class 8.

CHAPTER 2.5

Delete 2.5.3.4 and renumber subsequent paragraphs.

(Doc. Ref. ST/SG/AC.10/C.3/R.713)

CHAPTER 2.10

2.10.1 Text transfered to Chapter 2.0

PART 3

CHAPTER 3.1

3.1.2.6.3 }
3.1.2.6.4 } Transferred to Chapter 2.0
3.1.3.3 }
3.1.2.6.1 }

CHAPTER 3.2

3.2.1 Add a footnote to the explanation for column 8, as follows:

" */ In future editions of these Recommendations it is intended to extend packing instructions in 4.1.4 to cover all dangerous goods."

(Doc. Ref. ST/SG/AC.10/C.3/R.736)

3.2.2 Delete editorial note.

DANGEROUS GOODS LIST

Amend Chapter 3.2 in accordance with ST/SG/AC.10/C.3/R.786 with the following modifications:

UN 1950 }
UN 2037 } Add Special provision 277 in column 6

(Doc. Ref. ST/SG/AC.10/C.3/R.778)

In column 7, replace the quantity indicated by "NONE" for the following entries:

1162, 1196, 1298, 2985

In column 7, for UN 2794, 2795 and 2800, replace "NONE" by "1 litre"; and for UN 3028, replace "NONE" by "2 kg"

Retain "NONE" in column 7 for UN 1693 (confirmation that limited quantity provisions are not considered appropriate for UN 1693).

- UN 3065, Packing Group II: In column (6), delete "144" and replace "146" by "145"
 In column (7), replace "NONE" by "1L"
- UN 3065, Packing Group III: In column (7), replace "NONE" by "5L"

CHAPTER 3.3

236 Add the following sentence:

"The quantity limit shown in column 7 of the Dangerous Goods List applies to the base material"
 (ST/SG/AC.10/C.3/R.778)

Delete Special Provisions 253 to 264.

Add the new following Special provision 277:

"277 For aerosols or receptacles containing toxic substances the limited quantity value is 120 ml. For all other aerosols or receptacles the limited quantity value is 1000 ml."

CHAPTER 3.4

To be amended as proposed in the Annex to document ST/SG/AC.10/C.3/R.778.

PART 4

CHAPTER 4.1

Replace existing paragraph 4.1.1.2 with:

"4.1.1.2 Parts of packaging which are in direct contact with dangerous goods

- a) shall not be affected or significantly weakened by those dangerous goods, and
- b) shall not cause a dangerous effect in the package e.g. catalysing a reaction or reacting with the dangerous goods".

4.1.1.16 }
 4.1.3.11 } To be deleted and add "Packing Instruction 410"
 as proposed in Annex A to ST/SG/AC.10/C.3/R.712 with the following changes:

- replace "should" with "shall";
- after "Chapter 7.1", insert "at the Packing Group II performance level"; and
- at the end, before "or self-accelerating", insert "and/".

4.1.1.17 }
 4.1.3.12.1 } To be deleted and add "Packing Instruction 520"
 4.1.3.12.3 } as proposed in Annex 1 to ST/SG/AC.10/C.3/R.713 with the following changes:

- replace "should" with "shall";
- after "Chapter 7.1", insert "at the Packing Group II performance level";
- insert a footnote after the table:
" 1/ See 7.5.3.4 bottom opening allowed"; and
- at the end, insert: "or self-accelerating decomposition at the organic peroxide".

4.1.2.3 To be deleted and renumber subsequent paragraphs

4.1.2.5 To be deleted and add "Packing Instructions 620 and 621" as proposed in Annex 1 to ST/SG/AC.10/C.3/R.714 with the following changes:

- replace "must" with "shall", and
- delete the first sentence in "Packing Instruction 621"

4.1.4.1 Delete editorial note

4.1.4.1.2 Delete Note 1 to Note 7

Change Editorial Note into a Note

Amend chapter 4.1 in accordance with ST/SG/AC.10/C.3/R.738 with the following changes:

Replace everywhere "wood, natural" with "natural wood"

Page 5 Insert "(solid wetted, 1.1D)" after "112(a) PACKING INSTRUCTION"

Page 6 Insert "(solid dry, other than powder 1.1D)" after "112 (b) PACKING INSTRUCTION"

Page 7 Insert "(solid dry powder 1.1D)" after "112(c) PACKING INSTRUCTION"

Page 8 Insert "(solid wetted)" after "114(a) PACKING INSTRUCTION"

- Page 9
- Insert "(solid dry)" after "114(b) PACKING INSTRUCTION"
 - Add "plastics, removable head (1H2)" under "Drums" in the third column
 - Delete particular packing requirement No.4

Page 10 Replace in the last line "are not allowed" with "shall not be used"

Page 12 Replace "This packing method" with "This packing instruction" (twice)

Page 13 Under "PARTICULAR PACKING REQUIREMENTS OR EXCEPTIONS:", delete UN Nos 0238 and 0459 in the first sub-paragraph, and delete the second sub-paragraph: "2. For UN 0457...coating."

Page 14 PACKING INSTRUCTION 131

Under "PARTICULAR PACKING REQUIREMENTS OR EXCEPTIONS", insert "and reels" after "bags" in "1.", and delete "2. For UN Nos 0030,... packagings."

PACKING INSTRUCTION 132(a)

Insert after "PACKING INSTRUCTION" the following: "(Articles consisting of closed metal, plastics or fibreboard casings that contain a detonating explosive, or consisting of plastics-bonded detonating explosives". (cf METHOD EP 32(a) in ST/SG/AC.10/1/Rev.9).

Page 15 PACKING INSTRUCTION 132(b)

Insert "(Articles without closed casings)" after PACKING INSTRUCTION

Delete "PARTICULAR PACKING REQUIREMENTS OR EXCEPTIONS:" and the sub-paragraph below.

PACKING INSTRUCTION 133

Amend the first sub-paragraph under "PARTICULAR PACKING REQUIREMENTS OR EXCEPTIONS" to read:

"1. For UN Nos. 0043, 0212, 0225, 0268 and 0306, trays shall not be used as inner packagings."

Page 18 PACKING INSTRUCTION 138

Delete the second sub-paragraph: "2. For 0237... coating." under "PARTICULAR PACKING REQUIREMENTS OR EXCEPTIONS:"

Page 19 Delete the fourth sub-paragraph: "4. Whenever ... coating." under "PARTICULAR PACKING REQUIREMENTS OR EXCEPTIONS:"

Page 22 Under "Paragraph 4.1.1.15.3(b)", second line, for "in 4.1.4 and" read "4.1.4 and"

Paragraph 4.1.1.15.17

Replace the proposed amendment to 4.1.1.15.17 by the following: Replace "EP01" by "Packing Instruction 101".

CHAPTER 4.2

4.2.4.1 Delete editorial note

4.2.4.2 Change editorial note into text, but deleting (a) and the last phrase.

PART 5

The structure proposed in ST/SG/AC.10/C.3/R.736 (para. 15) was adopted.

CHAPTER 5.1

5.1.1 Delete editorial note

5.1.2 Move existing 5.1.2 to 5.5.1

The new 5.1.2 "Use of overpacks" will contain:

5.1.2.1: existing text of 5.1.3.2

5.1.2.2: existing text of 5.1.3.3

5.1.3 To be numbered as 5.1.2 with the following changes:

- move the definition of "Overpack" to 1.2.1 (Definitions) and
- move 5.1.3.4 to 6.1.2.4

5.1.3.4 Move existing 5.1.3.4 to 6.1.2.4

5.1.4 Delete existing 5.1.4

5.1.5 Move existing 5.1.5 "Documentation..." to 5.5.2

5.1.7 Add the following additional paragraph 5.1.7:

"5.1.7 Other than for class 7, a packaging which previously contained dangerous goods must be identified, marked, labeled and placarded as required for those dangerous goods unless adequate measures are taken to nullify any hazard."

5.1.8 Add the following additional paragraph as 5.1.8:

"5.1.8 When two or more dangerous goods are packed within the same outer packaging, the package must be labeled and marked as required for each substance. Secondary risk labels need not be applied if the hazard is already represented by a primary risk label."

CHAPTER 5.2

5.2.1.2 Add the following paragraph as a new 5.2.1.2:

"5.2.1.2 All package markings required by 5.2.1.1:

1. shall be readily visible and legible;
2. shall be able to withstand open weather exposure without a substantial reduction in effectiveness;

3. shall be displayed on a background of contrasting color on the external surface of the package; and
4. shall not be located with other package markings that could substantially reduce their effectiveness."

5.2.1.3 Change the text in 5.2.1.3 as follows:

"Salvage packagings shall additionally be marked with the word 'SALVAGE'"

5.2.1.4 Add the following additional paragraph as 5.2.1.4:

"5.2.1.4 Intermediate bulk containers of more than 450 litres capacity shall be marked on two opposing sides."

5.2.2.1.5 Replace 5.2.2.1.5 with the following:

"5.2.2.1.5 Each label shall:

- .1 be located on the same surface of the package near the proper shipping name marking, if the package dimensions are adequate;
- .2 be so placed on the packaging that they are not covered or obscured by any part or attachment to the packaging or any other label or marking; and
- .3 when primary and subsidiary hazard labels are required, be displayed next to each other, if package dimensions are adequate.

Where a package is of such an irregular shape or small size that labels cannot be satisfactorily affixed, they may be attached to the package by a securely affixed tag or other suitable means."

5.2.2.1.6 Add the following new paragraph 5.2.2.1.6 (Renumber existing and subsequent paragraphs.)

"5.2.2.1.6 Intermediate bulk containers of more than 450 litres capacity must be labelled on two opposing sides."

CHAPTER 5.4

Insert a new paragraph 5.4.1.1.2 to read as follows:

"5.4.1.1.2 The information required on a transport document must be legible."

Insert the following new paragraph 5.4.1.1.8 (renumbering required):

"5.4.1.1.8 Empty means of containment (including packages, portable tanks, road transport tanks and railway transport tanks) which contain the residue of dangerous goods of other than Class 7 shall be described as such by, for example, placing the words "EMPTY UNCLEANED" or "RESIDUE LAST CONTAINED" before or after the proper shipping name."

Insert a new Chapter 5.5 as follows:

"CHAPTER 5.5 Special provisions

- 5.5.1 Special provisions applicable to consignment of infectious substances
- 5.5.1.1 Add existing text from 5.1.2.1
- 5.5.1.2 Add existing text from 5.1.2.2
- 5.5.2 Documentation and identification of fumigated transport units
- 5.5.2.1 Add existing text from 5.1.5.1
- 5.5.2.2 Add existing text from 5.1.5.2"

PART 6

Change the editorial note into an introductory note (see Annex 6 in ST/SG/AC.10/C.3/R.736, but deleting square brackets)

CHAPTER 6.1

- 6.1.1 Delete editorial note in 6.1.1
- 6.1.2.4 Insert a new 6.1.2.4 with the existing text of 5.1.3.4.

PART 7

CHAPTER 7.5

The document ST/SG/AC.10/C.3/R.711 was adopted with the following changes:

- a) Correction to be made on page 26, section 7.5.4.5.1:

replace "fitted with means of lifting" by "designed to be lifted" so as to read:

"7.5.4.5.1 Applicability

For all types of IBC which are designed to be lifted from the top and for flexible IBCs designed to be lifted from the top or the side, as a design type test;"

- b) In section 7.5.3.1.7 on page 16, delete the value "> 0.25" in the table showing capacity value ranges. The first line would then show " ≤ 1.0 ";
- c) As a result of decision on ST/SG/AC.10/C.3/R.716, delete paragraph 7.5.3.1.3 and renumber the following subsequent paragraphs accordingly;
- d) Keep the definition of IBCs under 1.2.1 and include the other definitions in Chapter 7.5 under a new 7.5.1.2. Existing sections 7.5.1.2 to 7.5.1.5 will then be renumbered accordingly (7.5.1.3 to 7.5.1.6).

ANNEX 4

**DRAFT AMENDMENTS TO THE RECOMMENDATIONS
ON THE TRANSPORT OF DANGEROUS GOODS**

(ST/SG/AC.10/1/Rev.9)

CHAPTER 2

LIST OF DANGEROUS GOODS MOST COMMONLY CARRIED

- UN 1105 Amend the name to read "PENTANOLS"
- UN 1366 Add the subsidiary risk "4.3" to column (b2) (Doc. Ref. ST/SG/AC.10/C.3/R.754)
- UN 1370 Add the subsidiary risk "4.3" to column (b2) (Doc. Ref. ST/SG/AC.10/C.3/R.754)
- UN 1500 Add the subsidiary risk "6.1" to column (b2) (Doc. Ref. INF.46)
- UN 2003 Amend the name to read:
"METAL ALKYL, WATER-REACTIVE, N.O.S. or METAL ARYL,
WATER-REACTIVE, N.O.S."
Add the subsidiary risk "4.3" to column (b2) (Doc. Ref. ST/SG/AC.10/C.3/R.754)
- UN 2451 Transfer from Division 2.3 to Division 2.2 (Doc. Ref. ST/SG/AC.10/C.3/R.759)
- UN 2666 To be deleted (Doc. Ref. ST/SG/AC.10/C.3/R.695)
- UN 3049 Amend the name to read:
"METAL ALKYL HALIDES, WATER-REACTIVE, N.O.S. or METAL ARYL
HALIDES, WATER-REACTIVES, N.O.S."
Add the subsidiary risk "4.3" to column (b2) (Doc. Ref. ST/SG/AC.10/C.3/R.754)
- UN 3050 Amend the name to read:
"METAL ALKYL HYDRIDES, WATER-REACTIVE, N.O.S. or METAL ARYL
HYDRIDES, WATER-REACTIVE, N.O.S."
Add the subsidiary risk "4.3" to column (b2) (Doc. Ref. ST/SG/AC.10/C.3/R.754)
- UN 3051 }
UN 3052 } Add the subsidiary risk "4.3" to column (b2) (Doc. Ref. ST/SG/AC.10/C.3/R.754)
UN 3053 }

UN 3076 In column (c2), add "M" (Doc. Ref. ST/SG/AC.10/C.3/R.755)

Add the subsidiary risk "4.3" to column (b2) (Doc. Ref. ST/SG/AC.10/C.3/R.754)

UN 3203 Amend the name to read:

"PYROPHORIC ORGANOMETALLIC COMPOUND, WATER-REACTIVE,
N.O.S."

Add the subsidiary risk "4.3" to column (b2) (Doc. Ref. ST/SG/AC.10/C.3/R.754)

In column (c2), add "M" (Doc. Ref. ST/SG/AC.10/C.3/R.755)

UN 3319 Read the name as follows:

"NITROGLYCERIN MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 2 %
but not more than 10 % nitroglycerin, by mass"

Add Special Provisions 109 and 274 in column (b3).

Add the following entries:

(a1)	(a2)	(b1)	(b2)	(b3)	(c1)	(c2)
3337	REFRIGERANT GAS R 404A	2.2				M
3338	REFRIGERANT GAS R 407A	2.2				M
3339	REFRIGERANT GAS R 407B	2.2				M
3340	REFRIGERANT GAS R 407C (Doc. Ref. ST/SG/AC.10/C.3/R.774)	2.2				M
3341	THIOUREA DIOXIDE 4.2			184		
3342	XANTHATES (Doc. Ref. INF.30)	4.2		174		
3343	NITROGLYCERIN MIXTURE, DESENSITIZED, LIQUID, FLAMMABLE, N.O.S. with not more than 30% nitroglycerin, by mass	3		109 274 278		
3344	PENTAERYTHRITE TETRANITRATE MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 10% but not more than 20% PETN, by mass	4.1		109 272 274	II	

CHAPTER 3

SPECIAL PROVISIONS RELATING TO INDIVIDUAL SUBSTANCES AND ARTICLES

Special Provision 68, amend to read:

"68 This substance in concentrations of:

more than 70% should be placed in Packing Group I and bear a subsidiary risk label of Division 5.1;

not more than 70 % should be placed in Packing Group II and not bear a subsidiary risk label." (Doc. Ref. INF.45)

Add a new Special Provision to read:

"278 These substances should not be classified and transported unless authorized by the competent authority on the basis of results from Series 2 tests and a Series 6(c) test on packages as prepared for transport (see para. 4.4.5). The competent authority should assign the Packing Group on the basis of the Chapter 5 criteria and the package type used for the Series 6(c) test.

CHAPTER 4

SPECIAL RECOMMENDATIONS RELATING TO CLASS 1

4.8.2.14 Change the last sentence to read:

"Such unpackaged articles may be fixed to cradles or contained in crates or other suitable handling, storage or launching devices in such a way that they will not become loose during normal conditions of transport."

(Doc. Ref. ST/SG/AC.10/C.3/R.601/Rev.1)

Add a new sub-paragraph as follows:

"Where such large explosive articles are as part of their operational safety and suitability tests subjected to test regimes that meet the intentions of these Recommendations and such tests have been successfully undertaken, the competent authority may approve such articles to be transported under these Recommendations."

CHAPTER 5

SPECIAL RECOMMENDATIONS RELATING TO CLASS 3

Amend 5.6 (b) to read:

"5.6 (b) The mixture does not contain any substances with a primary or a subsidiary risk of Division 6.1 or Class 8".

5.6 Delete the Note.

CHAPTER 6

SPECIAL RECOMMENDATIONS RELATING TO CLASS 6

6.9.4 Amend in accordance with the document ST/SG/AC.10/C.3/R.766 with the following change to the paragraph (b):

"(b) Those manufactured and packaged in accordance with the requirements of national governmental health authorities and transported for the purposes of final packaging or distribution, and use for personal health care by medical professionals or individuals."

6.9.5 }
6.9.6 }
6.10.1 }
6.10.2 } Amend in accordance with ST/SG/AC.10/C.3/R.766

6.13.2 At the end of the sentence add the following new sentence:

"Complete packages may be overpacked in accordance with the provisions of 13.9: such an overpack may contain dry ice."

(Doc. Ref. ST/SG/AC.10/C.3/R.667)

6.13.3 Amend 6.13.3 (b) (ii) as follows:

"(ii) For substances consigned refrigerated or frozen, ice, dry ice or other refrigerant should be placed around the secondary packaging(s) or alternatively in an overpack with one or more complete packages marked in accordance with 6.13.6. Interior supports should be provided to secure secondary packaging(s) or packages in position after the ice or dry ice has dissipated. If ice is used, the outer packaging or overpack should be leakproof. If dry ice is used, the outer packaging or overpack should permit the release of carbon dioxide gas. The primary receptacle and the secondary packaging should maintain their integrity at the temperature of the refrigerant used."

CHAPTER 9

GENERAL RECOMMENDATIONS ON PACKING

- 9.2.1 Amend the definition of recycled plastics as follows:

Recycled plastics material means material recovered from used industrial packagings that has been cleaned and prepared for processing into new packagings. The specific properties of the recycled material used for production of new packagings should be assured and documented regularly as part of a quality assurance programme recognized by the competent authority. The quality assurance programme should include a record of proper pre-sorting and verification that each batch or recycled plastics material has the proper melt flow rate, density, and tensile yield strength, consistent with that of the design type manufactured from such recycled material. This necessarily includes knowledge about the packaging material from which the recycled plastics have been derived, as well as awareness of the prior contents of those packagings if those prior contents might reduce the capability of new packagings produced using that material. In addition, the packaging manufacturer's quality assurance programme under 9.3.14 should include performance of the mechanical design type test in 9.7 on packagings manufactured from each batch of recycled plastics material. In this testing, stacking performance may be verified by appropriate dynamic compression testing rather than static load testing.

- 9.6.7.2 Add the sentence previously adopted to 9.6.7.1 (cf ST/SG/AC.10/C.3/22, Annex 2, page 47) as follows:

"Packagings manufactured with such recycled plastics material should be marked "REC" near the marks prescribed in 9.5.1."

- 9.7.6.3 Delete the sentence before last one.

(Doc. Ref. ST/SG/AC.10/C.3/R.779)

CHAPTER 11

SPECIAL RECOMMENDATIONS RELATING TO CLASS 5

- 11.3.5.4 Amend as follows:

The following organic peroxides should be subjected to temperature control during carriage:

organic peroxides type B and C with an SADT ≤ 50 °C;

organic peroxides type D showing a medium effect when heated under confinement ^{*/} with a SADT ≤ 50 °C or showing a low or no effect when heated under confinement with a SADT ≤ 45 °C; and

organic peroxides types E and F with a SADT ≤ 45 °C.

(Doc. Ref. ST/SG/AC.10/C.3/R.752)

^{*/} As determined by test series E as prescribed in the current edition of the Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria, Part II.

11.3.6.2 Add as follows:

"11.3.6.2 Test methods for determining the flammability are given in Part III, 32.4 of the Manual of Tests and Criteria. Because organic peroxides may react vigorously when heated it is recommended to determine their flash point using small sample sizes such as described in ISO 3679."

11.3.10.6 (c) Replace by the following text:

"Single mechanical refrigeration; provided that for organic peroxides with a flashpoint lower than the sum of the emergency temperature plus 5 °C explosion-proof electrical fittings are used within the cooling compartment to prevent ignition of flammable vapours from the organic peroxides."

11.3.10.6 (e) Replace the last indent, by the following text:

"for organic peroxides with a flashpoint lower than the sum of the emergency temperature plus 5 °C explosion-proof electrical fittings are used within the cooling compartment to prevent ignition of flammable vapours from the organic peroxides."

(Doc. Ref. ST/SG/AC.10/C.3/R.751)

Table 11.4

1. Add an introductory note following the heading of Table 11.4 to read:

"Note: When consigning an organic peroxide in an IBC in accordance with the following provisions, it is the responsibility of the consignor to ensure that:

(1) The pressure and emergency relief devices installed on the IBC are designed to take appropriate account of the self-accelerating decomposition of the organic peroxide and of fire engulfment; and

(2) When applicable, the control and emergency temperatures indicated are appropriate, taking into account the design (e.g. insulation) of the IBC to be used."

2. Add a footnote to the column headings reading "Control Temperature" and "Emergency Temperature" with the footnote to read:

" 2/ The temperatures indicated are based on a non-insulated IBC."

3. Amend the entry for "Peroxyacetic acid, stabilized, not more than 17%" as follows:

(a) in the third column ("Type of IBC"), add: "31HA1" and "31A"; and

(b) in the fourth column ("Maximum quantity (litres)"), delete the figure "1000" and insert the figure "1500" for IBC types 31H1, 31HA1 and 31A.

(Doc. Ref. ST/SG/AC.10/C.3/R.742)

CHAPTER 12

RECOMMENDATIONS ON MULTIMODAL TANK TRANSPORT

Table 12.1

Add the following entries:

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
3337	REFRIGERANT GAS R 404A	2.2		31.6 28.2 25.2 22.1	Allowed	Normal	0.82	
3338	REFRIGERANT GAS R 407A	2.2		32.3 29.0 25.7 22.4	Allowed	Normal	0.94	
3339	REFRIGERANT GAS R 407B	2.2		34.0 30.5 27.0 23.6	Allowed	Normal	0.93	
3340	REFRIGERANT GAS R 407C 2.2		30.2	27.0 24.1 21.4	Allowed	Normal	0.95	

(Doc. Ref. ST/SG/AC.10/C.3/R.774)

Table 12.2

Amend Table 12.2 in accordance with the amendments adopted for Chapter 2

Add the following entries:

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
3076	Aluminium alkyl hydrides ^{2,10}	4.2/I	4.3	10	10 mm	N.A.	N.	12.22.3
3203	Pyrophoric organometallic compound, water-reactive, n.o.s. ^{2,10}	4.2/I	4.3	10	10 mm	N.A.	N.	12.22.3

(Doc. Ref. ST/SG/AC.10/C.3/R.754 et -/C.3/R.755)

Amend entry for UN 2790 as follows:

(3)	(4)	(5)	(6)	(7)	(8)	(9)
"8/II		2.65	12.5.2	A/12.7.3	N.	12.22.3
8/III		2.65	12.5.2	A/12.7.2	N.	12.22.2"

CHAPTER 13

RECOMMENDATIONS ON CONSIGNMENT PROCEDURES

13.2 Amend 13.2 to read: "Marking"

13.2.1 Amend 13.2.1, first sentence at the end to read:

"... on each package. In the case of unpackaged articles the marking should be displayed on the article, on its cradle or on its handling, storage or launching device."

13.3.1 Amend first sentence to read:

"The labels recommended in 13.4 should be affixed on goods or packages."

CHAPTER 15

SPECIAL RECOMMENDATIONS FOR DANGEROUS GOODS IN LIMITED QUANTITIES

15.3.2 Amend and add at the end:

", except that inner packagings that are liable to break or be easily punctured such as those made of glass, porcelain, stoneware or certain plastics, materials, etc, should not be transported in such packagings."

(Doc. Ref. ST/SG/AC.10/C.3/R.740)

Table 15.1

For flammable liquids, Packing Group II, amend in the last column to read: "1 litre"

(Doc. Ref. ST/SG/AC.10/C.3/R.719)

CHAPTER 16

RECOMMENDATIONS ON INTERMEDIATE BULK CONTAINERS (IBCs)

16.2.3.2 To be deleted

(Doc. Ref. ST/SG/AC.10/C.3/R.716)

APPENDIX A**LIST OF GENERIC OR N.O.S. PROPER SHIPPING NAMES**

Amend as necessary in accordance with the amendments adopted for Chapter 2

INDEX

Amend the index in accordance with the amendments adopted for Chapter 2.

In addition, add the following entries:

Difluoromethane, pentafluoroethane, and 1,1,1,2-tetrafluoroethane azeotropic mixture with approximately 23% difluoromethane and 25% pentafluoroethane, see	2.2	3337
Difluoromethane, pentafluoroethane, and 1,1,1,2-tetrafluoroethane azeotropic mixture with approximately 20% difluoromethane and 40% pentafluoroethane, see	2.2	3338
Difluoromethane, pentafluoroethane, and 1,1,1,2-tetrafluoroethane azeotropic mixture with approximately 10% difluoromethane and 70% pentafluoroethane, see	2.2	3339
Pentafluoroethane, 1,1,1-trifluoroethane, and 1,1,1,2-tetrafluoroethane azeotropic mixture with approximately 44% pentafluoroethane and 52% 1,1,1-trifluoroethane, see	2.2	3340

(Doc. Ref. ST/SG/AC.10/C.3/R.774)

Amend the name	"3-Methyl-2-penten-4-yne-1 ol, see	8	2705"
to	"3-Methyl-2-penten-4-ynol, see	8	2705"
(in french amend	"Méthyl-3 pentène-2 yne-4-ol-1"		
to	"3-Méthylpent-2-èn-4-ynol"		

Add a cross reference to the entry for thiourea dioxide as follows:

"Formamidine sulphuric acid, see	4.2	3341"
----------------------------------	-----	-------

(Doc. Ref. INF.30)

ANNEX 5

DRAFT AMENDMENTS TO THE MANUAL OF TESTS AND CRITERIA

(ST/SG/AC.10/11/Rev.2)

Figure 10.2

Replace respectively "New substance" in box 1 and "New Article" in box 14 with "Substance for Classification" and "Article for Classification"

(Doc. Ref. ST/SG/AC.10/C.3/R.733)

Box No.3 Add the following footnote:

"For classification purposes, start with test series 2."

32.3.7 (b) Amend to read:

"(b) The mixture does not contain any substances with a primary or a subsidiary risk of Division 6.1 or Class 8."

32.3.7 Delete the Note
