E/ECE/324 E/ECE/TRANS/505

16 July 1999

AGREEMENT

CONCERNING THE ADOPTION OF UNIFORM TECHNICAL PRESCRIPTIONS FOR WHEELED VEHICLES, EQUIPMENT AND PARTS WHICH CAN BE FITTED AND/OR BE USED ON WHEELED VEHICLES AND THE CONDITIONS FOR RECIPROCAL RECOGNITION OF APPROVALS GRANTED ON THE BASIS OF THESE PRESCRIPTIONS */

(Revision 2, including the amendments entered into force on 16 October 1995)

Addendum 53: Regulation No. 54

Revision 1 - Amendment 2

Supplement 11 to the original version of the Regulation - Date of entry into force: 7 February 1999

UNIFORM PROVISIONS CONCERNING THE APPROVAL OF PNEUMATIC TYRES FOR COMMERCIAL VEHICLES AND THEIR TRAILERS



UNITED NATIONS

<u>*/</u> Former title of the Agreement:

Agreement Concerning the Adoption of Uniform Conditions of Approval and Reciprocal Recognition of Approval for Motor Vehicle Equipment and Parts, done at Geneva on 20 March 1958.

GE.99-22539

E/ECE/324 E/ECE/TRANS/505 Regulation No. 54 page 2

Paragraph 5.4.1., footnote 4/, amend to read:

"..... 32 for Latvia, 33-36 (vacant), 37 for Turkey, 38-39 (vacant), 40 for The former Yugoslav Republic of Macedonia, 41 (vacant), 42 for the European Community (Approvals are granted by its Member States using their respective ECE symbol) and 43 for Japan."

Paragraph 6.1.4.2., amend to read:

".... However, for tyres with nominal section width exceeding 305 mm intended for dual mounting (twinning), the value determined pursuant to paragraph 6.1.1. above shall not be exceeded by more than 2 per cent for radial-ply tyres with nominal aspect ratio higher than 60, or 4 per cent for diagonal (bias-ply) tyres."

<u>Annex 5</u>,

PART I, Table D, delete the following tyre sizes:

"24x 7.50-13	31x13.50-15
27x 8.50-14	31x15.50-15
28x 8.50-15	32x11.50-15 <u>*</u> /
29x 9.50-15	33x12.50-15
30x 9.50-15	35x12.50-15
31x10.50-15	37x12.50-15
31x11.50-15	37x14.50-15

*/ Erroneously indicated in Regulation No. 54, Revision 1 as "32x11.50-50".

PART II, Table B, insert at the end the following two new tyre sizes:

Tyre size designation <u>1</u> /	Measuring rim width code	Nominal rim diameter d (mm)	Outer diameter D (mm) <u>2</u> / Normal Snow		Section width S (mm) <u>3</u> /
33x9.50 R15LT	7.50	381	826	832	240
35x12.50 R16.5LT	10.00	419	877	883	318