

SMS-ES-ANNEX 2

Tables listing the points defining the outer limit of the extended continental shelf
(Degrees, Minutes and Seconds)

Point Id	Latitude (deg'min'sec")	Longitude (deg'min'sec")	Distance (M)	Article 76 criterion
ECS 1	4° 50' 18.27" S	59° 16' 57.13" E	-	60 M distance criterion / Baseline +200M
ECS 2	4° 50' 37.68" S	59° 17' 53.74" E	1.00	60 M distance criterion
ECS 3	4° 50' 57.66" S	59° 18' 50.22" E	1.00	60 M distance criterion
ECS 4	4° 51' 19.19" S	59° 19' 46.13" E	1.00	60 M distance criterion
ECS 5	4° 51' 41.03" S	59° 20' 41.91" E	1.00	60 M distance criterion
ECS 6	4° 52' 4.15" S	59° 21' 37.20" E	1.00	60 M distance criterion
ECS 7	4° 52' 27.95" S	59° 22' 32.20" E	1.00	60 M distance criterion
ECS 8	4° 52' 52.50" S	59° 23' 26.84" E	1.00	60 M distance criterion
ECS 9	4° 53' 18.40" S	59° 24' 20.88" E	1.00	60 M distance criterion
ECS 10	4° 53' 44.93" S	59° 25' 14.62" E	1.00	60 M distance criterion
ECS 11	4° 54' 12.64" S	59° 26' 7.76" E	1.00	60 M distance criterion
ECS 12	4° 54' 40.49" S	59° 27' 0.81" E	1.00	60 M distance criterion
ECS 13	4° 55' 10.10" S	59° 27' 52.93" E	1.00	60 M distance criterion
ECS 14	4° 55' 39.88" S	59° 28' 44.95" E	1.00	60 M distance criterion
ECS 15	4° 56' 11.14" S	59° 29' 36.09" E	1.00	60 M distance criterion
ECS 16	4° 56' 42.56" S	59° 30' 27.14" E	1.00	60 M distance criterion
ECS 17	4° 57' 15.64" S	59° 31' 17.12" E	1.00	60 M distance criterion
ECS 18	4° 57' 49.17" S	59° 32' 6.81" E	1.00	60 M distance criterion
ECS 19	4° 58' 23.02" S	59° 32' 56.29" E	1.00	60 M distance criterion
ECS 20	4° 58' 58.33" S	59° 33' 44.74" E	1.00	60 M distance criterion
ECS 21	4° 59' 34.11" S	59° 34' 32.86" E	1.00	60 M distance criterion
ECS 22	5° 0' 10.93" S	59° 35' 20.17" E	1.00	60 M distance criterion
ECS 23	5° 0' 48.26" S	59° 36' 7.08" E	1.00	60 M distance criterion
ECS 24	5° 1' 26.66" S	59° 36' 53.13" E	1.00	60 M distance criterion
ECS 25	5° 2' 5.84" S	59° 37' 38.53" E	1.00	60 M distance criterion
ECS 26	5° 2' 45.28" S	59° 38' 23.70" E	1.00	60 M distance criterion
ECS 27	5° 3' 26.19" S	59° 39' 7.54" E	1.00	60 M distance criterion
ECS 28	5° 4' 7.38" S	59° 39' 51.12" E	1.00	60 M distance criterion
ECS 29	5° 4' 49.00" S	59° 40' 34.31" E	1.00	60 M distance criterion
ECS 30	5° 5' 32.12" S	59° 41' 16.00" E	1.00	60 M distance criterion
ECS 31	5° 6' 15.24" S	59° 41' 57.68" E	1.00	60 M distance criterion
ECS 32	5° 6' 59.18" S	59° 42' 38.50" E	1.00	60 M distance criterion
ECS 33	5° 7' 44.14" S	59° 43' 18.21" E	1.00	60 M distance criterion
ECS 34	5° 8' 29.13" S	59° 43' 57.87" E	1.00	60 M distance criterion
ECS 35	5° 9' 15.25" S	59° 44' 36.23" E	1.00	60 M distance criterion
ECS 36	5° 10' 1.97" S	59° 45' 13.86" E	1.00	60 M distance criterion

Point Id	Latitude (deg°min'sec")	Longitude (deg°min'sec")	Distance (M)	Article 76 criterion
ECS 37	5° 10' 49.19" S	59° 45' 50.84" E	1.00	60 M distance criterion
ECS 38	5° 11' 36.95" S	59° 46' 27.15" E	1.00	60 M distance criterion
ECS 39	5° 12' 25.44" S	59° 47' 2.48" E	1.00	60 M distance criterion
ECS 40	5° 13' 14.84" S	59° 47' 36.51" E	1.00	60 M distance criterion
ECS 41	5° 14' 4.23" S	59° 48' 10.57" E	1.00	60 M distance criterion
ECS 42	5° 14' 54.53" S	59° 48' 43.27" E	1.00	60 M distance criterion
ECS 43	5° 15' 45.22" S	59° 49' 15.35" E	1.00	60 M distance criterion
ECS 44	5° 16' 36.27" S	59° 49' 46.87" E	1.00	60 M distance criterion
ECS 45	5° 17' 27.93" S	59° 50' 17.40" E	1.00	60 M distance criterion
ECS 46	5° 18' 20.87" S	59° 50' 48.02" E	1.02	60 M distance criterion
ECS 47	6° 11' 2.23" S	60° 18' 55.93" E	59.46	60 M distance criterion
ECS 48	6° 47' 49.40" S	61° 6' 29.44" E	59.84	60 M distance criterion
ECS 49	7° 2' 11.79" S	61° 43' 31.94" E	39.52	60 M distance criterion
ECS 50	7° 0' 54.06" S	62° 25' 10.29" E	41.42	Depth constraint point
ECS 51	7° 1' 5.63" S	62° 25' 32.36" E	0.41	Depth constraint point
ECS 52	7° 1' 33.20" S	62° 26' 25.52" E	0.99	Depth constraint point
ECS 53	7° 2' 1.44" S	62° 27' 18.31" E	0.99	Depth constraint point
ECS 54	7° 2' 30.25" S	62° 28' 10.82" E	0.99	Depth constraint point
ECS 55	7° 2' 59.53" S	62° 29' 3.05" E	0.99	Depth constraint point
ECS 56	7° 3' 29.36" S	62° 29' 54.95" E	0.99	Depth constraint point
ECS 57	7° 3' 59.55" S	62° 30' 46.66" E	0.99	Depth constraint point
ECS 58	7° 4' 30.60" S	62° 31' 37.87" E	0.99	Depth constraint point
ECS 59	7° 5' 1.64" S	62° 32' 29.06" E	0.99	Depth constraint point
ECS 60	7° 5' 33.48" S	62° 33' 19.77" E	0.99	Depth constraint point
ECS 61	7° 6' 5.80" S	62° 34' 10.17" E	0.99	Depth constraint point
ECS 62	7° 6' 38.80" S	62° 35' 0.12" E	0.99	Depth constraint point
ECS 63	7° 7' 12.17" S	62° 35' 49.85" E	0.99	Depth constraint point
ECS 64	7° 7' 45.74" S	62° 36' 39.41" E	0.99	Depth constraint point
ECS 65	7° 8' 20.28" S	62° 37' 28.31" E	0.99	Depth constraint point
ECS 66	7° 8' 54.82" S	62° 38' 17.21" E	0.99	Depth constraint point
ECS 67	7° 9' 30.01" S	62° 39' 5.64" E	0.99	Depth constraint point
ECS 68	7° 10' 5.79" S	62° 39' 53.63" E	0.99	Depth constraint point
ECS 69	7° 10' 42.00" S	62° 40' 41.30" E	0.99	Depth constraint point
ECS 70	7° 11' 18.70" S	62° 41' 28.61" E	0.99	Depth constraint point
ECS 71	7° 11' 55.69" S	62° 42' 15.69" E	0.99	Depth constraint point
ECS 72	7° 12' 33.59" S	62° 43' 2.01" E	0.99	Depth constraint point
ECS 73	7° 13' 11.58" S	62° 43' 48.27" E	0.99	Depth constraint point
ECS 74	7° 13' 50.03" S	62° 44' 34.14" E	0.99	Depth constraint point
ECS 75	7° 14' 29.17" S	62° 45' 19.43" E	0.99	Depth constraint point
ECS 76	7° 15' 8.30" S	62° 46' 4.72" E	0.99	Depth constraint point

Point Id	Latitude (deg°min'sec")	Longitude (deg°min'sec")	Distance (M)	Article 76 criterion
ECS 77	7° 15' 48.17" S	62° 46' 49.36" E	0.99	Depth constraint point
ECS 78	7° 16' 28.56" S	62° 47' 33.53" E	0.99	Depth constraint point
ECS 79	7° 17' 9.01" S	62° 48' 17.66" E	0.99	Depth constraint point
ECS 80	7° 17' 50.93" S	62° 49' 0.34" E	0.99	Depth constraint point
ECS 81	7° 18' 33.71" S	62° 49' 42.20" E	0.99	Depth constraint point
ECS 82	7° 19' 16.49" S	62° 50' 24.04" E	0.99	Depth constraint point
ECS 83	7° 19' 59.27" S	62° 51' 5.89" E	0.99	Depth constraint point
ECS 84	7° 20' 42.05" S	62° 51' 47.73" E	0.99	Depth constraint point
ECS 85	7° 21' 24.83" S	62° 52' 29.57" E	0.99	Depth constraint point
ECS 86	7° 22' 7.61" S	62° 53' 11.43" E	0.99	Depth constraint point
ECS 87	7° 22' 50.38" S	62° 53' 53.28" E	0.99	Depth constraint point
ECS 88	7° 23' 34.49" S	62° 54' 33.69" E	0.99	Depth constraint point
ECS 89	7° 24' 19.51" S	62° 55' 13.11" E	0.99	Depth constraint point
ECS 90	7° 25' 4.53" S	62° 55' 52.51" E	0.99	Depth constraint point
ECS 91	7° 25' 50.24" S	62° 56' 31.11" E	0.99	Depth constraint point
ECS 92	7° 26' 36.24" S	62° 57' 9.37" E	0.99	Depth constraint point
ECS 93	7° 27' 22.33" S	62° 57' 47.50" E	0.99	Depth constraint point
ECS 94	7° 28' 9.20" S	62° 58' 24.68" E	0.99	Depth constraint point
ECS 95	7° 28' 56.23" S	62° 59' 1.65" E	0.99	Depth constraint point
ECS 96	7° 29' 43.60" S	62° 59' 38.18" E	0.99	Depth constraint point
ECS 97	7° 29' 45.10" S	62° 59' 39.32" E	0.03	Depth constraint point
ECS 98	7° 58' 11.40" S	63° 20' 51.69" E	35.27	Depth constraint point
ECS 99	8° 35' 15.21" S	63° 56' 19.56" E	50.96	Depth constraint point
ECS 100	8° 35' 55.34" S	63° 57' 3.85" E	0.99	Depth constraint point
ECS 101	8° 36' 35.47" S	63° 57' 48.12" E	0.99	Depth constraint point
ECS 102	8° 37' 15.61" S	63° 58' 32.41" E	0.99	Depth constraint point
ECS 103	8° 37' 56.57" S	63° 59' 15.90" E	0.99	Depth constraint point
ECS 104	8° 38' 37.97" S	63° 59' 59.00" E	0.99	Depth constraint point
ECS 105	8° 39' 19.41" S	64° 0' 42.05" E	0.99	Depth constraint point
ECS 106	8° 40' 1.90" S	64° 1' 24.05" E	0.99	Depth constraint point
ECS 107	8° 40' 44.48" S	64° 2' 5.96" E	0.99	Depth constraint point
ECS 108	8° 41' 27.26" S	64° 2' 47.65" E	0.99	Depth constraint point
ECS 109	8° 42' 10.97" S	64° 3' 28.36" E	0.99	Depth constraint point
ECS 110	8° 42' 54.68" S	64° 4' 9.06" E	0.99	Depth constraint point
ECS 111	8° 43' 38.79" S	64° 4' 49.32" E	0.99	Depth constraint point
ECS 112	8° 44' 23.53" S	64° 5' 28.90" E	0.99	Depth constraint point
ECS 113	8° 45' 8.27" S	64° 6' 8.45" E	0.99	Depth constraint point
ECS 114	8° 45' 53.66" S	64° 6' 47.24" E	0.99	Depth constraint point
ECS 115	8° 46' 39.46" S	64° 7' 25.55" E	0.99	Depth constraint point
ECS 116	8° 47' 25.41" S	64° 8' 3.67" E	0.99	Depth constraint point

Point Id	Latitude (deg°min'sec")	Longitude (deg°min'sec")	Distance (M)	Article 76 criterion
ECS 117	8° 48' 11.92" S	64° 8' 41.11" E	0.99	Depth constraint point
ECS 118	8° 48' 58.74" S	64° 9' 18.13" E	0.99	Depth constraint point
ECS 119	8° 49' 46.00" S	64° 9' 54.61" E	0.99	Depth constraint point
ECS 120	8° 50' 33.45" S	64° 10' 30.81" E	0.99	Depth constraint point
ECS 121	8° 51' 21.45" S	64° 11' 6.29" E	0.99	Depth constraint point
ECS 122	8° 52' 9.84" S	64° 11' 41.23" E	0.99	Depth constraint point
ECS 123	8° 52' 58.22" S	64° 12' 16.14" E	0.99	Depth constraint point
ECS 124	8° 53' 47.28" S	64° 12' 50.11" E	0.99	Depth constraint point
ECS 125	8° 54' 36.49" S	64° 13' 23.84" E	0.99	Depth constraint point
ECS 126	8° 55' 26.28" S	64° 13' 56.69" E	0.99	Depth constraint point
ECS 127	8° 56' 16.64" S	64° 14' 28.66" E	0.99	Depth constraint point
ECS 128	8° 57' 7.01" S	64° 15' 0.63" E	0.99	Depth constraint point
ECS 129	8° 57' 57.37" S	64° 15' 32.60" E	0.99	Depth constraint point
ECS 130	8° 58' 47.73" S	64° 16' 4.54" E	0.99	Depth constraint point
ECS 131	8° 59' 38.66" S	64° 16' 35.58" E	0.99	Depth constraint point
ECS 132	9° 0' 30.06" S	64° 17' 5.79" E	0.99	Depth constraint point
ECS 133	9° 1' 21.81" S	64° 17' 35.43" E	0.99	Depth constraint point
ECS 134	9° 2' 13.79" S	64° 18' 4.63" E	0.99	Depth constraint point
ECS 135	9° 3' 6.01" S	64° 18' 33.41" E	0.99	Depth constraint point
ECS 136	9° 3' 28.08" S	64° 18' 45.33" E	0.42	Depth constraint point
ECS 137	9° 42' 35.25" S	64° 39' 34.12" E	44.04	Depth constraint point
ECS 138	9° 43' 27.81" S	64° 40' 2.05" E	0.99	Depth constraint point
ECS 139	9° 44' 20.79" S	64° 40' 29.16" E	0.99	Depth constraint point
ECS 140	9° 45' 13.83" S	64° 40' 56.16" E	0.99	Depth constraint point
ECS 141	9° 46' 7.16" S	64° 41' 22.55" E	0.99	Depth constraint point
ECS 142	9° 47' 0.70" S	64° 41' 48.51" E	0.99	Depth constraint point
ECS 143	9° 47' 54.64" S	64° 42' 13.58" E	0.99	Depth constraint point
ECS 144	9° 48' 48.77" S	64° 42' 38.28" E	0.99	Depth constraint point
ECS 145	9° 49' 43.04" S	64° 43' 2.61" E	0.99	Depth constraint point
ECS 146	9° 50' 37.65" S	64° 43' 26.18" E	0.99	Depth constraint point
ECS 147	9° 51' 32.37" S	64° 43' 49.47" E	0.99	Depth constraint point
ECS 148	9° 52' 27.90" S	64° 44' 10.73" E	0.99	Depth constraint point
ECS 149	9° 53' 23.45" S	64° 44' 31.90" E	0.99	Depth constraint point
ECS 150	9° 54' 19.00" S	64° 44' 53.08" E	0.99	Depth constraint point
ECS 151	9° 55' 14.54" S	64° 45' 14.25" E	0.99	Depth constraint point
ECS 152	9° 56' 10.32" S	64° 45' 34.80" E	0.99	Depth constraint point
ECS 153	9° 57' 6.17" S	64° 45' 55.15" E	0.99	Depth constraint point
ECS 154	9° 58' 2.01" S	64° 46' 15.50" E	0.98	Depth constraint point
ECS 155	9° 58' 58.24" S	64° 46' 34.73" E	0.98	Depth constraint point
ECS 156	9° 59' 54.87" S	64° 46' 52.72" E	0.98	Depth constraint point

Point Id	Latitude (deg'min'sec")	Longitude (deg'min'sec")	Distance (M)	Article 76 criterion
ECS 157	10° 0' 51.57" S	64° 47' 10.46" E	0.98	Depth constraint point
ECS 158	10° 1' 48.48" S	64° 47' 27.49" E	0.98	Depth constraint point
ECS 159	10° 2' 45.52" S	64° 47' 44.08" E	0.98	Depth constraint point
ECS 160	10° 3' 42.91" S	64° 47' 59.38" E	0.98	Depth constraint point
ECS 161	10° 4' 40.39" S	64° 48' 14.32" E	0.98	Depth constraint point
ECS 162	10° 5' 37.87" S	64° 48' 29.23" E	0.98	Depth constraint point
ECS 163	10° 6' 35.35" S	64° 48' 44.15" E	0.98	Depth constraint point
ECS 164	10° 7' 33.17" S	64° 48' 57.66" E	0.98	Depth constraint point
ECS 165	10° 8' 31.06" S	64° 49' 10.79" E	0.98	Depth constraint point
ECS 166	10° 9' 29.11" S	64° 49' 23.23" E	0.98	Depth constraint point
ECS 167	10° 10' 27.23" S	64° 49' 35.32" E	0.98	Depth constraint point
ECS 168	10° 11' 25.53" S	64° 49' 46.39" E	0.98	Depth constraint point
ECS 169	10° 12' 23.89" S	64° 49' 57.21" E	0.98	Depth constraint point
ECS 170	10° 13' 22.47" S	64° 50' 6.63" E	0.98	Depth constraint point
ECS 171	10° 14' 21.17" S	64° 50' 15.31" E	0.98	Depth constraint point
ECS 172	10° 15' 19.86" S	64° 50' 24.01" E	0.98	Depth constraint point
ECS 173	10° 16' 18.56" S	64° 50' 32.69" E	0.98	Depth constraint point
ECS 174	10° 17' 17.24" S	64° 50' 41.37" E	0.98	Depth constraint point
ECS 175	10° 18' 16.02" S	64° 50' 49.45" E	0.98	Depth constraint point
ECS 176	10° 19' 14.97" S	64° 50' 55.98" E	0.98	Depth constraint point
ECS 177	10° 20' 13.96" S	64° 51' 2.19" E	0.98	Depth constraint point
ECS 178	10° 21' 13.02" S	64° 51' 7.55" E	0.98	Depth constraint point
ECS 179	10° 22' 12.11" S	64° 51' 12.60" E	0.98	Depth constraint point
ECS 180	10° 23' 11.26" S	64° 51' 16.75" E	0.98	Depth constraint point
ECS 181	10° 24' 10.43" S	64° 51' 20.62" E	0.98	Depth constraint point
ECS 182	10° 25' 9.65" S	64° 51' 23.62" E	0.98	Depth constraint point
ECS 183	10° 26' 8.87" S	64° 51' 26.33" E	0.98	Depth constraint point
ECS 184	10° 27' 8.13" S	64° 51' 28.12" E	0.98	Depth constraint point
ECS 185	10° 28' 7.39" S	64° 51' 29.71" E	0.98	Depth constraint point
ECS 186	10° 29' 6.66" S	64° 51' 30.29" E	0.98	Depth constraint point
ECS 187	10° 29' 25.24" S	64° 51' 30.43" E	0.31	Depth constraint point / 60 M distance criterion
ECS 188	10° 30' 16.53" S	64° 51' 0.41" E	0.98	60 M distance criterion
ECS 189	10° 31' 7.21" S	64° 50' 29.34" E	0.98	60 M distance criterion
ECS 190	10° 31' 57.28" S	64° 49' 57.32" E	0.98	60 M distance criterion
ECS 191	10° 32' 46.94" S	64° 49' 24.61" E	0.98	60 M distance criterion
ECS 192	10° 33' 25.15" S	64° 48' 59.45" E	0.76	60 M distance criterion
ECS 193	11° 31' 26.73" S	64° 33' 37.72" E	59.71	60 M distance criterion
ECS 194	11° 32' 25.50" S	64° 33' 43.76" E	0.98	60 M distance criterion
ECS 195	11° 33' 24.29" S	64° 33' 49.39" E	0.98	60 M distance criterion
ECS 196	11° 34' 23.20" S	64° 33' 53.62" E	0.98	60 M distance criterion

Point Id	Latitude (deg'min'sec")	Longitude (deg'min'sec")	Distance (M)	Article 76 criterion
ECS 197	11° 35' 22.13" S	64° 33' 57.36" E	0.98	60 M distance criterion
ECS 198	11° 36' 21.14" S	64° 33' 59.64" E	0.98	60 M distance criterion
ECS 199	11° 37' 20.16" S	64° 34' 1.37" E	0.98	60 M distance criterion
ECS 200	11° 38' 19.20" S	64° 34' 1.09" E	0.98	60 M distance criterion
ECS 201	11° 39' 18.23" S	64° 34' 0.33" E	0.98	60 M distance criterion
ECS 202	11° 40' 17.26" S	64° 33' 59.53" E	0.98	60 M distance criterion
ECS 203	11° 41' 16.26" S	64° 33' 57.72" E	0.98	60 M distance criterion
ECS 204	11° 42' 15.19" S	64° 33' 54.28" E	0.98	60 M distance criterion
ECS 205	11° 43' 14.06" S	64° 33' 50.05" E	0.98	60 M distance criterion
ECS 206	11° 44' 12.85" S	64° 33' 44.70" E	0.98	60 M distance criterion
ECS 207	11° 45' 11.54" S	64° 33' 38.46" E	0.98	60 M distance criterion
ECS 208	11° 46' 10.12" S	64° 33' 31.21" E	0.98	60 M distance criterion
ECS 209	11° 47' 8.61" S	64° 33' 23.33" E	0.98	60 M distance criterion
ECS 210	11° 48' 6.89" S	64° 33' 13.96" E	0.98	60 M distance criterion
ECS 211	11° 49' 5.02" S	64° 33' 3.66" E	0.98	60 M distance criterion
ECS 212	11° 50' 3.00" S	64° 32' 52.57" E	0.98	60 M distance criterion
ECS 213	11° 50' 14.40" S	64° 32' 50.15" E	0.19	60 M distance criterion
ECS 214	11° 51' 9.43" S	64° 32' 39.00" E	0.93	60 M distance criterion / Depth constraint point
ECS 215	11° 51' 38.49" S	64° 32' 29.72" E	0.51	Depth constraint point
ECS 216	11° 52' 34.71" S	64° 32' 11.56" E	0.98	Depth constraint point
ECS 217	11° 53' 30.82" S	64° 31' 53.10" E	0.98	Depth constraint point
ECS 218	11° 54' 26.65" S	64° 31' 33.77" E	0.98	Depth constraint point
ECS 219	11° 55' 22.40" S	64° 31' 14.24" E	0.98	Depth constraint point
ECS 220	11° 56' 17.82" S	64° 30' 53.75" E	0.98	Depth constraint point
ECS 221	11° 57' 13.20" S	64° 30' 33.15" E	0.98	Depth constraint point
ECS 222	11° 58' 8.25" S	64° 30' 11.70" E	0.98	Depth constraint point
ECS 223	11° 59' 3.18" S	64° 29' 49.89" E	0.98	Depth constraint point
ECS 224	11° 59' 57.71" S	64° 29' 27.15" E	0.98	Depth constraint point
ECS 225	12° 0' 52.24" S	64° 29' 4.35" E	0.98	Depth constraint point
ECS 226	12° 1' 46.34" S	64° 28' 40.57" E	0.98	Depth constraint point
ECS 227	12° 2' 40.39" S	64° 28' 16.65" E	0.98	Depth constraint point
ECS 228	12° 3' 34.11" S	64° 27' 51.95" E	0.98	Depth constraint point
ECS 229	12° 4' 27.60" S	64° 27' 26.82" E	0.98	Depth constraint point
ECS 230	12° 5' 20.80" S	64° 27' 1.03" E	0.98	Depth constraint point
ECS 231	12° 6' 13.78" S	64° 26' 34.78" E	0.98	Depth constraint point
ECS 232	12° 7' 6.64" S	64° 26' 8.30" E	0.98	Depth constraint point
ECS 233	12° 7' 59.01" S	64° 25' 40.83" E	0.98	Depth constraint point
ECS 234	12° 8' 51.26" S	64° 25' 13.15" E	0.98	Depth constraint point
ECS 235	12° 9' 43.06" S	64° 24' 44.58" E	0.98	Depth constraint point
ECS 236	12° 10' 34.86" S	64° 24' 16.05" E	0.98	Depth constraint point

Point Id	Latitude (deg°min'sec")	Longitude (deg°min'sec")	Distance (M)	Article 76 criterion
ECS 237	12° 11' 26.10" S	64° 23' 46.46" E	0.98	Depth constraint point
ECS 238	12° 12' 17.25" S	64° 23' 16.75" E	0.98	Depth constraint point
ECS 239	12° 13' 7.99" S	64° 22' 46.31" E	0.98	Depth constraint point
ECS 240	12° 13' 40.00" S	64° 22' 26.87" E	0.62	Depth constraint point / 60 M distance criterion
ECS 241	12° 14' 27.40" S	64° 21' 51.33" E	0.98	60 M distance criterion
ECS 242	12° 15' 14.33" S	64° 21' 15.10" E	0.98	60 M distance criterion
ECS 243	12° 16' 0.39" S	64° 20' 37.77" E	0.98	60 M distance criterion
ECS 244	12° 16' 46.14" S	64° 20' 0.06" E	0.98	60 M distance criterion
ECS 245	12° 17' 31.35" S	64° 19' 21.67" E	0.98	60 M distance criterion
ECS 246	12° 18' 15.38" S	64° 18' 41.90" E	0.98	60 M distance criterion
ECS 247	12° 18' 59.42" S	64° 18' 2.15" E	0.98	60 M distance criterion
ECS 248	12° 19' 42.48" S	64° 17' 21.28" E	0.98	60 M distance criterion
ECS 249	12° 20' 24.76" S	64° 16' 39.62" E	0.98	60 M distance criterion
ECS 250	12° 21' 7.04" S	64° 15' 57.93" E	0.98	60 M distance criterion
ECS 251	12° 21' 47.85" S	64° 15' 14.75" E	0.98	60 M distance criterion
ECS 252	12° 22' 28.24" S	64° 14' 31.19" E	0.98	60 M distance criterion
ECS 253	12° 23' 8.55" S	64° 13' 47.52" E	0.98	60 M distance criterion
ECS 254	12° 23' 47.05" S	64° 13' 2.20" E	0.98	60 M distance criterion
ECS 255	12° 24' 25.50" S	64° 12' 16.85" E	0.98	60 M distance criterion
ECS 256	12° 25' 3.43" S	64° 11' 31.04" E	0.98	60 M distance criterion
ECS 257	12° 25' 39.89" S	64° 10' 44.02" E	0.98	60 M distance criterion
ECS 258	12° 26' 16.30" S	64° 9' 56.97" E	0.98	60 M distance criterion
ECS 259	12° 26' 51.49" S	64° 9' 8.96" E	0.98	60 M distance criterion
ECS 260	12° 27' 26.00" S	64° 8' 20.43" E	0.98	60 M distance criterion
ECS 261	12° 27' 59.47" S	64° 7' 31.18" E	0.98	60 M distance criterion
ECS 262	12° 28' 32.35" S	64° 6' 41.50" E	0.98	60 M distance criterion
ECS 263	12° 29' 4.75" S	64° 5' 51.51" E	0.98	60 M distance criterion
ECS 264	12° 29' 35.71" S	64° 5' 0.59" E	0.98	60 M distance criterion
ECS 265	12° 30' 6.68" S	64° 4' 9.64" E	0.98	60 M distance criterion
ECS 266	12° 30' 36.23" S	64° 3' 17.86" E	0.98	60 M distance criterion
ECS 267	12° 31' 5.22" S	64° 2' 25.73" E	0.98	60 M distance criterion
ECS 268	12° 31' 32.87" S	64° 1' 32.86" E	0.98	60 M distance criterion
ECS 269	12° 32' 0.07" S	64° 0' 39.74" E	0.98	60 M distance criterion
ECS 270	12° 32' 26.61" S	63° 59' 46.31" E	0.98	60 M distance criterion
ECS 271	12° 32' 51.98" S	63° 58' 52.27" E	0.98	60 M distance criterion
ECS 272	12° 33' 16.52" S	63° 57' 57.85" E	0.98	60 M distance criterion
ECS 273	12° 33' 39.96" S	63° 57' 2.90" E	0.98	60 M distance criterion
ECS 274	12° 34' 3.13" S	63° 56' 7.86" E	0.98	60 M distance criterion
ECS 275	12° 34' 24.78" S	63° 55' 12.17" E	0.98	60 M distance criterion
ECS 276	12° 34' 46.05" S	63° 54' 16.32" E	0.98	60 M distance criterion

Point Id	Latitude (deg'min'sec")	Longitude (deg'min'sec")	Distance (M)	Article 76 criterion
ECS 277	12° 35' 5.81" S	63° 53' 19.92" E	0.98	60 M distance criterion
ECS 278	12° 35' 25.40" S	63° 52' 23.44" E	0.98	60 M distance criterion
ECS 279	12° 35' 43.32" S	63° 51' 26.39" E	0.98	60 M distance criterion
ECS 280	12° 36' 1.12" S	63° 50' 29.32" E	0.98	60 M distance criterion
ECS 281	12° 36' 9.38" S	63° 50' 1.11" E	0.48	60 M distance criterion
ECS 282	13° 27' 9.83" S	63° 17' 59.39" E	59.64	60 M distance criterion
ECS 283	13° 28' 7.59" S	63° 18' 9.60" E	0.97	60 M distance criterion
ECS 284	13° 29' 5.47" S	63° 18' 19.02" E	0.97	60 M distance criterion
ECS 285	13° 30' 3.48" S	63° 18' 27.52" E	0.97	60 M distance criterion
ECS 286	13° 31' 1.65" S	63° 18' 34.87" E	0.97	60 M distance criterion
ECS 287	13° 31' 59.87" S	63° 18' 41.61" E	0.97	60 M distance criterion
ECS 288	13° 32' 58.23" S	63° 18' 47.05" E	0.97	60 M distance criterion
ECS 289	13° 33' 56.63" S	63° 18' 51.87" E	0.97	60 M distance criterion
ECS 290	13° 34' 55.12" S	63° 18' 55.35" E	0.97	60 M distance criterion
ECS 291	13° 35' 53.64" S	63° 18' 58.22" E	0.97	60 M distance criterion
ECS 292	13° 36' 52.20" S	63° 18' 59.80" E	0.97	60 M distance criterion
ECS 293	13° 37' 50.76" S	63° 19' 0.71" E	0.97	60 M distance criterion
ECS 294	13° 38' 49.34" S	63° 19' 0.35" E	0.97	60 M distance criterion
ECS 295	13° 39' 47.90" S	63° 18' 59.30" E	0.97	60 M distance criterion
ECS 296	13° 40' 46.42" S	63° 18' 57.04" E	0.97	60 M distance criterion
ECS 297	13° 41' 44.90" S	63° 18' 54.04" E	0.97	60 M distance criterion
ECS 298	13° 42' 43.32" S	63° 18' 49.82" E	0.97	60 M distance criterion
ECS 299	13° 43' 41.66" S	63° 18' 44.88" E	0.97	60 M distance criterion
ECS 300	13° 44' 39.91" S	63° 18' 38.77" E	0.97	60 M distance criterion
ECS 301	13° 45' 38.07" S	63° 18' 31.95" E	0.97	60 M distance criterion
ECS 302	13° 46' 36.11" S	63° 18' 24.13" E	0.97	60 M distance criterion
ECS 303	13° 47' 33.96" S	63° 18' 15.03" E	0.97	60 M distance criterion
ECS 304	13° 48' 31.68" S	63° 18' 5.06" E	0.97	60 M distance criterion
ECS 305	13° 49' 29.26" S	63° 17' 54.35" E	0.97	60 M distance criterion
ECS 306	13° 50' 26.62" S	63° 17' 42.45" E	0.97	60 M distance criterion
ECS 307	13° 51' 23.82" S	63° 17' 29.85" E	0.97	60 M distance criterion
ECS 308	13° 52' 20.76" S	63° 17' 16.04" E	0.97	60 M distance criterion
ECS 309	13° 53' 17.55" S	63° 17' 1.60" E	0.97	60 M distance criterion
ECS 310	13° 54' 14.00" S	63° 16' 45.87" E	0.97	60 M distance criterion
ECS 311	13° 55' 10.36" S	63° 16' 29.80" E	0.97	60 M distance criterion
ECS 312	13° 56' 6.27" S	63° 16' 12.17" E	0.97	60 M distance criterion
ECS 313	13° 57' 1.97" S	63° 15' 53.90" E	0.97	60 M distance criterion
ECS 314	13° 57' 57.25" S	63° 15' 34.32" E	0.97	60 M distance criterion
ECS 315	13° 58' 52.46" S	63° 15' 14.56" E	0.97	60 M distance criterion
ECS 316	13° 59' 47.04" S	63° 14' 53.04" E	0.97	60 M distance criterion

Point Id	Latitude (deg°min'sec")	Longitude (deg°min'sec")	Distance (M)	Article 76 criterion
ECS 317	14° 0' 10.41" S	63° 14' 44.28" E	0.41	60 M distance criterion
ECS 318	15° 0' 24.92" S	63° 13' 51.03" E	59.99	60 M distance criterion
ECS 319	15° 0' 54.51" S	63° 14' 1.47" E	0.52	60 M distance criterion
ECS 320	15° 1' 49.57" S	63° 14' 20.87" E	0.97	60 M distance criterion
ECS 321	15° 2' 44.96" S	63° 14' 39.26" E	0.97	60 M distance criterion
ECS 322	15° 3' 40.57" S	63° 14' 56.94" E	0.97	60 M distance criterion
ECS 323	15° 4' 36.47" S	63° 15' 13.57" E	0.97	60 M distance criterion
ECS 324	15° 5' 32.64" S	63° 15' 29.24" E	0.97	60 M distance criterion
ECS 325	15° 6' 29.06" S	63° 15' 43.88" E	0.97	60 M distance criterion
ECS 326	15° 7' 25.64" S	63° 15' 57.84" E	0.97	60 M distance criterion
ECS 327	15° 8' 22.48" S	63° 16' 10.60" E	0.97	60 M distance criterion
ECS 328	15° 9' 19.45" S	63° 16' 22.70" E	0.97	60 M distance criterion
ECS 329	15° 10' 16.66" S	63° 16' 33.56" E	0.97	60 M distance criterion
ECS 330	15° 11' 13.97" S	63° 16' 43.75" E	0.97	60 M distance criterion
ECS 331	15° 12' 11.47" S	63° 16' 52.72" E	0.97	60 M distance criterion
ECS 332	15° 13' 9.07" S	63° 17' 1.00" E	0.97	60 M distance criterion
ECS 333	15° 14' 6.81" S	63° 17' 8.10" E	0.97	60 M distance criterion
ECS 334	15° 15' 4.61" S	63° 17' 14.64" E	0.97	60 M distance criterion
ECS 335	15° 16' 2.53" S	63° 17' 19.92" E	0.96	60 M distance criterion
ECS 336	15° 17' 0.53" S	63° 17' 24.03" E	0.96	60 M distance criterion
ECS 337	15° 17' 58.57" S	63° 17' 27.34" E	0.96	60 M distance criterion
ECS 338	15° 18' 56.65" S	63° 17' 29.78" E	0.96	60 M distance criterion
ECS 339	15° 19' 54.76" S	63° 17' 31.21" E	0.96	60 M distance criterion
ECS 340	15° 20' 52.87" S	63° 17' 31.68" E	0.96	60 M distance criterion
ECS 341	15° 21' 50.99" S	63° 17' 31.23" E	0.96	60 M distance criterion
ECS 342	15° 22' 49.08" S	63° 17' 29.72" E	0.96	60 M distance criterion
ECS 343	15° 23' 47.14" S	63° 17' 27.38" E	0.96	60 M distance criterion
ECS 344	15° 24' 45.14" S	63° 17' 23.92" E	0.96	60 M distance criterion
ECS 345	15° 25' 43.10" S	63° 17' 19.68" E	0.96	60 M distance criterion
ECS 346	15° 26' 40.95" S	63° 17' 14.35" E	0.96	60 M distance criterion
ECS 347	15° 27' 38.73" S	63° 17' 8.18" E	0.96	60 M distance criterion
ECS 348	15° 28' 36.37" S	63° 17' 0.81" E	0.96	60 M distance criterion
ECS 349	15° 29' 33.93" S	63° 16' 52.80" E	0.96	60 M distance criterion
ECS 350	15° 30' 31.30" S	63° 16' 43.50" E	0.96	60 M distance criterion
ECS 351	15° 31' 28.57" S	63° 16' 33.62" E	0.96	60 M distance criterion
ECS 352	15° 32' 25.61" S	63° 16' 22.42" E	0.96	60 M distance criterion
ECS 353	15° 33' 22.54" S	63° 16' 10.64" E	0.96	60 M distance criterion
ECS 354	15° 34' 19.19" S	63° 15' 57.55" E	0.96	60 M distance criterion
ECS 355	15° 35' 15.71" S	63° 15' 43.89" E	0.96	60 M distance criterion
ECS 356	15° 36' 11.98" S	63° 15' 29.21" E	0.96	60 M distance criterion

Point Id	Latitude (deg°min'sec")	Longitude (deg°min'sec")	Distance (M)	Article 76 criterion
ECS 357	15° 37' 8.02" S	63° 15' 13.62" E	0.96	60 M distance criterion
ECS 358	15° 38' 3.68" S	63° 14' 56.62" E	0.96	60 M distance criterion
ECS 359	15° 38' 59.20" S	63° 14' 39.19" E	0.96	60 M distance criterion
ECS 360	15° 39' 54.36" S	63° 14' 20.61" E	0.96	60 M distance criterion
ECS 361	15° 40' 49.29" S	63° 14' 1.31" E	0.96	60 M distance criterion
ECS 362	15° 41' 43.92" S	63° 13' 41.15" E	0.96	60 M distance criterion
ECS 363	15° 42' 38.24" S	63° 13' 20.11" E	0.96	60 M distance criterion
ECS 364	15° 43' 32.04" S	63° 12' 57.69" E	0.96	60 M distance criterion
ECS 365	15° 44' 25.57" S	63° 12' 34.62" E	0.96	60 M distance criterion
ECS 366	15° 45' 18.84" S	63° 12' 10.93" E	0.96	60 M distance criterion
ECS 367	15° 46' 11.56" S	63° 11' 45.95" E	0.96	60 M distance criterion
ECS 368	15° 47' 4.12" S	63° 11' 20.67" E	0.96	60 M distance criterion
ECS 369	15° 47' 55.96" S	63° 10' 53.80" E	0.96	60 M distance criterion
ECS 370	15° 48' 47.78" S	63° 10' 26.93" E	0.96	60 M distance criterion
ECS 371	15° 49' 38.72" S	63° 9' 58.32" E	0.96	60 M distance criterion
ECS 372	15° 50' 29.63" S	63° 9' 29.65" E	0.96	60 M distance criterion
ECS 373	15° 51' 19.61" S	63° 8' 59.31" E	0.96	60 M distance criterion
ECS 374	15° 52' 9.43" S	63° 8' 28.68" E	0.96	60 M distance criterion
ECS 375	15° 52' 58.84" S	63° 7' 57.38" E	0.96	60 M distance criterion
ECS 376	15° 53' 47.88" S	63° 7' 25.04" E	0.97	60 M distance criterion / Baseline + 200M