

11 October 2002

## AGREEMENT

**CONCERNING THE ADOPTION OF UNIFORM TECHNICAL PRESCRIPTIONS  
FOR WHEELED VEHICLES, EQUIPMENT AND PARTS WHICH CAN BE FITTED  
AND/OR BE USED ON WHEELED VEHICLES AND THE CONDITIONS FOR RECIPROCAL  
RECOGNITION OF APPROVALS GRANTED ON THE BASIS OF THESE PRESCRIPTIONS \*/**

(Revision 2, including the amendments which entered into force on 16 October 1995)

---

### **Addendum 3: Regulation No. 4**

#### **Revision 1 - Amendment 3**

Supplement 9 to the original version of the Regulation - Date of entry into force: 26 August 2002 \*\*/

**UNIFORM PROVISIONS CONCERNING THE APPROVAL OF DEVICES FOR THE ILLUMINATION  
OF REAR REGISTRATION PLATES OF MOTOR VEHICLES (EXCEPT MOTORCYCLES)  
AND THEIR TRAILERS**



**UNITED NATIONS**

---

\*/ Former title of the Agreement:

Agreement Concerning the Adoption of Uniform Conditions of Approval and Reciprocal Recognition of Approval for Motor Vehicle Equipment and Parts, done at Geneva on 20 March 1958.

\*\*/ For Ukraine, the date of entry into force is 26 October 2002.

GE.02-24316

Paragraph 2., amend to read:

"..... or forestry tractors (120 x 165 mm) or any combination of those plates. At the choice of the applicant, it will also specify that the device may be fitted in more than one or a field of positions in relation to the space to be occupied by the registration plate; these different positions shall be indicated by the applicant in the communication form. It shall be accompanied by the following, ....."

Paragraph 4.4.1., footnote 1/, amend to read:

"1/ ... 35 (vacant), 36 for Lithuania, 37 for Turkey, 38 (vacant), 39 for Azerbaijan, 40 for The former Yugoslav Republic of Macedonia, 41 (vacant), 42 for the European Community (Approvals are granted by its Member States using their respective ECE symbol), 43 for Japan, 44 (vacant), 45 for Australia, 46 for Ukraine, 47 for South Africa and 48 for New Zealand. Subsequent numbers ...."

Paragraph 7., amend to read:

"7. Incidence of the light

The manufacturer of the illuminating device shall specify one or more or a field of positions in which the device is to be fitted in relation to the space for the registration plate; when the lamp is placed in the position(s) specified by the manufacturer the angle of incidence of the light on the surface of the plate shall not exceed 82° at any point of ....."

Annex 2, item 9., amend to read:

"9. Concise description: 3/

Device for illuminating: a tall plate  
a wide plate  
a plate for agricultural or  
forestry tractor 2/

Number and category of filament lamp(s): .....

Geometrical conditions of installation (position(s) and inclination(s) of the device in relation to the space to be occupied by the registration plate and/or different inclinations of this space):  
....."

Annex 5, paragraph 1.2., amend to read:

"1.2. For replaceable filament lamps:  
when equipped with filament lamps at 6.75 V, 13.5 V or 28.0 V the  
luminance values produced shall be corrected. The correction  
factor is the ratio between the reference luminous flux and the  
mean value of the luminous flux found at the voltage applied  
(6.75 V, 13.5 V or 28.0 V). The actual luminous fluxes of each  
filament lamp used shall not deviate more than " 5 per cent from  
the mean value. Alternatively a standard filament lamp may be  
used in turn, in each of the individual positions, operated at its  
reference flux, the individual measurements in each position being  
added together."

---