UNITED NATIONS



# **Economic and Social Council**

Distr. GENERAL

TRANS/WP.29/2003/88 31 July 2003

Original: ENGLISH

#### ECONOMIC COMMISSION FOR EUROPE

INLAND TRANSPORT COMMITTEE

World Forum for Harmonization of Vehicle Regulations (WP.29) (One-hundred-and-thirty-first session, 11-14 November 2003, agenda item 4.2.6.)

## DRAFT CORRIGENDUM 1 TO SUPPLEMENT 8 TO THE 02 SERIES OF AMENDMENTS TO REGULATION No. 7

(Position, stop, and end-outline marker lamps)

Transmitted by the Working Party on Lighting and Light-Signalling (GRE)

<u>Note</u>: The text reproduced below was adopted by GRE at its fiftieth session, and is transmitted for consideration to WP.29 and to AC.1. It is based on documents TRANS/WP.29/GRE/2003/13, as amended (TRANS/WP.29/GRE/50, para. 89 and annex 3).

This document is a working document circulated for discussion and comments. The use of this document for other purposes is the entire responsibility of the user.

Documents are also available via the INTERNET: http://www.unece.org/trans/main/welcwp29.htm

#### Paragraph 1.6., amend to read:

- "1.6. "Front and rear position lamps, stop-lamps and end-outline marker lamps" means lamps which differ in each said category in such essential respects as:
  - the trade name or mark;
  - the characteristics of the optical system, (levels of intensity, light distribution angles, category of filament lamp, light source module, etc.);
  - the system used to reduce illumination at night in the case of stop-lamps with two levels of intensity.

A change of the colour of the filament lamp or the colour of any filter does not constitute a change of type."

#### Paragraph 2.2.2., amend to read:

- "2.2.2. A brief technical description stating, in particular, with the exception of lamps with non-replaceable light sources:
  - the category or categories of filament lamp(s) prescribed; this filament lamp category shall be one of those contained in Regulation No. 37; and/or
  - the light source module specific identification code.

In the case of a category S3 stop lamp, which is intended to be mounted inside the vehicle, the technical description shall contain the specification of the optical properties (transmission, colour, inclination, etc.) of the rear window(s)".

#### Paragraph 3.2., amend to read:

- "3.2. With the exception of lamps with non-replaceable light sources it must bear a clearly legible and indelible marking indicating:
  - the category or categories of filament lamp(s) prescribed; and/or
  - the light source module specific identification code."

#### Paragraph 3.4., amend to read:

"3.4. In the case of lamps with non-replaceable light sources or light source module(s), the lamp shall bear the marking of the rated voltage and rated wattage."

#### Add new paragraphs 3.6., 3.6.1., 3.6.2. and 3.6.3., to read:

- "3.6. Light source module(s) submitted along with the approval of lamp must bear:
- 3.6.1. the trade name or mark of the applicant; this marking must be clearly legible and indelible;
- 3.6.2. the specific identification code of the module; this marking must be clearly legible and indelible.

This specific identification code shall comprise the starting letters "MD" for "MODULE" followed by the approval marking without the circle as prescribed in

paragraph 4.2.1.1. below; this specific identification code shall be shown in the drawings mentioned in paragraph 2.2.1. above.

The approval marking does not have to be the same as the one on the lamp in which the module is used, but both markings shall be from the same applicant.

3.6.3. the marking of the rated voltage and rated wattage"

#### Add new paragraphs 5.6., 5.6.1. and 5.6.2., to read:

- "5.6. Light source module
- 5.6.1. The design of the light source module(s) shall be such that even in darkness the light source module(s) can be fitted in no other position, but the correct one.
- 5.6.2. The light source module(s) shall be tamperproof."

#### Annex 2, item 9., amend to read:

"9. Concise description: 3/ By category of lamp: For mounting either outside or inside or both  $\frac{2}{}$ Colour of light emitted: red / selective yellow / white 2/ Number and category(ies) of filament lamp(s): Application of additional supply system Specification of this supply system ..... Switched power supply: - Duty cycle: ...... peak to peak voltage: ..... Light source module: Light source module specific identification code: ..... Geometrical conditions of installation and relating variations; if anv: ..... Only for limited mounting height of equal to or less than 750 mm above the ground yes/no <u>2</u>/ "

#### Annex 3, insert a new example 7., to read:

"7. Light source modules

### MD E3 17325

The light source module bearing the identification code shown above has been approved together with a lamp approved in Italy (E3) under approval number 17325."

\_\_\_\_\_