



ОРГАНИЗАЦИЯ  
ОБЪЕДИНЕННЫХ НАЦИЙ



Рамочная Конвенция  
об Изменении Климата

Distr.  
GENERAL

FCCC/SBSTA/2004/8\*  
21 October 2004

RUSSIAN  
Original: ENGLISH

**ВСПОМОГАТЕЛЬНЫЙ ОРГАН ДЛЯ КОНСУЛЬТИРОВАНИЯ  
ПО НАУЧНЫМ И ТЕХНИЧЕСКИМ АСПЕКТАМ**

Двадцать первая сессия

Буэнос-Айрес, 6-14 декабря 2004 года

**Пункт 5 d) предварительной повестки дня**

**Методологические вопросы**

**Вопросы, связанные с кадастрами парниковых газов**

**Руководящие принципы для подготовки национальных сообщений Сторон,  
включенных в приложение I к Конвенции, часть I: руководящие принципы  
РКИКООН для представления информации о годовых кадастрах  
(после включения положений решения 13/CP.9)**

**Записка секретариата**

*Резюме*

Настоящий документ содержит полный вариант обновленных "Руководящих принципов для подготовки национальных сообщений Сторон, включенных в приложение I к Конвенции, часть I: руководящие принципы РКИКООН для представления информации о годовых кадастрах", включая изменения, касающиеся сектора землепользования, изменений в землепользовании и лесного хозяйства, принятые Конференцией Сторон (КС) на ее девятой сессии. Секретариат подготовил настоящий документ по просьбе КС в целях облегчения представления Сторонами, включенными в приложение I, информации о кадастрах в 2005 году.

\* Переиздано по техническим причинам.

## СОДЕРЖАНИЕ

	<u>Пункты</u>	<u>Стр.</u>
<b>ВВЕДЕНИЕ.....</b>	<b>1 - 5</b>	<b>3</b>
A.    Мандат .....	1 - 3	3
B.    Сфера охвата записи .....	4 - 5	3
<b>РУКОВОДЯЩИЕ ПРИНЦИПЫ ДЛЯ ПОДГОТОВКИ НАЦИОНАЛЬНЫХ СООБЩЕНИЙ СТОРОН, ВКЛЮЧЕННЫХ В ПРИЛОЖЕНИЕ I К КОНВЕНЦИИ, ЧАСТЬ I: РУКОВОДЯЩИЕ ПРИНЦИПЫ РКИКООН ДЛЯ ПРЕДСТАВЛЕНИЯ ИНФОРМАЦИИ О ГОДОВЫХ КАДАСТРАХ.....</b>	<b>1 - 53</b>	<b>5</b>
A.    Цели .....	1	5
B.    Принципы и определения .....	2 - 5	5
C.    Контекст .....	6 - 7	7
D.    Базовый год .....	8	7
E.    Методы .....	9 - 17	8
F.    Представление информации .....	18 - 50	11
G.    Ведение отчетности.....	51	23
H.    Систематическое обновление руководящих принципов .....	52	24
I.    Язык .....	53	24
<b><u>Приложения</u></b>		
I.    Структура национального доклада о кадастре .....	25	
II.    Общая форма докладов.....	36	

## **Введение**

### **A. Мандат**

1. Конференция Сторон (КС) в своем решении 13/CP.9 дополнила таблицы общей формы представления докладов для представления информации в секторе землепользования, изменений в землепользовании и лесного хозяйства (ЗИЗЛХ) и постановила использовать эти таблицы в течение испытательного периода, охватывающего материалы о кадастрах, подлежащие представлению в 2005 году.
2. В этом же решении КС также просила секретариат включить эти таблицы для ЗИЗЛХ и соответствующие технические модификации в "Руководящие принципы для подготовки национальных сообщений Сторон, включенных в приложение I к Конвенции, часть I: руководящие принципы РКИКООН для представления информации о годовых кадастрах", которые были приняты в соответствии с решением 18/CP.8 (ниже упоминаются как руководящие принципы РКИКООН для представления информации о годовых кадастрах).
3. КС далее просила секретариат включить эти таблицы в новое программное обеспечение для представления информации (упоминаемое далее как CRF Reporter), которые в настоящее время находятся на стадии разработки, с тем чтобы облегчить работу Сторон, включенных в приложение I к Конвенции, по подготовке кадастров, которые подлежат представлению до 15 апреля 2005 года.

### **B. Сфера охвата записи**

4. В настоящем документе содержатся полные обновленные руководящие принципы РКИКООН для представления информации о годовых кадастрах для всех кадастровых секторов, включая изменения, касающиеся сектора ЗИЗЛХ. При подготовке настоящего документа секретариат произвел изменения, необходимые для включения таблиц общей формы доклада (ОФД), технических модификаций и других изменений, как это предусмотрено в решении 13/CP.9 и в приложениях I, II и III к нему. Кроме того, как в тексте руководящих принципов, так и в таблицах были произведены некоторые редакционные изменения в целях обеспечения согласованности между секторами и согласованности с таблицами ОФД, принятими согласно решению 18/CP.8. В качестве примеров таких редакционных изменений можно упомянуть замену термина "категория источника" термином "категория", которая поясняется в сноске 4 к руководящим принципам РКИКООН для представления информации о годовых кадастрах, а также применение затемнения в таблицах ОФД для сектора ЗИЗЛХ в целях обеспечения

сопоставимости с другими секторами ОФД. Как указано в пунктах 11 и 12 приложения II к настоящим руководящим принципам (см. стр. 37-38), затемнение показывает, что данные должны вводиться в таблице ОФД сторонами или что они должны автоматически рассчитываться.

5. В те разделы руководящих принципов, которые посвящены ЗИЗЛХ, могут быть внесены дальнейшие изменения после рассмотрения Вспомогательным органом для консультирования по научным и техническим аспектам (ВОКНТА) на его двадцать третьей сессии мнений и опыта Сторон в деле использования таблиц ОФД. В соответствии с решением 18/CP.8 ВОКНТА рассмотрит любые возможные изменения руководящих принципов РКИКООН для представления информации о годовых кадастрах на своей двадцать четвертой сессии, при этом такой пересмотр, возможно, будет включать изменения, касающиеся сектора ЗИЗЛХ, с учетом опыта, накопленного в области применения этих руководящих принципов.

**Руководящие принципы для подготовки национальных сообщений Сторон, включенных в приложение I к Конвенции, Часть I: руководящие принципы РКИКООН для представления информации о годовых кадастрах**

**A. Цели**

1. Цели руководящих принципов РКИКООН для представления информации о годовых кадастрах заключаются в следующем:

- a) оказывать содействие Сторонам, включенным в приложение I к Конвенции (Стороны, включенные в приложение I), в выполнении их обязательств по статьям 4 и 12 Конвенции и в оказании Сторонам, включенным в приложение I к Киотскому протоколу, помощи в подготовке к выполнению их обязательств по статьям 3, 5 и 7 Киотского протокола;
- b) облегчать процесс рассмотрения годовых национальных кадастров, в том числе подготовку технических документов по анализу и обобщению;
- c) облегчать процесс проверки, технической оценки и экспертного рассмотрения кадастровых данных.

**B. Принципы и определения**

- 2. Национальные кадастры парниковых газов, упоминаемые ниже как кадастры, должны быть транспарентными, согласованными, сопоставимыми, полными и точными.
- 3. Кадастры следует готовить с использованием сопоставимых методологий, принятых Конференцией Сторон (КС), как указано в пункте 9 ниже.
- 4. В контексте настоящих руководящих принципов РКИКООН для представления информации о годовых кадастрах:

*транспарентность* означает, что следует представлять четкие разъяснения в отношении допущений и методологий, использованных для составления кадастра, с тем чтобы облегчить работу с кадастрами и их оценку для пользователей сообщенной информации. Транспарентность кадастров является основополагающей предпосылкой успешного процесса представления и рассмотрения информации;

*согласованность* означает, что кадастр должен характеризоваться внутренней согласованностью во всех своих элементах с кадастрами за другие годы. Кадастр является согласованным, если одни и те же методологии используются для базового года и всех последующих лет и если для оценки выбросов из источников или абсорбции поглотителями используются согласованные ряды данных. В некоторых условиях, упомянутых в пунктах 15 и 16, кадастр, составленный с использованием иных методологий за различные годы, может считаться согласованным, если он был пересчитан транспарентным образом в соответствии с положениями докладов Межправительственной группы экспертов по изменению климата (МГЭИК) *Руководящие указания по эффективной практике и учету факторов неопределенности в национальных кадастрах парниковых газов и Руководящие указания по эффективной практике для землепользования, изменений в землепользовании и лесного хозяйства*<sup>1</sup>.

*сопоставимость* означает, что оценки выбросов и абсорбции, сообщенные Сторонами, включенными в приложение I, в кадастрах, должны быть сопоставимы между Сторонами, включенными в приложение I. Для этой цели Сторонам, включенным в приложение I, следует использовать методологии и формы, принятые КС для оценки и представления докладов о кадастрах. Распределение источников/поглотителей по различным категориям должно соответствовать их классификации в *Пересмотренных руководящих принципах Межправительственной группы экспертов по изменению климата 1996 года для национальных кадастров парниковых газов и в Руководящих указаниях по эффективной практике для землепользования, изменений в землепользовании и лесного хозяйства*<sup>2</sup>, в том что касается резюме и таблиц по секторам;

*полнота* означает, что кадастр охватывает все источники и поглотители, а также все газы, включенные в руководящие принципы МГЭИК, а равно другие существующие соответствующие категории источников/поглотителей, которые являются специфическими для отдельных Сторон, включенных в приложение I, и, следовательно,

---

<sup>1</sup> В настоящем документе термин руководящие указания МГЭИК по эффективной практике касается одновременно Руководящих указаний МГЭИК по эффективной практике и учету факторов неопределенности в национальных кадастрах парниковых газов и Руководящих указаний по эффективной практике для землепользования, изменений в землепользовании и лесного хозяйства. В тех случаях, когда речь идет лишь о последнем документе, используется термин руководящие указания по эффективной практике для ЗИЗЛХ.

<sup>2</sup> В настоящем документе упоминаются как Руководящие принципы МГЭИК.

могут и не быть включены в руководящие принципы МГЭИК. Полнота также означает полный географический охват источников и поглотителей данной Стороны, включенной в приложение I<sup>3</sup>;

*точность* является относительной мерой верности оценки выбросов или абсорбции. Оценки должны быть точными в том смысле, что они не содержат, насколько об этом можно судить, систематически завышенной или заниженной оценки истинных выбросов или абсорбции, и что факторы неопределенности, насколько это возможно, сведены к минимуму. Для повышения *точности* кадастров следует использовать надлежащие методологии в соответствии с руководящими указаниями МГЭИК по эффективной практике.

5. В контексте настоящих руководящих принципов определения общих терминов, используемых при подготовке кадастров парниковых газов, представляют собой определения, предусмотренные в руководящих указаниях МГЭИК по эффективной практике.

### **C. Контекст**

6. Настоящие руководящие принципы РКИКООН для представления докладов о годовых кадастрах охватывают оценку и представление докладов о выбросах и абсорбции парниковых газов в рамках как годовых кадастров, так и кадастров, включаемых в национальные сообщения, как это предусматривается решением 11/СР.4 и другими соответствующими решениями КС.

7. Представляемые материалы о годовых кадастрах состоят из национального доклада о кадастрах (НДК) и таблиц, соответствующих общей форме доклада (ОФД), как описано в пунктах 38-43 и 44-50, соответственно.

### **D. Базовый год**

8. В качестве базового года для оценки кадастров и представления докладов следует использовать 1990 год. В соответствии с положениями статьи 4.6 Конвенции и решениями 9/СР.2 и 11/СР.4 следующим Сторонам, включенным в приложение I, которые осуществляют процесс перехода к рыночной экономике, разрешается использовать иной, чем 1990 год, базовый год или период:

---

<sup>3</sup> В соответствии с документами о ратификации, принятии и одобрении Конвенции или присоединении к ней данной Стороны, включенной в приложение I.

Болгария:	1988 год
Венгрия:	средний показатель за 1985-1987 годы
Польша:	1988 год
Румыния:	1989 год
Словения:	1986 год.

## E. Методы

### Методология

9. Стороны, включенные в приложение I, используют руководящие принципы МГЭИК для оценки и представления докладов об антропогенных выбросах из источников и абсорбции поглотителями парниковых газов, не регулируемых Монреальским протоколом. При подготовке национальных кадастров этих газов Стороны, включенные в приложение I, также используют руководящие указания МГЭИК по эффективной практике в целях повышения транспарентности, согласованности, сопоставимости, полноты и точности.

10. В соответствии с руководящими принципами МГЭИК Стороны, включенные в приложение I, могут применять различные методы (уровни), включенные в эти руководящие принципы, отдавая приоритет тем методам, которые, согласно порядку принятия решений, содержащемуся в руководящих указаниях МГЭИК по эффективной практике, позволяют получать более точные оценки. В соответствии с руководящими принципами МГЭИК Стороны, включенные в приложение I, могут также использовать национальные методологии, которые, по их мнению, лучше отражают их национальную ситуацию, при условии что эти методологии совместимы с руководящими принципами МГЭИК и руководящими указаниями МГЭИК по эффективной практике, а также хорошо подкреплены документацией и научно обоснованы.

11. Что касается категорий<sup>4</sup>, определяемых в соответствии с руководящими указаниями МГЭИК по эффективной практике как ключевые категории и оцениваемых в соответствии с положениями пункта 13 ниже, то Сторонам, включенным в приложение I, следует делать все возможное для использования, согласно соответствующему порядку принятия

---

<sup>4</sup> Термин "категории" касается как категорий источников, так и категорий поглотителей. Термин "ключевые категории" относится как к ключевым категориям источников, используемым в Руководящих указаниях МГЭИК по эффективной практике и учету факторов неопределенности в национальных кадастрах парниковых газов, так и к ключевым категориям, используемым в Руководящих указаниях по эффективной практике для землепользования, изменений в землепользовании и лесного хозяйства.

решений, метода, рекомендованного в руководящих указаниях МГЭИК по эффективной практике. Сторонам также следует делать все возможное для разработки и/или отбора факторов выбросов и сбора и отбора данных о деятельности в соответствии с руководящими указаниями МГЭИК об эффективной практике.

12. Для большинства категорий в руководящих принципах МГЭИК предлагается стандартная методология, которая включает стандартные факторы выбросов и в некоторых случаях - справочные стандартные данные о деятельности. Кроме того, в руководящих указаниях МГЭИК по эффективной практике предусматриваются обновленные стандартные факторы выбросов и стандартные данные о деятельности по некоторым категориям и газам. Поскольку допущения, заложенные в этих стандартных данных, факторах и методах, могут не соответствовать конкретным национальным условиям, предпочтительно, чтобы Стороны, включенные в приложение I, использовали свои собственные национальные факторы выбросов и данные о деятельности, когда таковые имеются, при условии, что они разработаны по методике, соответствующей руководящим указаниям МГЭИК по эффективной практике, считаются более точными и представляются в более транспарентной форме. Если Стороны, включенные в приложение I, принимают решения об использовании стандартных факторов или данных ввиду отсутствия относящейся к данной стране информации, им следует использовать - там, где они имеются, - обновленные стандартные данные о деятельности или факторах выбросов, предусмотренные в руководящих указаниях МГЭИК по эффективной практике.

#### Определение ключевых категорий

13. Стороны, включенные в приложение I, определяют свои национальные ключевые категории для базового года и последнего кадастрового года, как это описано в руководящих указаниях МГЭИК по эффективной практике, с использованием оценки на уровне 1 или уровне 2 и оценки тенденций.

#### Факторы неопределенности

14. Стороны, включенные в приложение I, производят количественную оценку факторов неопределенности применительно к данным, используемым по всем категориям источников и поглотителей, с использованием, как минимум, метода оценки на уровне 1, предусмотренного в руководящих указаниях МГЭИК по эффективной практике. Стороны, включенные в приложение I, имеют также альтернативную возможность использовать метод оценки на уровне 2, предусмотренный в руководящих указаниях

по эффективной практике, в целях устранения технических ограничений, присущих методу оценки на уровне 1. Факторы неопределенности в данных, используемых для всех категорий источников и поглотителей, должны быть также проанализированы с точки зрения качества транспарентным образом в НДК, в частности для тех категорий, которые были определены в качестве ключевых.

### Перерасчеты

15. Оценка кадастров, охватывающих целый временной ряд, включающий базовый год и все последующие годы, за которые были представлены кадастры, должна проводиться с использованием одних и тех же методологий, и основополагающие данные о деятельности и факторы выбросов должны рассчитываться и использоваться последовательным образом. Перерасчеты должны обеспечивать последовательность временных рядов и выполняться лишь для повышения точности и/или полноты. В случае изменения методологии или методов сбора основополагающих данных о деятельности и факторов выбросов Сторонам, включенным в приложение I, следует проводить перерасчет кадастров за базовый и последующие годы. Сторонам, включенным в приложение I, следует оценивать необходимость перерасчетов с учетом оснований, приведенных в руководящих указаниях МГЭИК по эффективной практике, в частности по ключевым категориям. Перерасчеты должны производиться в соответствии с руководящими принципами МГЭИК по эффективной практике и общими нормами, изложенными в настоящих руководящих принципах РКИКООН.

16. В некоторых случаях может оказаться невозможным использовать те же методы и ряды последовательных данных по всем годам в связи с отсутствием данных о деятельности, факторах выбросов или других параметров, непосредственно используемых для расчета предполагаемых выбросов за некоторые прошлые годы, включая базовый год. В таких случаях количество выбросов или абсорбции может предполагать необходимость перерасчета с использованием альтернативных методов, которые, в общем и целом, в пунктах 9-12 не предусмотрены. В таких случаях, в целях определения недостающих данных Сторонам, включенным в приложение I, следует использовать один из методов, предусмотренных в руководящих указаниях МГЭИК по эффективной практике (например, частичное совпадение, подстановка, интерполяция и экстраполяция). Во всех случаях, когда используются такие методы, Сторонам, включенным в приложение I, следует документально подтверждать и показывать в НДК, что временные ряды последовательны.

## Обеспечение качества/контроль качества (ОК/КК)

17. Каждая Сторона, включенная в приложение I, разрабатывает план ОК/КК кадастра и осуществляет общие процедуры КК кадастра (метод оценки на уровне 1)<sup>5</sup> в соответствии с ее планом ОК/КК на основании руководящих принципов МГЭИК по эффективной практике. Кроме того, Сторонам, включенным в приложение I, следует применять процедуры КК, специфичные для данной категории (метод оценки на уровне 2, для ключевых категорий и тех отдельных категорий, в которых, в соответствии с руководящими указаниями МГЭИК по эффективной практике, были произведены существенные методологические изменения и/или пересмотр данных). Применение КК на уровне 2 может быть произведено более эффективно вместе с оценкой факторов неопределенности в источниках данных. Кроме того, Стороны, включенные в приложение I, могут выполнять процедуры ОК путем проведения базового экспертного рассмотрения (ОК на уровне 1) своих кадастров в соответствии с руководящими указаниями МГЭИК по эффективной практике.

## **F. Представление информации**

### **1. Общие руководящие указания**

#### Оценки выбросов и абсорбции

18. В статье 12.1 а) Конвенции предусматривается, что каждая Сторона, включенная в приложение I, представляет КС через секретариат, в частности, национальный кадастр антропогенных выбросов из источников и абсорбции поглотителями всех парниковых газов, не регулируемых Монреальским протоколом. Как минимум, кадастры должны содержать информацию о следующих парниковых газах: диоксиде углерода ( $\text{CO}_2$ ), метане ( $\text{CH}_4$ ), закиси азота ( $\text{N}_2\text{O}$ ), перфторуглеродах (ПФУ), гидрофторуглеродах (ГФУ) и гексафториде серы ( $\text{SF}_6$ ). Сторонам, включенным в приложение I, следует также представлять информацию об антропогенных выбросах и абсорбции любых других парниковых газов, для которых величины потенциала глобального потепления (ПГП) за 100-летний период были определены МГЭИК и приняты КС. Сторонам, включенным в приложение I, следует также представлять информацию о следующих газах с косвенным парниковым эффектом: оксида углерода (CO), оксидах азота ( $\text{NO}_x$ ) и неметановых летучих органических соединениях (НМЛОС), а также об оксидах серы ( $\text{SO}_x$ ).

---

<sup>5</sup> Как указано в таблице 8.1 *Руководящих указаний МГЭИК по эффективной практике и учету факторов неопределенности в национальных кадастрах парниковых газов*.

19. Информация о выбросах и абсорбции парниковых газов должна представляться по каждому газу в отдельности в единицах массы, при этом выбросы из источников перечисляются отдельно от абсорбции поглотителями, за исключением тех случаев, когда технически невозможно разделить информацию об источниках и поглотителях в сфере землепользования, изменений в землепользовании и лесного хозяйства. Для ГФУ и ПФУ информация о выбросах должна сообщаться на разукрупненной основе для каждого соответствующего химического вещества в конкретной категории, за исключением тех случаев, когда применяются положения пункта 27 ниже.

20. Кроме того, в соответствии с решением 2/CP.3 Сторонам следует сообщать данные о совокупных выбросах и абсорбции парниковых газов в эквиваленте CO<sub>2</sub> в части доклада, содержащей резюме кадастра<sup>6</sup>, с использованием величин ПГП, представленных МГЭИК в его втором докладе об оценке, которые упоминаются ниже как величины ПГП МГЭИК 1995 года, на основе воздействия парниковых газов на протяжении 100-летнего периода. Перечень таких величин приводится в таблице 1 в конце настоящих руководящих принципов. В таблицу 1 на стр. 24 будут вноситься поправки в целях включения в нее любых дополнительных парниковых газов и их величин ПГП за 100-летний период, после того как эти величины ПГП будут приняты КС.

21. В соответствии с решением 2/CP.3 Сторонам, включенным в приложение I, следует представлять данные о фактических выбросах ГФУ, ПФУ и SF<sub>6</sub>, когда такие данные имеются в наличии, представляя разукрупненные данные в разбивке по химическим веществам (например, HFC-134a) и категориям источников в единицах массы и в эквивалентах CO<sub>2</sub>. Сторонам, включенным в приложение I, следует прилагать все усилия для развития необходимых источников данных в целях представления данных о фактических выбросах. Для тех категорий источников, к которым применяется концепция потенциальных выбросов и в отношении которых Стороны, включенные в приложение I, еще не располагают необходимыми данными для расчета фактических выбросов, Сторонам, включенным в приложение I, следует сообщать разукрупненные потенциальные выбросы. В целях транспарентности и сопоставимости Сторонам, включенным в приложение I, представляющим информацию о фактических выбросах, следует также представлять информацию о потенциальных выбросах по тем источникам, к которым применяется концепция потенциальных выбросов.

---

<sup>6</sup> Выбросы в эквиваленте CO<sub>2</sub> следует указывать на таком же уровне разукрупнения, что и в таблице 1 резюме 1.A общей формы доклада.

22. Любая Сторона, включенная в приложение I, которая является Стороной Киотского протокола и которая решила, в соответствии с пунктом 8 статьи 3 Киотского протокола, использовать 1995 год в качестве базового года для ГФУ, ПФУ и SF<sub>6</sub> в целях расчета установленных количеств на основании пунктов 7 и 8 статьи 3 Киотского протокола, должна указать этот факт в своем НДК и в клетках соответствующих таблиц ОФД. Независимо от базового года, выбранного для этих газов в целях Киотского протокола, таким Сторонам, включенным в приложение I, следует представлять - в той мере, в какой имеются необходимые данные, - оценки и тенденции выбросов по этим газам начиная с 1990 года и далее в соответствии с положениями настоящих руководящих принципов.

23. К Сторонам, включенным в приложение I, также обращается настоятельный призыв представлять дополнительные данные о выбросах и абсорбции парниковых газов, величины ПГП которых за 100-летний период уже имеются, но еще не утверждены КС. Информацию об этих выбросах и абсорбции следует сообщать отдельно от национальных итоговых величин. Следует указывать величины ПГП и источник данных.

24. В соответствии с руководящими принципами МГЭИК выбросы, связанные с бункерным топливом, используемым при международных авиационных и морских перевозках, не следует включать в национальные итоговые величины, а следует сообщать отдельно. Сторонам, включенным в приложение I, следует делать все возможное для применения метода разделения национальных и международных выбросов, предусмотренного в руководящих указаниях МГЭИК по эффективной практике, и для представления информации в соответствии с этим методом. Сторонам, включенным в приложение I, следует также сообщать данные о выбросах, связанных с использованием бункерного топлива при международных авиационных и морских перевозках, как две отдельные графы своих кадастров.

25. Сторонам, включенным в приложение I, следует четко указывать, каким образом учитываются в кадастре промышленное сырье и неэнергические виды использования топлива в секторе энергетики или в промышленных процессах, в соответствии с руководящими указаниями МГЭИК по эффективной практике.

26. Если Стороны, включенные в приложение I, учитывают в своих кадастрах эффект абсорбции CO<sub>2</sub> из дымовых газов и последующего хранения CO<sub>2</sub>, им следует указывать категории источников, в которые включен такой эффект, и представлять транспарентную документацию, подтверждающую использованные методологии и обусловленный этим эффект.

27. Данные о выбросах и абсорбции следует сообщать на максимально разукрупненном уровне по каждой категории источников/поглотителей с учетом того факта, что для защиты конфиденциальной деловой и военной информации может потребоваться минимальный уровень разукрупнения.

Полнота

28. В тех случаях, когда в кадастрах существуют методологические пробелы или пробелы в данных, информацию о таких пробелах следует представлять транспарентным образом. Сторонам, включенным в приложение I, следует четко указывать источники и поглотители, не учтенные в их кадастрах, но включенные в руководящие принципы МГЭИК, и объяснять причины такого исключения. Аналогичным образом, Сторонам, включенным в приложение I, следует указывать части их географического района, при наличии таковых, которые не включены в их кадастр, и объяснять причины такого исключения. Кроме того, Сторонам, включенным в приложение I, следует использовать приводимые ниже условные обозначения для заполнения пробелов во всех таблицах и ОФД<sup>7</sup>. Такой подход облегчает оценку полноты кадастра. Применяются следующие условные обозначения:

- a) "NO" (не имеется) для деятельности или процессов в случае конкретной категории источников/поглотителей, которой в данном стране не имеется;
- b) "NE" (оценка не проводилась) для существующих выбросов парниковых газов из источников и их абсорбции поглотителями, в отношении которых оценка не проводилась. В тех случаях, когда в кадастре для выбросов или абсорбции CO<sub>2</sub>, N<sub>2</sub>O, CH<sub>4</sub>, ГФУ, ПФУ или SF<sub>6</sub> используется обозначение "NE", Стороне, включенной в приложение I, следует указать в НДК и таблице полноты ОФД, почему не произведена оценка выбросов или абсорбции<sup>8</sup>;
- c) "NA" (неприменимо) для деятельности в той или иной категории источников/поглотителей, которая не приводит к выбросам или абсорбции конкретного газа. Если категории в ОФД, к которым применимо обозначение "NA", затенены, то их можно не заполнять;

---

<sup>7</sup> Если условные обозначения используются в НДК, то они должны соответствовать условным обозначениям в ОФД.

<sup>8</sup> Даже если, по оценкам, выбросы считаются весьма незначительными, Сторонам следует, тем не менее, либо указывать оценку выбросов, в случае ее расчета, либо использовать обозначение "NE".

d) "IE" (включено в другом месте) для тех выбросов парниковых газов из источников и той их абсорбции поглотителями, оценка которых проведена, но указана в другой части кадастра, вместо данной категории источников/поглотителей. В тех случаях, когда в кадастре используется обозначение "IE", Стороне, включенной в приложение I, следует указать, используя таблицу полноты ОФД, в какую часть кадастра были включены выбросы или абсорбция по данной категории источников/поглотителей, и объяснить причины такого их перемещения из соответствующей категории;

e) "C" (конфиденциальный характер) для тех выбросов парниковых газов из источников и той их абсорбции поглотителями, которые могут привести к раскрытию конфиденциальной информации с учетом положений пункта 27 выше.

29. Если Стороны, включенные в приложение I, проводят оценку выбросов и абсорбции для специфических для конкретной страны источников или поглотителей либо для газов, которые не охвачены руководящими принципами МГЭИК, и сообщают относящиеся к ним данные, им следует ясно указывать, о каких категориях источников/поглотителей идет речь и какие методологии, факторы выбросов и данные о деятельности использовались при составлении оценки, и указывать источники этих данных.

### Ключевые категории

30. Стороны, включенные в приложение I, оценивают и указывают в процентах индивидуальный и совокупный вклад ключевых категорий в их национальные итоговые показатели в отношении как уровня, так и тенденций. Эти выбросы следует выражать в эквиваленте CO<sub>2</sub> с использованием методов, предусмотренных в руководящих указаниях МГЭИК по эффективной практике. Как указано в пунктах 41 и 47 ниже, эту информацию следует включать в таблицу 7 ОФД, а также в НДК, используя таблицы 7.1-7.3 *Руководящих указаний МГЭИК по эффективной практике и учету факторов неопределенности в национальных кадастрах парниковых газов* и таблицы 5.4.1-5.4.3 *Руководящих указаний по эффективной практике для землепользования, изменений в землепользовании и лесного хозяйства*, приспособленные к уровню дезагрегации категорий, который Сторона, включенная в приложение I, использовала для определения своих ключевых категорий<sup>9</sup>.

---

<sup>9</sup> В качестве основы для подготовки анализа ключевых категорий следует использовать таблицу 7.1 *Руководящих принципов МГЭИК по эффективной практике и учету факторов неопределенности в национальных кадастрах парниковых газов* и таблицу 5.4.1 *Руководящих указаний по эффективной практике для землепользования, изменений в землепользовании и лесного хозяйства*, однако эти таблицы необязательно включать в НДК.

### Проверка

31. В соответствии с руководящими принципами МГЭИК и для целей проверки Сторонам, включенным в приложение I, следует проводить сопоставление своих национальных оценок выбросов диоксида углерода в результате сжигания топлива с оценками, полученными при помощи стандартного подхода МГЭИК, и указывать результаты сопоставления в ОФД и НДК. Поощряется также представление Сторонами, включенными в приложение I, докладов о любых экспертных рассмотрениях их кадастров, проведенных на национальном уровне.

### Факторы неопределенности

32. Сторонам, включенным в приложение I, следует указывать в НДК оценки факторов неопределенности, как указано в пункте 14 выше, а также использованные методы и основополагающие допущения в целях облегчения работы по определению приоритетов для повышения точности национальных кадастров в будущем и в целях создания основы для принятия решений о выборе методологии. Эту информацию следует представлять с использованием таблиц 6.1 и 6.2 *Руководящих указаний МГЭИК по эффективной практике и учету факторов неопределенности в национальных кадастрах парниковых газов*, добавив строки для соответствующих категорий ЗИЗЛХ, как это указано в разделе 5.2.5 *Руководящих указаний по эффективной практике для землепользования, изменений в землепользовании и лесного хозяйства*. В этих таблицах термин "national total" означает абсолютную величину выбросов из источников за вычетом объема абсорбции поглотителями. Кроме того, Сторонам, включенным в приложение I, следует указывать в этих таблицах те категории, которые были определены в их кадастрах в качестве ключевых категорий. Если использованные методы оценки уровня неопределенности не совпадают с предлагаемыми в руководящих указаниях МГЭИК по эффективной практике, то следует дать описание этих методов.

### Перерасчеты

33. Перерасчеты ранее представленных оценок выбросов и абсорбции в результате изменений в методологиях, изменений в методах получения или использования факторов выбросов и данных о деятельности или включения новых источников или поглотителей, которые существовали начиная с базового года, но данные о которых ранее не сообщалось, следует представлять за базовый год и за все последующие годы вплоть до года, в котором был произведен перерасчет.

34. Перерасчеты следует сообщать в НДК, снабжая их пояснительной информацией, включая обоснование перерасчета, а также в соответствующих таблицах ОФД. Сторонам, включенным в приложение I, также следует давать пояснения по тем случаям, когда они не производили перерасчет оценки, хотя это предусмотрено в руководящих указаниях МГЭИК по эффективной практике. Информацию о порядке перерасчета, об изменениях в методах расчета, об использовавшихся факторах выбросов и данных о деятельности и о включении источников или поглотителей, которые ранее не использовались, следует подкреплять сведениями о соответствующих изменениях в каждой категории источников или поглотителей, если такие изменения имели место. Применительно к ключевым категориям Сторонам, включенным в приложение I, следует включать эту информацию в НДК, как указано в пункте 41 ниже.

35. Сторонам, включенным в приложение I, следует сообщать о любых других изменениях в оценках выбросов и абсорбции, независимо от их масштабов, и четко указывать причины изменений по сравнению с ранее представленными cadastrами, например исправление ошибки, статистические или редакционные изменения или перераспределение категорий, используя при этом соответствующую таблицу ОФД, как указано в пункте 47 ниже и пояснено в приложении II к настоящим руководящим принципам.

#### ОК/КК

36. Стороны, включенные в приложение I, представляют сведения в НДК о своем плане ОК/КК и информацию о процедурах ОК/КК, которые уже применяются или будут применяться в будущем.

#### Корректизы<sup>10</sup>

37. Кадастры представляются без корректировок, связанных, например, с климатическими колебаниями или тенденциями в области торговли электроэнергией. Если Стороны, включенные в приложение I, в дополнительном порядке проводят такую корректировку кадастровых данных, то эти корректизы должны сообщаться отдельно и транспарентным образом с четким указанием применявшегося метода.

---

<sup>10</sup> Упоминаемые в настоящем тексте корректизы связаны, например, с климатическими колебаниями или тенденциями в области торговли электроэнергией. Они не связаны с корректизами, предусмотренными статьей 5.2 Киотского протокола.

## 2. Национальный доклад о кадастре

38. Стороны, включенные в приложение I, представляют КС через секретариат НДК, содержащий подробную и полную информацию об их кадастрах. Следует обеспечивать, чтобы НДК имел транспарентный характер и содержал достаточно подробную информацию, позволяющую провести рассмотрение кадастра. Эта информация должна включать все временные ряды начиная с базового года<sup>11</sup> и заканчивая последним кадастровым годом, а также любые изменения по сравнению с ранее представленными кадастрами.

39. Каждый год КС представляется обновленный полный вариант НДК в электронной форме через секретариат на основании соответствующих решений КС; в тех случаях, когда Стороны, включенные в приложение I, подготовили варианты своих НДК в типографской форме, им также предлагается представить экземпляры этих докладов в секретариат.

40. В НДК включается информация о годовом кадастре, представленном в соответствии с пунктом 38 выше.

41. В НДК следует включать:

а) описания, ссылки и источники информации по конкретным методологиям, допущениям, фактором выбросов и данным о деятельности, а также обоснование их выбора. В него также следует включать данные, указывающие использованный уровень сложности (уровни МГЭИК) и описание любой национальной методологии, использованной данной Стороной, включенной в приложение I, а также информацию о предполагаемых будущих улучшениях. В отношении ключевых категорий следует пояснить, не использовались ли применительно к ним методы соответствующего порядка принятия решений, рекомендуемые в руководящих указаниях МГЭИК по эффективной практике. Кроме того, в соответствии с руководящими указаниями МГЭИК по эффективной практике следует документально подтверждать данные о деятельности, факторах выбросов и связанную с этим информацию.

---

<sup>11</sup> В соответствии с положениями статьи 4.6 Конвенции и решениями 9/CP.2 и 11/CP.4 некоторым Сторонам с экономикой переходного периода разрешается использовать иные, чем 1990 год, базовые годы, как это упомянуто в пункте 8 выше.

- b) Описание ключевых национальных источников, как это предусмотрено в пункте 30<sup>12</sup>, включая:
- i) ссылки на таблицы по ключевым категориям в ОФД;
  - ii) информацию о степени разукрупнения категорий и соответствующее обоснование;
  - iii) дополнительную информацию о методологии, использовавшейся для определения ключевых категорий;
- c) В связи с возможным двойным учетом или неучетом выбросов следует - в той части НДК, которая касается соответствующих секторов, - указывать:
- i) было ли учтено в кадастре промышленное сырье и неэнергетические виды использования топлива и, если это так, в каком разделе оно учитывалось: в разделе, касающемся энергетики, или в разделе, касающемся промышленных процессов;
  - ii) была ли проведена оценка выбросов CO<sub>2</sub> в результате сжигания биомассы и в каких таблицах справочных данных по секторам ОФД она была учтена (таблицы 5.A-5.F и таблица 5(V));
  - iii) были ли учтены в кадастре CO<sub>2</sub> соответствующие атмосферному окислению CO, выбросы НМЛОС и CH<sub>4</sub> в результате процессов, не связанных с сжиганием топлива и с биогенетическими процессами, такими, как использование растворителей, добыча угля и связанные с ним погрузочно-разгрузочные операции, распыление и утечка ископаемых видов топлива;
  - iv) информацию о категориях источников или поглотителей, которые были исключены или потенциально могут быть исключены, в том числе об усилиях по разработке оценок для будущих представлений;

---

<sup>12</sup> Секретариат будет также определять стандартизованным методом ключевые источники для всех Сторон, основываясь на таблице 7.1 руководящих указаний МГЭИК по эффективной практике. Стороны могут также использовать этот подход, если он согласуется с их методикой подготовки кадастров.

- d) информацию о том, каким образом в кадастре учитываются последствия улавливания CO<sub>2</sub> из дымовых газов и последующего хранения CO<sub>2</sub>;
- e) информацию о факторах неопределенности, как это требуется согласно пункту 32 выше;
- f) информацию о любых перерасчетах, связанных с ранее представленными кадастровыми данными, как это требуется согласно пунктам 33-35 выше, включая изменения в методологиях, источниках информации и допущениях, а также о перерасчетах, произведенных с учетом требований процесса рассмотрения;
- g) информацию об изменениях по сравнению с предыдущими годами, которые не связаны с перерасчетами, включая изменения в методологиях, источниках информации и допущениях, а также об изменениях с учетом требований процесса рассмотрения;
- h) информацию о ОК/КК, как требует пункт 36 выше, с описанием плана ОК/КК и деятельности в области ОК/КК применительно к кадастрам в целом, а также к отдельным категориям, в особенности к ключевым категориям, и о внутреннем рассмотрении кадастра, а также о его рассмотрении внешними специалистами, если такое рассмотрение проводилось. Следует охарактеризовать основные выводы относительно качества входных данных, методов обработки и архивирования, а также в отношении использовавшихся применительно к ним подходов;
- i) описание институциональных механизмов для подготовки кадастра.

42. Если какая-либо информация, требуемая согласно пункту 41 a)-h) выше, представлена в детализированном виде в ОФД, Сторонам, включенным в приложение I, следует указать в НДК, в каком разделе ОФД эта информация содержится.

43. НДК следует представлять в соответствии с общим описанием, содержащимся в приложении I к настоящим руководящим принципам, обеспечивая включение в него всей информации, требуемой в пункте 41 выше.

### 3. Общая форма докладов

44. Общая форма докладов (ОФД) призвана обеспечить представление Сторонами, включенными в приложение I, количественных данных в стандартизованной форме и облегчить сопоставление кадастровых данных и тенденций между Сторонами,

включенными в приложение I. Пояснения к информации, имеющей качественный характер, следует включать в НДК, а не в таблицы ОФД. В соответствующие разделы НДК следует включать перекрестные ссылки на такую пояснительную информацию.

45. Стороны, включенные в приложение I, ежегодно представляют КС, через секретариат, информацию, требуемую в соответствии с ОФД, как это предусмотрено в приложении II к настоящим руководящим принципам. Эта информация ежегодно представляется КС, через секретариат, в электронном виде в полном объеме согласно соответствующим решениям КС.

46. ОФД является стандартизированной формой для представления оценок выбросов и абсорбции парниковых газов и другой соответствующей информации. ОФД позволяет улучшить обработку материалов, получаемых в электронной форме, а также облегчает обработку кадастровой информации и подготовку полезной аналитической и обобщающей документации по техническим вопросам.

47. ОФД включает:

- a) резюме, секторальные таблицы и таблицы тенденций в области выбросов и абсорбции всех парниковых газов;
- b) таблицы справочных данных по секторам для сообщения вмененных факторов выбросов<sup>13</sup> и данных о деятельности, включая:
  - i) разработанный МГЭИК рабочий лист 1.1, содержащий оценки выбросов CO<sub>2</sub> в результате сжигания топлива с использованием стандартного подхода МГЭИК, и таблицу для сопоставления оценок, полученных на основе этого стандартного подхода, с оценками согласно секторальному подходу и для разъяснения любых значительных различий<sup>14</sup>;

---

<sup>13</sup> Таблицы справочных данных по секторам были построены таким образом, чтобы можно было произвести расчеты вмененных факторов выбросов. Они представляют собой "нисходящее" соотношение между оценкой выбросов Стороны, включенной в приложение I, и данными о деятельности на уровне разукрупнения, проводимом в таблицах. Вмененные факторы выбросов предназначены лишь для сопоставления данных. Они могут отличаться от факторов выбросов, фактически использовавшихся в первоначальной оценке выбросов, если только они не были получены простым умножением, выполненным с применением тех же совокупных данных о деятельности, которые использовались при расчете вмененного фактора выбросов.

<sup>14</sup> Подробные пояснения следует включить в НДК.

- ii) таблицы для представления информации о потреблении неископаемого топлива в отношении неэнергетического промышленного сырья, бункерном топливе, используемом в международных перевозках, и многосторонних операциях;
  - c) таблицы для представления, в частности, информации о ключевых источниках, факторах неопределенности, перерасчетах и полноте кадастра.
48. ОФД следует представлять в соответствии с таблицами, содержащимися в приложении к настоящим руководящим принципам, при этом необходимо обеспечивать, чтобы в них содержалась вся информация, требуемая в пункте 47 выше. При заполнении этих таблиц Сторонам, включенным в приложение I, следует:
- a) представлять полностью заполненную ОФД за последний кадастровый год, а также за те годы, за которые по тому или иному сектору были внесены какие-либо изменения. За годы, данные по которым изменений не претерпели, повторно представлять полные таблицы ОФД не нужно, следует лишь указать, в каком представленном кадастровом материале были первоначально сообщены оставшиеся неизменными данные. Сторонам, включенным в приложение I, следует обеспечивать, чтобы начиная с базового года и далее ежегодно представлялся полный и последовательный с точки зрения временных рядов комплект таблиц ОФД для всех временных рядов;
  - b) представлять таблицы тенденций ОФД, охватывающие кадастровые годы по всей совокупности временных рядов, в одном документе, а именно в ОФД за последний кадастровый год;

- c) представлять таблицы полноты в одном документе, если отраженная в них информация применима ко всем годам. Если содержащаяся в этих таблицах информация различается по каждому отчетному году, то в ОФД должны включаться таблицы или информация по конкретным изменениям за каждый год; и
- d) использовать рамки для ссылок на документацию, расположенные под таблицами справочных данных по секторам, для включения в них перекрестных ссылок на подробные разъяснения, содержащиеся в НДК, или любой другой информации, как это указано в таких рамках.

49. Сторонам, включенным в приложение I, следует предоставлять информацию, запрашиваемую в рамках для дополнительной информации. Если требуемая информация является неуместной в силу специфики используемого Стороной, включенной в приложение I, методологического уровня, следует заполнить соответствующие клетки с использованием условного обозначения "NA". В этих случаях Сторонам, включенным в приложение I, следует включать в рамки для ссылок на документацию ссылки на соответствующий раздел НДК, где можно найти эквивалентную информацию.

50. Сторонам, включенным в приложение I, следует использовать во всех таблицах ОФД условные обозначения, приведенные в пункте 28 выше для заполнения клеток, в которые непосредственно не включаются количественные данные. Такой подход к использованию условных обозначений облегчает оценку полноты кадастра. В каждой таблице ОФД, в которой требуется представление качественной информации, содержатся специальные руководящие указания об использовании условных обозначений.

#### **G. Ведение отчетности**

51. Сторонам, включенным в приложение I, следует собирать и архивировать всю соответствующую кадастровую информацию за каждый год, включая все разукрупненные факторы выбросов, данные о деятельности и документацию о методах получения этих факторов и данных, включая, в соответствующих случаях, заключения экспертов, и о методах их агрегирования для целей составления кадастра. Эта информация, в частности, должна позволить группам экспертов по рассмотрению реконструировать кадастр. Кадастровую информацию следует архивировать начиная с базового года и в нее следует включать соответствующие данные о применявшихся перерасчетах. Следует обеспечивать, чтобы такая "цепочка" документации, которая может включать ссылки на рабочие листы или базы данных, использовавшиеся для компиляции кадастровых данных, давала возможность прослеживать оценки выбросов и абсорбции вплоть до первоначальных разукрупненных факторов выбросов и данных о деятельности. Следует также включать в файл соответствующую вспомогательную документацию, связанную с осуществлением ОК/КК, оценкой неопределенности или анализом ключевых категорий. Эта информация должна также облегчать процесс своевременного разъяснения кадастровых данных при подготовке секретариатом ежегодных компиляций кадастров или оценок методологических вопросов. К Сторонам, включенным в приложение I, обращается призыв осуществлять сбор информации в рамках единого национального механизма по кадастрам или, по меньшей мере, свести число таких механизмов до минимума.

## Н. Систематическое обновление руководящих принципов

52. Настоящие руководящие принципы РКИКООН для представления докладов о годовых кадастрах пересматриваются и изменяются, в случае необходимости, в соответствии с решениями КС по этому вопросу.

## I. Язык

53. Национальный доклад о кадастре представляется на одном из официальных языков Организации Объединенных Наций поощряется также представление Сторонами, включенными в приложение I, когда это уместно, перевода национального доклада о кадастре на английский язык.

**Таблица 1. Величины потенциалов глобального потепления (ПГП) МГЭИК 1995 года<sup>a</sup>, основанные на воздействии парниковых газов за 100-летний период**

Парниковый газ	Химическая формула	ПГМ МГЭИК 1995 ГОДА
Диоксид углерода	CO <sub>2</sub>	1
Метан	CH <sub>4</sub>	21
Закись азота	N <sub>2</sub> O	310
<b>Гидрофтоглориды (ГФУ)</b>		
HFC-23	CHF <sub>3</sub>	11 700
HFC-32	CH <sub>2</sub> F <sub>2</sub>	650
HFC-41	CH <sub>3</sub> F	150
HFC-43-10mee	C <sub>5</sub> H <sub>2</sub> F <sub>10</sub>	1 300
HFC-125	C <sub>2</sub> HF <sub>5</sub>	2 800
HFC-134	C <sub>2</sub> H <sub>2</sub> F <sub>4</sub> (CHF <sub>2</sub> CHF <sub>2</sub> )	1 000
HFC-134a	C <sub>2</sub> H <sub>2</sub> F <sub>4</sub> (CH <sub>2</sub> FCF <sub>3</sub> )	1 300
HFC-152a	C <sub>2</sub> H <sub>4</sub> F <sub>2</sub> (CH <sub>3</sub> CHF <sub>2</sub> )	140
HFC-143	C <sub>2</sub> H <sub>3</sub> F <sub>3</sub> (CHF <sub>2</sub> CH <sub>2</sub> F)	300
HFC-143a	C <sub>2</sub> H <sub>3</sub> F <sub>3</sub> (CF <sub>3</sub> CH <sub>3</sub> )	3 800
HFC-227ea	C <sub>3</sub> HF <sub>7</sub>	2 900
HFC-236fa	C <sub>3</sub> H <sub>2</sub> F <sub>6</sub>	6 300
HFC-254ca	C <sub>3</sub> H <sub>3</sub> F <sub>5</sub>	560
<b>Перфторуглероды</b>		
Перфторметан	CF <sub>4</sub>	6 500
Перфторэтан	C <sub>2</sub> F <sub>6</sub>	9 200
Перфторпропан	C <sub>3</sub> F <sub>8</sub>	7 000
Перфторбутан	C <sub>4</sub> F <sub>10</sub>	7 000
Перфторцикlobутан	c-C <sub>4</sub> F <sub>8</sub>	8 700
Перфторпентан	C <sub>5</sub> F <sub>12</sub>	7 500
Перфторгексан	C <sub>6</sub> F <sub>14</sub>	7 400
<b>Гексафтогид серы</b>		
Гексафтогид серы	SF <sub>6</sub>	23 900

<sup>a</sup> Как они представлены МГЭИК в ее втором докладе об оценке.

Приложение I

**Структура национального доклада о кадастре**

**РЕЗЮМЕ**

- ES.1 Справочная информация о кадастрах парниковых газов и изменении климата (например применительно к национальному контексту для предоставления информации широким слоям населения)
- ES.2 Краткие данные о национальных тенденциях, связанных с выбросами и абсорбцией
- ES.3 Обзор оценок и тенденций для различных категорий источников и поглотителей
- ES.4 Прочая информация (например о газах с косвенным парниковым эффектом)

**Глава 1: ВВЕДЕНИЕ**

- 1.1 Справочная информация о кадастрах парниковых газов и изменении климата (например применительно к национальному контексту для предоставления информации широким слоям населения)
- 1.2 Описания институционального механизма для подготовки кадастра
- 1.3 Краткое описание процесса подготовки кадастра (например сбор данных, обработка данных, хранение данных)
- 1.4 Краткое описание использованных методологий и источников данных
- 1.5 Краткое описание ключевых категорий
- 1.6 Информация о плане ОК/КК, в том числе о проверке и о подходе к вопросам конфиденциальности, когда это уместно
- 1.7 Общая оценка неопределенности, включая данные об общей неопределенности итоговых кадастровых показателей
- 1.8 Общая оценка полноты (со ссылкой на приложение 5 к структуре национального доклада о кадастре (НДК))

## Глава 2: ТЕНДЕНЦИИ В ОБЛАСТИ ВЫБРОСОВ ПАРНИКОВЫХ ГАЗОВ

*В настоящей главе следует предоставлять информацию, дающую общее представление о тенденциях в области выбросов, однако при этом нет необходимости повторять информацию, сообщаемую в секторальных главах и в таблицах общей формы докладов (ОФД), посвященных тенденциям.*

- 2.1    Описание и толкование тенденций в области выбросов для совокупных выбросов парниковых газов
- 2.2    Описание и толкование тенденций в области выбросов в разбивке по газам
- 2.3    Описание и толкование тенденций в области выбросов в разбивке по категориям
- 2.4    Описание и толкование тенденций в области выбросов для газов с косвенным парниковым эффектом и SO<sub>2</sub>

Главы 3-9: (например НАЗВАНИЕ СЕКТОРА (номер сектора в ОФД))

*В последующих секторальных главах следует придерживаться излагаемой ниже структуры. Информацию следует сообщать согласно секторам МГЭИК.*

- 3.1.    Обзор по сектору (например, количественный обзор и описание)
- 3.2    Категория источников (номер категории источников в ОФД)

*Для каждой категории источников МГЭИК (например, на уровне таблицы Summary 1.A ОФД или на уровне, на котором описываются методы МГЭИК, или на уровне, на котором Сторона, включенная в приложение I, производит оценку своих выбросов парниковых газов) следует представлять указываемую ниже информацию:*

- 3.2.1    Описание категории источников (например, характеристики источников)
- 3.2.2    Методологические вопросы (например, выбор методов/данных о деятельности/факторов выбросов, допущений, параметров и принципов, лежащих в основе оценки выбросов и абсорбции - обоснование для их отбора, любые конкретные методологические вопросы (например, описание национальных методов))

- 3.2.3 Факторы неопределенности и последовательность временных рядов
- 3.2.4 ОК/КК и проверка для конкретных источников, если это применимо
- 3.2.5 Расчеты для конкретных источников, если это применимо, включая изменения, внесенные с учетом требований процесса рассмотрения
- 3.2.6 Планируемые усовершенствования для конкретных источников, если это применимо (например, методологии, данные о деятельности, факторы выбросов и т.д.), включая усовершенствования с учетом требований процесса рассмотрения

*Стороны, включенные в приложение I, могут представлять определенную часть запрашиваемой выше информации в агрегированной форме для некоторых/нескольких категорий источников, если при этом используются одинаковые методологии, данные о деятельности и/или факторы выбросов, с тем чтобы избежать повторения информации. Для ключевых категорий информация должна носить подробный характер, с тем чтобы можно было провести подробное рассмотрение кадастра.*

Глава 3: ЭНЕРГЕТИКА (сектор 1 ОДФ)

*Кроме того, информация об энергетике должна включать следующее:*

Сжигание топлива (ОФД 1.А), включая подробную информацию в отношении:

- сопоставления секторального подхода с базовым подходом
- международного бункерного топлива
- промышленного сырья и неэнергетического использования топлива
- улавливания CO<sub>2</sub> из дымовых газов и последующего хранения CO<sub>2</sub>
- проблем, специфических для конкретных стран

Утечки при добыче и транспортировке твердого топлива, нефти и природного газа (ОФД 1.В)

Глава 4: ПРОМЫШЛЕННЫЕ ПРОЦЕССЫ (сектор 2 ОФД)

Глава 5: ИСПОЛЬЗОВАНИЕ РАСТВОРИТЕЛЕЙ И ДРУГИХ ПРОДУКТОВ (сектор 3 ОФД)

Глава 6: СЕЛЬСКОЕ ХОЗЯЙСТВО (сектор 4 ОФД)

## Глава 7: ЗИЗЛХ (Раздел 5 ОФД)

*Кроме того, информация о ЗИЗЛХ должна включать следующее:*

- *информацию о подходах, применявшихся для описания различных категорий земель, и о базах данных по землепользованию, использовавшихся при подготовке кадастра;*
- *использовавшиеся определения землепользования и системы классификации, а также их соответствие к категориям ЗИЗЛХ.*

## Глава 8: ОТХОДЫ (сектор 6 ОФД)

## Глава 9: ПРОЧЕЕ (сектор 7 ОФД) (если это применимо)

*Кроме того, информация, ранее включенная в рамки для дополнительной информации и документации варианта ОФД на экспериментальный период (FCCC/CP/1999/7), должна также включаться в более подробном виде в НДК, когда это необходимо, как это предусмотрено в дополнении к настоящей предлагаемой структуре.*

## Глава 10: ПЕРЕРАСЧЕТЫ И УСОВЕРШЕНСТВОВАНИЯ

*В данной главе следует представлять информацию, содержащую общий обзор перерасчетов и усовершенствований кадастра, однако при этом нет необходимости повторять информацию, сообщенную в секторальных главах, в частности информацию по конкретным секторам, и Сторонам, включенным в приложение I, следует включать перекрестные ссылки на информацию, приводимую в секторальных главах.*

### 10.1 Пояснения и обоснования для перерасчетов

### 10.2 Последствия для уровней выбросов

### 10.3 Последствия для тенденций в области выбросов, включая последовательность временных рядов

### 10.4 Перерасчеты, в том числе с учетом требований процесса рассмотрения, и запланированные усовершенствования кадастров (например, институциональные механизмы, подготовка кадастров)

## СПРАВОЧНЫЕ МАТЕРИАЛЫ

### ПРИЛОЖЕНИЯ К НАЦИОНАЛЬНОМУ ДОКЛАДУ О КАДАСТРЕ

Приложение 1: Ключевые категории

- Описание методологии, использованной для определения ключевых категорий
- Ссылки на таблицы ключевых категорий в ОФД
- Информация об уровне дезагрегирования
- Таблицы 7.A1-7.A3 руководящих указаний МГЭИК по эффективной практике<sup>1</sup>

Приложение 2: Подробное рассмотрение методологии и данных для оценки выбросов CO<sub>2</sub> в результате сжигания ископаемого топлива

Приложение 3: Прочие подробные описания методологий для индивидуальных категорий источников или поглотителей (когда это уместно)

Приложение 4: Базовый подход к CO<sub>2</sub> и сравнение с секторальным подходом, а также соответствующая информация о национальном энергетическом балансе

Приложение 5: Оценка полноты данных и исключенных (потенциальных) источников и поглотителей выбросов и абсорбции парниковых газов

Приложение 6: Дополнительная информация, подлежащая рассмотрению как часть представленного НДК (когда это уместно) или другая полезная справочная информация

Приложение 7: Таблицы 6.1 и 6.2 руководящих указаний МГЭИК по эффективной практике<sup>2</sup>

Приложение 8: Прочие приложения (любая другая соответствующая информация - факультативный характер)

---

<sup>1</sup> Этот пункт был добавлен в целях обеспечения соответствия с положениями пункта 30 настоящих руководящих принципов.

<sup>2</sup> Этот пункт был добавлен в целях обеспечения соответствия с положениями пунктов 32 и 41 f) настоящих руководящих принципов.

## Добавление

### **Дополнительные руководящие указания по представлению информации по секторам, подлежащей включению в соответствующие разделы НДК**

*В настоящем добавлении приводятся руководящие указания в отношении дополнительной информации, которую Стороны, включенные в приложение I, могут включать в свои НДК, с тем чтобы облегчить рассмотрение кадастра. Данный перечень не носит исчерпывающего характера. Дополнительная информация может включаться в НДК в зависимости от национального подхода Стороны, включенной в приложение I, к оценке выбросов и абсорбции парниковых газов.*

#### **Энергетика**

##### Сжигание топлива

Может быть представлена более конкретная информация, чем того требует таблица 1.А а) ОФД, например:

- автономное производство электроэнергии;
- центральное отопление в городских районах (в обрабатывающей промышленности, в коммерческом секторе и в жилищном секторе).

##### Выбросы в результате утечки при добыче и транспортировке топлива

Добыча угля:

Может быть представлена более конкретная информация, чем того требует таблица 1.В.1 ОФД, например:

- число действующих подземных шахт;
- число шахт с системами дренирования (извлечения).

##### Нефть и природный газ:

Может быть представлена более подробная информация, чем того требует таблица 1.В.2 ОФД, например:

- протяженность трубопроводов
- число нефтяных скважин

- число газовых скважин
- объем прокачки газа<sup>1</sup>
- объем прокачки нефти<sup>1</sup>

## Промышленные процессы

### Металлургия:

Может быть представлена более конкретная информация, чем того требует таблица 2(I).A-G ОФД, например данные о производстве стали из первичного и вторичного сырья.

### Потенциальные выбросы галогенированных углеродных соединений и SF<sub>6</sub>:

В таблице 2(II)s2 ОФД, содержащей данные о "производстве", имеется в виду производство новых химических веществ. В эту таблицу можно включать рециркулируемые вещества, но при этом следует обеспечить недопущение двойного учета выбросов. Следует включать в НДК соответствующие пояснения.

### ПФУ и SF<sub>6</sub> в секторе металлургии/производство галогенированных углеродных соединений и SF<sub>6</sub>:

В таблицах 2(II).C-E следует указывать ОФД (в колонке "описание") вид используемых данных о деятельности. При использовании уровня 1b (2.C Металлургия), уровня 2 (2.E Производство галогенированных углеродных соединений и SF<sub>6</sub>) и специфических для страны методов следует конкретно указывать любые другие используемые данные о соответствующей деятельности.

### Потребление ХФУ, ПФУ и SF<sub>6</sub>:

В отношении данных о деятельности, сообщаемых в таблице 2(II).F ОФД ("Количество жидкости, остающейся в продуктах при сворачивании производства"), Сторонам, включенным в приложение I, следует предоставлять в НДК информацию о

---

<sup>1</sup> При добыче нефти и газа показатели объема прокачки служат для измерения совокупного объема добычи, т.е. показывают число баррелей нефти в день или число кубометров газа в год. Следует конкретно указать единицы, в которых выражаются представляемые величины. Следует учитывать, что эти величины должны согласовываться с данными о деятельности, сообщаемыми в разделе "производство" в таблице 1.B.2 ОФД.

количество рекуперированного химического вещества (эффективность рекуперации) и другую соответствующую информацию, использовавшуюся при оценке выбросов.

Таблица 2(II).F ОФД предназначена для представления данных о деятельности и факторов выбросов, применявшимися для расчета фактических выбросов при потреблении галогенированных углеродных соединений и SF<sub>6</sub> с использованием "восходящего подхода" (исходя из размера всего парка оборудования и предполагаемых нормативов выбросов для этого оборудования). Некоторые Стороны, включенные в приложение I, возможно, предпочтут проводить оценку фактических выбросов с использованием альтернативного "нисходящего подхода" (исходя из годового объема продаж оборудования и/или газа). Этим Сторонам, включенным в приложение I, следует представлять данные о деятельности, использовавшиеся в этой таблице ОФД, а также любую другую соответствующую информацию в НДК. Этим Сторонам, включенным в приложение I, следует представлять следующие данные:

- количество жидкости, использовавшейся для заполнения новых продуктов,
- количество жидкости, использовавшейся для обслуживания существующих продуктов,
- количество жидкости, первоначально использовавшейся для заполнения продуктов, выводимых из оборота (общая номинальная емкость выводимых из оборота продуктов),
- срок службы продукта,
- темпы роста объема продаж, если этот показатель использовался для расчета количества жидкости, первоначально использовавшейся для заполнения выводимых из оборота продуктов.

В качестве альтернативы Стороны, включенные в приложение I, могут также представить другие формы с аналогичной информацией.

### **Использование растворителей и других продуктов**

В Руководящих принципах МГЭИК не предусмотрено методологий расчета выбросов N<sub>2</sub>O в результате использования растворителей и других продуктов. При представлении таких данных в ОФД Сторонам, включенным в приложение I, следует сообщать в НДК дополнительную информацию (данные о деятельности и факторы выбросов), использовавшуюся при выполнении этих оценок.

## **Сельское хозяйство**

### Проблемы, затрагивающие различные источники

Сторонам, включенным в приложение I, рекомендуется включать в таблицу 4.А ОФД данные о поголовье скота. Любое последующее дезагрегирование этих данных, например, по районам и по видам животных (согласно классификации, рекомендуемой в руководящих указаниях МГЭИК по эффективной практике) могло бы производиться в НДК в тех случаях, когда это необходимо. Последовательный набор данных о поголовье скота следует использовать в соответствующих таблицах ОФД для оценки выбросов CH<sub>4</sub> в результате интестинальной ферментации, выбросов CH<sub>4</sub> и N<sub>2</sub>O при уборке, хранении и использовании навоза, выбросов непосредственно из почвы N<sub>2</sub>O и выбросов N<sub>2</sub>O, связанных с производством и использованием навоза, а также выбросов, связанных с использованием навоза в качестве топлива, и выбросов из канализационных систем, сообщаемых по сектору отходов.

### Кишечная ферментация

Можно было бы представлять более конкретную информацию, чем та, которая требуется в таблице 4.А ОФД, например, параметры, имеющие значение для применения руководящих указаний по эффективной практике.

### Уборка, хранение и использование навоза

Можно было бы представлять более конкретную информацию, чем та, которая требуется в таблицах 4.В а) и 4.В б) ОФД, например, параметры, имеющие значение для применения руководящих указаний МГЭИК по эффективной практике. Информация, требуемая в таблице дополнительной информации, не всегда может быть непосредственно применима к специфическим для стран методам, разработанным для расчетов коэффициента конверсии для метана (ККМ). Если соответствующие данные не могут быть представлены в рамке для дополнительной информации, следует включить в НДК описание методики получения ККМ.

### Выращивание риса

Можно было бы представлять более конкретную информацию, чем та, которая требуется в таблице 4.С ОФД. Например, при дезагрегировании с разбивкой более чем на один район в пределах страны и/или на вегетационные периоды следует включать в НДК дополнительную информацию о дезагрегировании и о соответствующих данных. Следует включать в НДК данные о деятельности и масштабные коэффициенты, когда таковые имеются, с разбивкой по видам почв и сортам риса.

### Сельскохозяйственные почвы

Можно было бы представлять более конкретную информацию, чем та, которая требуется в таблице 4.D ОФД. Например,

- в Руководящих принципах МГЭИК не предусмотрено методологий расчета выбросов и абсорбции CH<sub>4</sub> для сельскохозяйственных почв. При представлении таких данных Сторонам, включенным в приложение I, следует сообщать в НДК дополнительную информацию (данные о деятельности и факторы выбросов), использовавшуюся при выполнении таких оценок;
- в дополнение к данным, которые требуется сообщать в рамке таблицы 4.D для дополнительной информации, следует включать в НДК разукрупненные величины Frac<sub>GRAZ</sub> по видам животных и Frac<sub>BURN</sub> по сельскохозяйственным культурам.

### Управляемый пал саванн и сжигание сельскохозяйственных отходов на полях

Можно было бы представлять более конкретную информацию, чем та, которая требуется в таблицах 4.E и 4.F ОФД. Например, в Руководящих принципах МГЭИК не предусмотрено методологий расчета выбросов CO<sub>2</sub> в результате пала саванн или сжигания сельскохозяйственных отходов. При представлении таких данных Сторонам, включенным в приложение I, следует сообщать в НДК дополнительную информацию (данные о деятельности и факторы выбросов), использовавшуюся при выполнении этих оценок.

### **Землепользование, изменения в землепользовании и лесное хозяйство**

Для каждой категории землепользования и для подкатегорий может представляться более конкретная информация, чем та, которая требуется в ОФД, например:

- при представлении оценок в разбивке по подразделам - дополнительная информация о дезагрегировании и о соответствующих данных в НДК
- раздельное сообщение информации о выбросах CO<sub>2</sub> в результате сжигания биомассы, включая пожары и контролируемый пал
- для тех Сторон, которые решили представить информацию о заготовленных лесных товарах, - подробная информация о выбросах и абсорбции CO<sub>2</sub> в связи с заготавливаемыми лесными товарами, включая информацию в разбивке по типам товаров и об удалении
- информация о том, каким образом удалось избежать двойного учета или пропусков при представлении данных о сельском хозяйстве и ЗИЗЛХ

## Отходы

### Удаление твердых отходов и сжигание отходов

Можно было бы представлять более конкретную информацию, чем та, которая содержится в таблицах 6.А и 6.С ОФД, например,

- в НДК следует сообщать всю соответствующую информацию, использовавшуюся при расчетах, если она уже не была включена в рамку для дополнительной информации ОФД;
- состав складируемых отходов (%) с разбивкой на бумагу и картон, пищевые и садовые отходы, пластмассы, стекло, текстиль, прочее (с конкретным указанием того, к какой группе отходов - инертным или органическим - они относятся);
- доля рециркулируемых отходов;
- доля сжигаемых отходов;
- число объектов для удаления твердых отходов, рекуперирующих CH<sub>4</sub>.

### Обработка сточных вод

Можно было бы представлять более конкретную информацию, чем та, которая требуется в таблице 6.В ОФД. Например, применительно к данным о выбросах N<sub>2</sub>O в результате обработки сточных вод, которые должны сообщаться в таблице 6.В ОФД, Сторонам, включенным в приложение I, которые используют другие методы оценки выбросов N<sub>2</sub>O в результате обработки канализационных или сточных вод, следует представлять в НДК соответствующую информацию об использовавшихся методах, данных о деятельности и коэффициентах выбросов.

## Приложение II

### **Общая форма докладов<sup>15</sup>**

#### **Замечания по общей форме докладов**

1. Общая форма докладов (ОФД) является неотъемлемой частью руководящих принципов для представления национальных кадастров. Она призвана обеспечить представление Сторонами, включенными в приложение I, количественных данных в стандартном формате и облегчить сопоставление кадастровых данных между Сторонами, включенными в приложение I. Любая подробная информация неколичественного характера должна включаться в НДК.
2. Представляемая в ОФД информация имеет целью способствовать сопоставимости и транспарентности кадастров за счет облегчения, среди прочего, перекрестных сопоставлений данных о деятельности и вмененных коэффициентов выбросов (ВКВ) в Сторонах, включенных в приложение I, и выявления возможных ошибок, неправильных толкований и пропусков в кадастрах.
3. Как указывается в этих руководящих принципах для представления докладов, ОФД состоит из кратких таблиц и таблиц секторальных данных из пересмотренных Руководящих принципов МГЭИК 1996 года для национальных кадастров парниковых газов (Руководящие принципы МГЭИК) плюс вновь разработанных секторальных таблиц справочных данных и других таблиц, которые отвечают требованиям Руководящих принципов МГЭИК и руководящих указаний МГЭИК по эффективной практике.
4. В некоторых секторальных таблицах справочных данных предусмотрен расчет ВКВ. Они представляют собой нисходящие соотношения между оценкой выбросов Стороны, включенной в приложение I, и агрегированными данными о деятельности. ВКВ предназначены исключительно для целей сопоставления. Они не обязательно являются

---

<sup>1</sup> В документ FCCC/SBSTA/2002/L.5/Add.1, содержащий руководящие принципы для представления докладов по годовым кадастрам, включен на стр. 23-27 описательный раздел о согласованных изменениях к таблицам общей формы докладов. Таблицы в полном виде опубликованы отдельно в документе FCCC/WEB/SBSTA/2002/1 до начала восьмой сессии Конференции Сторон. Поскольку таблицы для общей формы докладов в полном виде с внесенными изменениями теперь включены в настоящий документ (начиная со стр. 42), описательный раздел был исключен из этого окончательного варианта.

коэффициентами выбросов, обычно используемыми при первоначальной оценке выбросов, если, конечно, не имело место простое умножение на основе тех же совокупных данных о деятельности, которые использовались для расчета ВКВ.

5. В соответствии с Руководящими принципами МГЭИК такие позиции, как оценки выбросов в результате использования бункерного топлива при международных морских и воздушных перевозках, выбросов CO<sub>2</sub> из биомассы и выбросов вследствие многосторонней деятельности, должны фигурировать в соответствующих таблицах, а не включаться в национальные совокупные данные.

6. Стороны, включенные в приложение I, должны использовать рамки для документации в нижней части таблиц для указания конкретных ссылок на соответствующие разделы НДК, где должно содержаться подробное описание данного сектора/категории.

7. Стороны, включенные в приложение I, должны заполнять все клетки, предназначенные для оценок выбросов или абсорбции, данных о деятельности или факторов выбросов. В соответствии с указанием в пункте 28 Руководящих принципов в тех случаях, когда данные не были внесены, следует использовать условное обозначение.

8. В секторальных таблицах справочных данных ниже категории источников "Other" оставленная пустая строка означает, что могут быть добавлены специфические для данной страны категории источников. Эти категории будут автоматически включены в таблицы секторальных данных.

9. Стороны, включенные в приложение I, должны вносить данные в рамки для дополнительной информации. Когда данная информация не требуется с учетом используемого Стороной, включенной в приложение I, методологического уровня, в соответствующие клетки следует помещать условное обозначение "NA".

10. Ни порядок следования, ни названия колонок, строк или клеток не должны изменяться в таблицах, так как это осложнит сбор данных. Любые добавления к существующей дезагрегации источников выбросов и поглотителей должны включаться в категорию "Other", если в этом есть необходимость.

11. Для упрощения структуры таблиц и четкого указания конкретных требований в отношении представления данных по каждой таблице чистыми остаются лишь те клетки, в которые Стороны, включенные в приложение I, должны заносить данные. Слегка

затененные клетки будут заполняться программой, которую разработает секретариат. Однако Стороны, включенные в приложение I, которые предпочитают не использовать программы для заполнения ОФД, должны вносить данные и в эти клетки.

12. Как и в существующем ОФД, клетки с темным затенением не должны содержать никакой информации.

13. В таблицах базовых данных по сектору ЗИЗЛХ следует представлять отдельные данные о выбросах и абсорбции CO<sub>2</sub> (увеличение и сокращение углерода), за исключением тех случаев, когда по техническим причинам в силу используемых методов невозможно представить отдельную информацию об увеличении и сокращении.

14. Если Сторона не представляет информацию по ЗИЗЛХ за все годы в новых таблицах ОФД и не произвела перерасчеты оценок по ЗИЗЛХ за эти годы, ей следует представить информацию по картографическим категориям, содержащимся в Руководящих указаниях МГЭИК по эффективной практике для ЗИЗЛХ в отношении категорий ИЗЛХ (5.A-5.E), использовавшихся в Руководящих принципах МГЭИК 1996 года, и включить информацию о том, каким образом производились расчеты итоговых показателей по преобразованию лесов и пастбищных угодий. Информация в НДК должна быть снабжена перекрестными ссылками на информацию, содержащуюся в ОФД, и наоборот.

## Список таблиц

Стр.

### Энергетика

Таблица 1. Секторальный доклад по энергетике .....	42
<i>Справочные данные по сектору энергетики</i>	
Таблица 1.А а) Деятельность, связанная со сжиганием топлива - секторальный подход .....	44
Таблица 1.А б) Образование CO <sub>2</sub> в результате деятельности, связанной со сжиганием топлива - стандартный подход .....	48
Таблица 1.А в) Сравнение с выбросами CO <sub>2</sub> в результате сжигания топлива .....	49
Таблица 1.А г) Использование топлива в качестве сырьевого материала и неэнергетическое использование .....	50
Таблица 1.В.1 Выбросы в результате утечки при добыче из твердого топлива ....	51
Таблица 1.В.2 Выбросы в результате утечки при добыче и транспортировке нефти, природного газа и из других источников .....	52
Таблица 1.С Международная бункеровка и многосторонние операции .....	53

### Промышленные процессы

Таблица 2 (I) Секторальный доклад по промышленным процессам .....	54
<i>Справочные данные по секторальным промышленным процессам</i>	
Таблица 2 (I) А-G Выбросы CO <sub>2</sub> , CH <sub>4</sub> и N <sub>2</sub> O .....	56
Таблица 2 (II) Секторальный доклад по промышленным процессам - Выбросы ХФУ, ПФУ и SF <sub>6</sub> .....	58
Таблица 2 (II) С, Е Производство металлов, производство галогенированных углеродных соединений и SF <sub>6</sub> .....	60
Таблица 2 (II) F Потребление галогенированных углеродных соединений и SF <sub>6</sub> ..	61

### Использование растворителей и других продуктов

Таблица 3. Секторальный доклад по использованию растворителей и других продуктов .....	63
Таблица 3.А-Д Справочные данные по сектору использования растворителей и других продуктов .....	64

### Сельское хозяйство

Таблица 4. Секторальный доклад по сельскому хозяйству .....	65
<i>Справочные данные по сектору сельского хозяйства</i>	
Таблица 4.А Кишечная ферментация .....	67

### **Список таблиц (продолжение)**

	<u>Стр.</u>
Таблица 4.В а) Выбросы CH <sub>4</sub> при уборке, хранении и использовании навоза .....	68
Таблица 4.В б) Выбросы N <sub>2</sub> O при уборке, хранении и использовании навоза .....	69
Таблица 4.С Выращивание риса .....	70
Таблица 4.Д Сельскохозяйственные почвы .....	71
Таблица 4.Е Управляемый пал саванн .....	72
Таблица 4.Ф Сжигание сельскохозяйственных отходов на полях .....	73
 <b>Землепользование, изменения в землепользовании и лесное хозяйство</b>	
Таблица 5. Секторальный доклад по землепользованию, изменению в землепользовании и лесному хозяйству.....	74
<i>Секторальные справочные данные по землепользованию, изменению в землепользовании и лесному хозяйству</i>	
Таблица 5.А Лесные площади .....	75
Таблица 5.В Земли под сельскохозяйственными культурами .....	76
Таблица 5.С Пастбищные угодья .....	77
Таблица 5.Д Водо-болотные угодья .....	78
Таблица 5.Е Населенные пункты .....	79
Таблица 5.Ф Прочие земли .....	80
Таблица 5 (I) Прямые выбросы N <sub>2</sub> O в результате внесения азотных удобрений ....	81
Таблица 5 (II) Выбросы N <sub>2</sub> O в результате дренажа почв .....	82
Таблица 5 (III) Выбросы N <sub>2</sub> O в результате изменений, обусловленных преобразованием земель в земли под сельскохозяйственными культурами.....	83
Таблица 5 (IV) Выбросы углерода в результате применения извести в сельском хозяйстве .....	84
Таблица 5 (V) Сжигание биомассы.....	85
 <b>Отходы</b>	
Таблица 6. Секторальный доклад по отходам .....	86
<i>Справочные данные по сектору отходов</i>	
Таблица 6.А Удаление твердых отходов .....	87
Таблица 6.С Сжигание отходов .....	87
Таблица 6.В Обращение со сточными водами .....	88

**Список таблиц (продолжение)**

Стр.

**Итоговые таблицы**

Итоговая таблица 1.А Итоговый доклад по национальным кадастрам парниковых газов (таблица 7.А МГЭИК) .....	89
Итоговая таблица 1.В Краткий итоговый доклад по национальным кадастрам парниковых газов (таблица 7.В МГЭИК) .....	92
Итоговая таблица 2. Итоговый доклад по эквивалентам выбросов CO <sub>2</sub> .....	93
Итоговая таблица 3. Итоговый доклад по использованным методам и коэффициентам выбросов .....	94

**Прочие таблицы**

Таблица 7. Итоговый обзор ключевых источников .....	96
Таблица 8.А Перерасчет - перерасчет данных .....	97
Таблица 8.В Перерасчет - пояснительная информация .....	99
Таблица 9.А Полнота - информация по примечаниям .....	100
Таблица 9.В Полнота - информация по дополнительным парниковым газам .....	101
Таблица 10. Тенденции выбросов (CO <sub>2</sub> ) .....	102
Таблица 10. Тенденции выбросов (CH <sub>4</sub> ) .....	103
Таблица 10. Тенденции выбросов (N <sub>2</sub> O) .....	104
Таблица 10. Тенденции выбросов (ХФУ, ПФУ и SF <sub>6</sub> ) .....	105
Таблица 10. Тенденции выбросов (Резюме) .....	106

**Пояснительное примечание:**

Во избежание изменений в форме сложных таблиц общей формы докладов таблицы не переводятся. Общая форма докладов представляет собой стандартизованную форму для использования Сторонами,ключенными в приложение I, для представления в электронной форме прогнозов выбросов и абсорбции парниковых газов и любой другой соответствующей информации. По техническим причинам форма печатного варианта ОФД в этом документе (например, размер таблиц и шрифтов) не может быть стандартизована. Список таблиц в настоящем документе соответствует порядку следования таблиц в электронном варианте ОФД.

**TABLE 1 SECTORAL REPORT FOR ENERGY**

(Sheet 1 of 2)

Country	Year	Submission
---------	------	------------

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	$\text{CO}_2$	$\text{CH}_4$	$\text{N}_2\text{O}$	$\text{NO}_x$	CO	NMVOC	$\text{SO}_2$
	(Gg)						
<b>Total Energy</b>							
<b>A. Fuel Combustion Activities (Sectoral Approach)</b>							
<b>1. Energy Industries</b>							
a. Public Electricity and Heat Production							
b. Petroleum Refining							
c. Manufacture of Solid Fuels and Other Energy Industries							
<b>2. Manufacturing Industries and Construction</b>							
a. Iron and Steel							
b. Non-Ferrous Metals							
c. Chemicals							
d. Pulp, Paper and Print							
e. Food Processing, Beverages and Tobacco							
f. Other ( <i>as specified in table I.A(a) sheet 2</i> )							
<b>3. Transport</b>							
a. Civil Aviation							
b. Road Transportation							
c. Railways							
d. Navigation							
e. Other Transportation ( <i>as specified in table I.A(a) sheet 3</i> )							

**TABLE 1 SECTORAL REPORT FOR ENERGY**  
**(Sheet 2 of 2)**

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	NO <sub>X</sub>	CO	NMVOC	SO <sub>2</sub>
	(Gg)						
<b>4. Other Sectors</b>							
a. Commercial/Institutional							
b. Residential							
c. Agriculture/Forestry/Fisheries							
<b>5. Other (as specified in table 1.A(a) sheet 4)</b>							
a. Stationary							
b. Mobile							
<b>B. Fugitive Emissions from Fuels</b>							
<b>1. Solid Fuels</b>							
a. Coal Mining and Handling							
b. Solid Fuel Transformation							
c. Other (as specified in table 1.B.1)							
<b>2. Oil and Natural Gas</b>							
a. Oil							
b. Natural Gas							
c. Venting and Flaring							
Venting							
Flaring							
d. Other (as specified in table 1.B.2)							
<b>Memo Items:</b> <sup>(1)</sup>							
<b>International Bunkers</b>							
Aviation							
Marine							
<b>Multilateral Operations</b>							
<b>CO<sub>2</sub> Emissions from Biomass</b>							

<sup>(1)</sup> Countries are asked to report emissions from international aviation and marine bunkers and multilateral operations, as well as CO<sub>2</sub> emissions from biomass, under Memo Items. These emissions should not be included in the national total emissions from the Energy sector. Amounts of biomass used as fuel are included in the national energy consumption but the corresponding CO<sub>2</sub> emissions are not included in the national total as it is assumed that the biomass is produced in a sustainable manner. If the biomass is harvested at an unsustainable rate, net CO<sub>2</sub> emissions are accounted for as a loss of biomass stocks in the Land Use, Land-Use Change and Forestry sector.

**Documentation Box:**

Parties should provide detailed explanations on the Energy sector in Chapter 3: Energy (CRF sector 1) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

**TABLE 1.A(a) SECTORAL BACKGROUND DATA FOR ENERGY**  
**Fuel Combustion Activities - Sectoral Approach**  
(Sheet 1 of 4)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	AGGREGATE ACTIVITY DATA		IMPLIED EMISSION FACTORS <sup>(2)</sup>			EMISSIONS		
	Consumption		CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O
	(TJ)	NCV/GCV <sup>(1)</sup>	(t/TJ)	(kg/TJ)			(Gg)	
<b>1.A. Fuel Combustion</b>								
Liquid Fuels								
Solid Fuels								
Gaseous Fuels								
Biomass						(3)		
Other Fuels								
<b>1.A.1. Energy Industries</b>								
Liquid Fuels								
Solid Fuels								
Gaseous Fuels								
Biomass						(3)		
Other Fuels								
a. Public Electricity and Heat Production								
Liquid Fuels								
Solid Fuels								
Gaseous Fuels								
Biomass						(3)		
Other Fuels								
b. Petroleum Refining								
Liquid Fuels								
Solid Fuels								
Gaseous Fuels								
Biomass						(3)		
Other Fuels								
c. Manufacture of Solid Fuels and Other Energy Industries								
Liquid Fuels								
Solid Fuels								
Gaseous Fuels								
Biomass						(3)		
Other Fuels								

**Note:** All footnotes for this table are given at the end of the table on sheet 4.

**Note:** For the coverage of fuel categories, refer to the IPCC Guidelines (Volume 1. Reporting Instructions - Common Reporting Framework, section 1.2, p. 1.19). If some derived gases (e.g. gas works, gas, coke oven gas, blast furnace gas) are considered, Parties should provide information on the allocation of these derived gases under the above fuel categories (liquid, solid, gaseous, biomass and other fuels) in the NIR (see also documentation box at the end of sheet 4 of this table).

**TABLE 1.A(a) SECTORAL BACKGROUND DATA FOR ENERGY**  
**Fuel Combustion Activities - Sectoral Approach**  
(Sheet 2 of 4)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	AGGREGATE ACTIVITY DATA		IMPLIED EMISSION FACTORS <sup>(2)</sup>			EMISSIONS		
	Consumption		CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O
	(TJ)	NCV/GCV <sup>(1)</sup>	(t/TJ)	(kg/TJ)		(Gg)		
<b>1.A.2 Manufacturing Industries and Construction</b>								
Liquid Fuels								
Solid Fuels								
Gaseous Fuels								
Biomass							(3)	
Other Fuels								
a. Iron and Steel								
Liquid Fuels								
Solid Fuels								
Gaseous Fuels								
Biomass							(3)	
Other Fuels								
b. Non-Ferrous Metals								
Liquid Fuels								
Solid Fuels								
Gaseous Fuels								
Biomass							(3)	
Other Fuels								
c. Chemicals								
Liquid Fuels								
Solid Fuels								
Gaseous Fuels								
Biomass							(3)	
Other Fuels								
d. Pulp, Paper and Print								
Liquid Fuels								
Solid Fuels								
Gaseous Fuels								
Biomass							(3)	
Other Fuels								
e. Food Processing, Beverages and Tobacco								
Liquid Fuels								
Solid Fuels								
Gaseous Fuels								
Biomass							(3)	
Other Fuels								
f. Other (please specify )								
(4)								
Liquid Fuels								
Solid Fuels								
Gaseous Fuels								
Biomass							(3)	
Other Fuels								

Note: All footnotes for this table are given at the end of the table on sheet 4.

**TABLE 1.A(a) SECTORAL BACKGROUND DATA FOR ENERGY**

**Fuel Combustion Activities - Sectoral Approach**  
 (Sheet 3 of 4)

Country  
 Year  
 Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	AGGREGATE ACTIVITY DATA		IMPLIED EMISSION FACTORS <sup>(2)</sup>			EMISSIONS		
	Consumption		CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O
	(TJ)	NCV/GCV <sup>(1)</sup>	(t/TJ)	(kg/TJ)				(Gg)
<b>1.A.3 Transport</b>								
Liquid Fuels								
Solid Fuels								
Gaseous Fuels								
Biomass							(3)	
Other Fuels								
a. Civil Aviation								
Aviation Gasoline								
Jet Kerosene								
b. Road Transportation								
Gasoline								
Diesel Oil								
Liquefied Petroleum Gases (LPG)								
Other Liquid Fuels ( <i>please specify</i> )								
Gaseous Fuels								
Biomass							(3)	
Other Fuels ( <i>please specify</i> )								
c. Railways								
Liquid Fuels								
Solid Fuels								
Gaseous Fuels								
Other Fuels ( <i>please specify</i> )								
d. Navigation								
Residual Oil (Residual Fuel Oil)								
Gas/Diesel Oil								
Gasoline								
Other Liquid Fuels ( <i>please specify</i> )								
Solid Fuels								
Gaseous Fuels								
Other Fuels ( <i>please specify</i> )								
e. Other Transportation ( <i>please specify</i> )								
(5)								
Liquid Fuels								
Solid Fuels								
Gaseous Fuels								
Biomass							(3)	
Other Fuels								

Note: All footnotes for this table are given at the end of the table on sheet 4.

**TABLE 1.A(a) SECTORAL BACKGROUND DATA FOR ENERGY**  
**Fuel Combustion Activities - Sectoral Approach**  
**(Sheet 4 of 4)**

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	AGGREGATE ACTIVITY DATA		IMPLIED EMISSION FACTORS <sup>(2)</sup>			EMISSIONS			Country Year Submission
	Consumption		CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	
	(TJ)	NCV/GCV <sup>(1)</sup>	(t/TJ)	(kg/TJ)			(Gg)		
<b>1.A.4 Other Sectors</b>									
Liquid Fuels									
Solid Fuels									
Gaseous Fuels									
Biomass									(3)
Other Fuels									
a. Commercial/Institutional									
Liquid Fuels									
Solid Fuels									
Gaseous Fuels									
Biomass									(3)
Other Fuels									
b. Residential									
Liquid Fuels									
Solid Fuels									
Gaseous Fuels									
Biomass									(3)
Other Fuels									
c. Agriculture/Forestry/Fisheries									
Liquid Fuels									
Solid Fuels									
Gaseous Fuels									
Biomass									(3)
Other Fuels									
<b>1.A.5 Other (Not specified elsewhere)<sup>(6)</sup></b>									
a. Stationary (please specify)									
(7)									
Liquid Fuels									
Solid Fuels									
Gaseous Fuels									
Biomass									(3)
Other Fuels									
b. Mobile (please specify)									
(8)									
Liquid Fuels									
Solid Fuels									
Gaseous Fuels									
Biomass									(3)
Other Fuels									

(1) If activity data are calculated using net calorific values (NCV) as specified by the IPCC Guidelines, write NCV in this column. If gross calorific values (GCV) are used, write GCV in this column.

(2) Accurate estimation of CH<sub>4</sub> and N<sub>2</sub>O emissions depends on combustion conditions, technology and emission control policy, as well as on fuel characteristics. Therefore, caution should be used when comparing the implied emission factors across countries.

(3) Although carbon dioxide emissions from biomass are reported in this table, they will not be included in the total CO<sub>2</sub> emissions from fuel combustion. The value for total CO<sub>2</sub> from biomass is recorded in Table1 sheet 2 under the Memo Items.

(4) Use this cell to list all activities covered under "f. Other".

(5) Use this cell to list all activities covered under "e. Other transportation".

(6) Include military fuel use under this category.

(7) Use this cell to list all activities covered under "1.A.5.a Other - stationary".

(8) Use this cell to list all activities covered under "1.A.5.b Other - mobile".

**Documentation Box:**

• Parties should provide detailed explanations on the fuel combustion sub-sector in the corresponding part of Chapter 3: Energy (CRF sub-sector 1.A) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

• If estimates are based on GCV, use this documentation box to provide reference to the relevant section of the NIR where the information necessary to allow the calculation of the activity data based on NCV can be found.

• If some derived gases (e.g. gas works gas, coke oven gas, blast furnace gas) are considered, use this documentation box to provide a reference to the relevant section of the NIR containing the information on the allocation of these derived gases under the above fuel categories (liquid, solid, gaseous, biomass and other fuels).

**TABLE 1.A(b) SECTORAL BACKGROUND DATA FOR ENERGY**  
**CO<sub>2</sub> from Fuel Combustion Activities - Reference Approach (IPCC Worksheet 1-1)**  
**(Sheet 1 of 1)**

FUEL TYPES			Unit	Production	Imports	Exports	International bunkers	Stock change	Apparent consumption	Conversion factor (TJ/Unit)	NCV/GCV <sup>(1)</sup>	Apparent consumption (TJ)	Carbon emission factor (t C/TJ)	Carbon content (Gg C)	Carbon stored (Gg C)	Net carbon emissions (Gg C)	Fraction of carbon oxidized	Actual CO <sub>2</sub> emissions (Gg CO <sub>2</sub> )
Liquid Fossil	Primary Fuels	Crude Oil																
		Orimulsion																
		Natural Gas Liquids																
	Secondary Fuels	Gasoline																
		Jet Kerosene																
		Other Kerosene																
		Shale Oil																
		Gas / Diesel Oil																
		Residual Fuel Oil																
		Liquefied Petroleum Gas (LPG)																
		Ethane																
		Naphtha																
		Bitumen																
		Lubricants																
		Petroleum Coke																
		Refinery Feedstocks																
		Other Oil																
Other Liquid Fossil																		
Liquid Fossil Totals																		
Solid Fossil	Primary Fuels	Anthracite <sup>(2)</sup>																
		Coking Coal																
		Other Bituminous Coal																
		Sub-bituminous Coal																
		Lignite																
		Oil Shale																
	Secondary Fuels	BKB <sup>(3)</sup> and Patent Fuel																
		Coke Oven/Gas Coke																
Other Solid Fossil																		
Solid Fossil Totals																		
Gaseous Fossil		Natural Gas (Dry)																
Other Gaseous Fossil																		
Gaseous Fossil Totals																		
<b>Total</b>																		
Biomass total																		
		Solid Biomass																
		Liquid Biomass																
		Gas Biomass																

<sup>(1)</sup> To convert quantities in previous columns to energy units, use net calorific values (NCV) and write NCV in this column. If gross calorific values (GCV) are used, write GCV in this column.

<sup>(2)</sup> If data for Anthracite are not available separately, include with Other Bituminous Coal.

<sup>(3)</sup> BKB: Brown coal/peat briquettes.

**Documentation Box:**

Parties should provide detailed explanations on the fuel combustion sub-sector, including information relating to CO<sub>2</sub> from the Reference approach, in the corresponding part of Chapter 3: Energy (CRF sub-sector 1.A) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

**TABLE 1.A(c) SECTORAL BACKGROUND DATA FROM ENERGY**  
**Comparison of CO<sub>2</sub> emissions from Fuel Combustion**  
(Sheet 1 of 1)

Country  
Year  
Submission

FUEL TYPES	REFERENCE APPROACH			SECTORAL APPROACH <sup>(1)</sup>		DIFFERENCE <sup>(2)</sup>	
	Apparent energy consumption <sup>(3)</sup> (PJ)	Apparent energy consumption (excluding non-energy use and feedstocks) <sup>(4)</sup> (PJ)	CO <sub>2</sub> emissions (Gg)	Energy consumption (PJ)	CO <sub>2</sub> emissions (Gg)	Energy consumption (%)	CO <sub>2</sub> emissions (%)
Liquid Fuels (excluding international bunkers)							
Solid Fuels (excluding international bunkers) <sup>(5)</sup>							
Gaseous Fuels							
Other <sup>(5)</sup>							
<b>Total<sup>(5)</sup></b>							

<sup>(1)</sup> "Sectoral approach" is used to indicate the approach (if different from the Reference approach) used by the Party to estimate CO<sub>2</sub> emissions from fuel combustion as reported in table 1.A(a), sheets 1-4.

<sup>(2)</sup> Difference in CO<sub>2</sub> emissions estimated by the Reference approach (RA) and the Sectoral approach (SA) (difference = 100% x ((RA-SA)/SA)). For calculating the difference in energy consumption between the two approaches, data as reported in the column "Apparent energy consumption (excluding non-energy use and feedstocks)" are used for the Reference approach.

<sup>(3)</sup> Apparent energy consumption data shown in this column are as in table 1.A(b).

<sup>(4)</sup> For the purposes of comparing apparent energy consumption from the Reference approach with energy consumption from the Sectoral approach, Parties should, in this column, subtract from the apparent energy consumption (Reference approach) the energy content corresponding to the fuel quantities used as feedstocks and/or for non-energy purposes, in accordance with the accounting of energy use in the Sectoral approach.

<sup>(5)</sup> Emissions from biomass are not included.

**Note:** The Reporting Instructions of the Revised 1996 IPCC Guidelines for National Greenhouse Gas Inventories require that estimates of CO<sub>2</sub> emissions from fuel combustion, derived using a detailed Sectoral approach, be compared to those from the Reference approach (Worksheet 1-1 of the IPCC Guidelines, Volume 2, Workbook). This comparison is to assist in verifying the Sectoral data.

**Documentation Box:**

- Parties should provide detailed explanations on the fuel combustion sub-sector, including information related to the comparison of CO<sub>2</sub> emissions calculated using the Sectoral approach with those calculated using the Reference approach, in the corresponding part of Chapter 3: Energy (CRF sub-sector 1.A) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
- If the CO<sub>2</sub> emission estimates from the two approaches differ by more than 2 per cent, Parties should briefly explain the cause of this difference in this documentation box and provide a reference to relevant section of the NIR where this difference is explained in more detail.

**TABLE 1.A(d) SECTORAL BACKGROUND DATA FOR ENERGY**  
**Feedstocks and Non-Energy Use of Fuels**  
 (Sheet 1 of 1)

FUEL TYPE	ACTIVITY DATA AND RELATED INFORMATION		IMPLIED EMISSION FACTOR (t C/TJ)	ESTIMATE Carbon stored in non-energy use of fuels (Gg C)	Additional information <sup>(a)</sup>	
	Fuel quantity (TJ)	Fraction of carbon stored			CO <sub>2</sub> not emitted (Gg CO <sub>2</sub> )	Subtracted from energy sector (specify source category)
Naphtha <sup>(1)</sup>						
Lubricants						
Bitumen						
Coal Oils and Tars (from Coking Coal)						
Natural Gas <sup>(1)</sup>						
Gas/Diesel Oil <sup>(1)</sup>						
LPG <sup>(1)</sup>						
Ethane <sup>(1)</sup>						
Other (please specify)						
<b>Total</b>						
Total amount of C and CO <sub>2</sub> from feedstocks and non-energy use of fuels that is included as emitted CO <sub>2</sub> in the Reference approach						

<sup>(1)</sup> Enter data for those fuels that are used as feedstocks (fuel used as raw materials for manufacture of products such as plastics or fertilizers) or for other non-energy use (fuels not used as fuel or transformed into another fuel (e.g. bitumen for road construction, lubricants)).

<sup>(a)</sup> The fuel rows continue from the table to the left.

**Documentation box:** A fraction of energy carriers is stored in such products as plastics or asphalt. The non-stored fraction of the carbon in the energy carrier or product is oxidized, resulting in carbon dioxide emissions, either during use of the energy carriers in the industrial production (e.g. fertilizer production), or during use of the products (e.g. solvents, lubricants), or in both (e.g. monomers). To report associated emissions, use the above table, filling in an extra table, as shown below.

Associated CO <sub>2</sub> emissions (Gg)	Allocated under (Specify source category, e.g. Waste Incineration)

- Parties should provide detailed explanations on the fuel combustion sub-sector, including information related to feedstocks, in the corresponding part of Chapter 3: Energy (CRF sub-sector 1.A) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
- The above table is consistent with the IPCC Guidelines. Parties that take into account the emissions associated with the use and disposal of these feedstocks could continue to use their methodology, but should indicate this in this documentation box and provide a reference to the relevant section of the NIR where further explanation can be found.

**TABLE 1.B.1 SECTORAL BACKGROUND DATA FOR ENERGY**  
**Fugitive Emissions from Solid Fuels**  
(Sheet 1 of 1)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA Amount of fuel produced (Mt)	IMPLIED EMISSION FACTORS		EMISSIONS	
		CH <sub>4</sub> <sup>(1)</sup>	CO <sub>2</sub>	CH <sub>4</sub>	CO <sub>2</sub>
				Recovery/Flaring <sup>(2)</sup>	
<b>1. B. 1. a. Coal Mining and Handling</b>					
i. Underground Mines <sup>(4)</sup>					
Mining Activities					
Post-Mining Activities					
ii. Surface Mines <sup>(4)</sup>					
Mining Activities					
Post-Mining Activities					
<b>1. B. 1. b. Solid Fuel Transformation</b>					
<b>1. B. 1. c. Other (please specify)<sup>(5)</sup></b>					

(1) The IEFs for CH<sub>4</sub> are estimated on the basis of gross emissions as follows: (CH<sub>4</sub> emissions + amounts of CH<sub>4</sub> flared/recovered) / activity data.

(2) Amounts of CH<sub>4</sub> drained (recovered), utilized or flared.

(3) Final CH<sub>4</sub> emissions after subtracting the amounts of CH<sub>4</sub> utilized or recovered.

(4) In accordance with the IPCC Guidelines, emissions from Mining Activities and Post-Mining Activities are calculated using the activity data of the amount of fuel produced for Underground Mines and Surface Mines.

(5) This category is to be used for reporting any other solid-fuel-related activities resulting in fugitive emissions, such as emissions from abandoned mines and waste piles.

**Note:** There are no clear references to the coverage of 1.B.1.b. and 1.B.1.c. in the IPCC Guidelines. Make sure that the emissions entered here are not reported elsewhere. If they are reported under another source category, indicate this by using notation key IE and making the necessary reference in Table 9 (completeness).

**Documentation box:**

- Parties should provide detailed explanations on the fugitive emissions from source category 1.B.1 Solid Fuels, in the corresponding part of Chapter 3: Energy (CRF source category 1.B.1) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
- Regarding data on the amount of fuel produced entered in the above table, specify in this documentation box whether the fuel amount is based on the run-of-mine (ROM) production or on the saleable production.
- If entries are made for "Recovery/Flaring", indicate in this documentation box whether CH<sub>4</sub> is flared or recovered and provide a reference to the section in the NIR where further details on recovery/flaring can be found.
- If estimates are reported under 1.B.1.b. and 1.B.1.c., use this documentation box to provide information regarding activities covered under these categories and to provide a reference to the section in the NIR where the background information can be found.

**TABLE 1.B.2 SECTORAL BACKGROUND DATA FOR ENERGY  
Fugitive Emissions from Oil, Natural Gas and Other Sources**  
(Sheet 1 of 1)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA <sup>(1)</sup>			IMPLIED EMISSION FACTORS			EMISSIONS		
	Description <sup>(1)</sup>	Unit <sup>(1)</sup>	Value	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O
(kg/unit) <sup>(2)</sup>									(Gg)
<b>1. B. 2. a. Oil<sup>(3)</sup></b>									
i. Exploration	(e.g. number of wells drilled)								
ii. Production <sup>(4)</sup>	(e.g. PJ of oil produced)								
iii. Transport	(e.g. PJ oil loaded in tankers)								
iv. Refining / Storage	(e.g. PJ oil refined)								
v. Distribution of Oil Products	(e.g. PJ oil refined)								
vi. Other									
<b>1. B. 2. b. Natural Gas</b>									
i. Exploration									
ii. Production <sup>(4)</sup> / Processing	(e.g. PJ gas produced)								
iii. Transmission	(e.g. PJ gas consumed)								
iv. Distribution	(e.g. PJ gas consumed)								
v. Other Leakage	(e.g. PJ gas consumed)								
<i>at industrial plants and power stations in residential and commercial sectors</i>									
<b>1. B. 2. c. Venting<sup>(5)</sup></b>									
i. Oil	(e.g. PJ oil produced)								
ii. Gas	(e.g. PJ gas produced)								
iii. Combined									
<b>Flaring</b>									
i. Oil	(e.g. PJ gas consumption)								
ii. Gas	(e.g. PJ gas consumption)								
iii. Combined									
<b>1.B.2.d. Other (please specify)<sup>(6)</sup></b>									

<sup>(1)</sup> Specify the activity data used in the Description column (see examples). Specify the unit of the activity data in the Unit column using one of the following units: PJ, Tg, 10<sup>6</sup> m<sup>3</sup>, 10<sup>6</sup> bbl/yr, km, number of sources (e.g. wells).

<sup>(2)</sup> The unit of the implied emission factor will depend on the unit of the activity data used, and is therefore not specified in this column.

<sup>(3)</sup> Use the category also to cover emissions from combined oil and gas production fields. Natural gas processing and distribution from these fields should be included under 1.B.2.b.ii and 1.B.2.b.iv, respectively.

<sup>(4)</sup> If using default emission factors, these categories will include emissions from production other than venting and flaring.

<sup>(5)</sup> If using default emission factors, emissions from Venting and Flaring from all oil and gas production should be accounted for under Venting.

<sup>(6)</sup> For example, fugitive CO<sub>2</sub> emissions from production of geothermal power could be reported here.

**Documentation box:**

- Parties should provide detailed explanations on the fugitive emissions from source category 1.B.2 Oil and Natural Gas, in the corresponding part of Chapter 3: Energy (CRF source category 1.B.2) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
- Regarding data on the amount of fuel produced entered in this table, specify in this documentation box whether the fuel amount is based on the raw material production or on the saleable production. Note cases where more than one type of activity data is used to estimate emissions.
- Venting and Flaring: Parties using the IPCC software could report venting and flaring emissions together, indicating this in this documentation box.
- If estimates are reported under "1.B.2.d. Other", use this documentation box to provide information regarding activities covered under this category and to provide a reference to the section in the NIR where background information can be found.

**TABLE 1.C SECTORAL BACKGROUND DATA FOR ENERGY**  
**International Bunkers and Multilateral Operations**  
**(Sheet 1 of 1)**

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA	IMPLIED EMISSION FACTORS			EMISSIONS		
		Consumption (TJ)	CO <sub>2</sub> (t/TJ)	CH <sub>4</sub> (t/TJ)	N <sub>2</sub> O (t/TJ)	CO <sub>2</sub> (Gg)	CH <sub>4</sub> (Gg)
<b>Aviation Bunkers</b>							
Jet Kerosene							
Gasoline							
<b>Marine Bunkers</b>							
Gasoline							
Gas/Diesel Oil							
Residual Fuel Oil							
Lubricants							
Coal							
Other ( <i>please specify</i> )							
<b>Multilateral Operations<sup>(1)</sup></b>							

Fuel consumption	Distribution <sup>(a)</sup> (per cent)	
	Domestic	International
Aviation		
Marine		

<sup>(a)</sup> For calculating the allocation of fuel consumption, the sums of fuel consumption for domestic navigation and aviation (table 1.A(a)) and for international bunkers (table 1.C) are used.

<sup>(1)</sup> Parties may choose to report or not report the activity data and implied emission factors for multilateral operations consistent with the principle of confidentiality stated in the UNFCCC reporting guidelines. In any case, Parties should report the emissions from multilateral operations, where available, under the Memo Items section of the Summary tables and in the Sectoral report table for energy.

**Note:** In accordance with the IPCC Guidelines, international aviation and marine bunker fuel emissions from fuel sold to ships or aircraft engaged in international transport should be excluded from national totals and reported separately for information purposes only.

**Documentation box:**

- Parties should provide detailed explanations on the fuel combustion sub-sector, including international bunker fuels, in the corresponding part of Chapter 3: Energy (CRF sub-sector 1.A) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
- Provide in this documentation box a brief explanation on how the consumption of international marine and aviation bunker fuels was estimated and separated from domestic consumption, and include a reference to the section of the NIR where the explanation is provided in more detail.

**TABLE 2(I) SECTORAL REPORT FOR INDUSTRIAL PROCESSES**  
**(Sheet 1 of 2)**

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	HFCs <sup>(1)</sup>		PFCs <sup>(1)</sup>		SF <sub>6</sub>		NO <sub>x</sub>	CO	NMVOC	SO <sub>2</sub>
				P	A	P	A	P	A				
	(Gg)	CO <sub>2</sub> equivalent (Gg)						(Gg)					
<b>Total Industrial Processes</b>													
<b>A. Mineral Products</b>													
1. Cement Production													
2. Lime Production													
3. Limestone and Dolomite Use													
4. Soda Ash Production and Use													
5. Asphalt Roofing													
6. Road Paving with Asphalt													
7. Other (as specified in table 2(I)A-G)													
<b>B. Chemical Industry</b>													
1. Ammonia Production													
2. Nitric Acid Production													
3. Adipic Acid Production													
4. Carbide Production													
5. Other (as specified in table 2(I)A-G)													
<b>C. Metal Production</b>													
1. Iron and Steel Production													
2. Ferroalloys Production													
3. Aluminium Production													
4. SF <sub>6</sub> Used in Aluminium and Magnesium Foundries													
5. Other (as specified in table 2(I)A-G)													

**Note:** P = Potential emissions based on Tier 1 approach of the IPCC Guidelines. A = Actual emissions based on Tier 2 approach of the IPCC Guidelines. This applies only to source categories where methods exist for both tiers.

<sup>(1)</sup> The emissions of HFCs and PFCs are to be expressed as CO<sub>2</sub> equivalent emissions. Data on disaggregated emissions of HFCs and PFCs are to be provided in Table 2(II).

TABLE 2(I) SECTORAL REPORT FOR INDUSTRIAL PROCESSES  
(Sheet 2 of 2)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	HFCs <sup>(1)</sup>		PFCs <sup>(1)</sup>		SF <sub>6</sub>		NO <sub>x</sub>	CO	NMVOC	SO <sub>2</sub>
	P	A	P	A	P	A	P	A					
	(Gg)	CO <sub>2</sub> equivalent (Gg)						(Gg)					
<b>D. Other Production</b>													
1. Pulp and Paper													
2. Food and Drink <sup>(2)</sup>													
<b>E. Production of Halocarbons and SF<sub>6</sub></b>													
1. By-product Emissions													
Production of HCFC-22													
Other													
2. Fugitive Emissions													
3. Other (as specified in table 2(II))													
<b>F. Consumption of Halocarbons and SF<sub>6</sub></b>													
1. Refrigeration and Air Conditioning Equipment													
2. Foam Blowing													
3. Fire Extinguishers													
4. Aerosols/ Metered Dose Inhalers													
5. Solvents													
6. Other applications using ODS <sup>(3)</sup> substitutes													
7. Semiconductor Manufacture													
8. Electrical Equipment													
9. Other (as specified in table 2(II))													
<b>G. Other (as specified in tables 2(I).A-G and 2(II))</b>													

Note: P = Potential emissions based on Tier 1 approach of the IPCC Guidelines. A = Actual emissions based on Tier 2 approach of the IPCC Guidelines. This applies only to source categories where methods exist for both tiers.

<sup>(1)</sup> The emissions of HFCs and PFCs are to be expressed as CO<sub>2</sub> equivalent emissions. Data on disaggregated emissions of HFCs and PFCs are to be provided in Table 2(II).

<sup>(2)</sup> CO<sub>2</sub> from Food and Drink Production (e.g. gasification of water) can be of biogenic or non-biogenic origin. Only information on CO<sub>2</sub> emissions of non-biogenic origin should be reported.

<sup>(3)</sup> ODS: ozone-depleting substances.

**Documentation box:**

Parties should provide detailed explanations on the industrial processes sector in Chapter 4: Industrial processes (CRF sector 2) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

**TABLE 2(I).A-G SECTORAL BACKGROUND DATA FOR INDUSTRIAL PROCESSES**  
**Emissions of CO<sub>2</sub>, CH<sub>4</sub> and N<sub>2</sub>O**  
(Sheet 1 of 2)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA		IMPLIED EMISSION FACTORS <sup>(2)</sup>			EMISSIONS					
	Production/Consumption quantity	(kt)	CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	CO <sub>2</sub>		CH <sub>4</sub>		N <sub>2</sub> O	
			Emissions <sup>(3)</sup>	Recovery <sup>(4)</sup>	Emissions <sup>(3)</sup>	Emissions <sup>(3)</sup>	Recovery <sup>(4)</sup>	Emissions <sup>(3)</sup>	Recovery <sup>(4)</sup>	Emissions <sup>(3)</sup>	Recovery <sup>(4)</sup>
	Description <sup>(1)</sup>	(t/t)			(Gg)						
<b>A. Mineral Products</b>											
1. Cement Production	(e.g. cement or clinker production)										
2. Lime Production											
3. Limestone and Dolomite Use											
4. Soda Ash											
Soda Ash Production											
Soda Ash Use											
5. Asphalt Roofing											
6. Road Paving with Asphalt											
7. Other (please specify)											
Glass Production											
<b>B. Chemical Industry</b>											
1. Ammonia Production <sup>(5)</sup>											
2. Nitric Acid Production											
3. Adipic Acid Production											
4. Carbide Production											
Silicon Carbide											
Calcium Carbide											
5. Other (please specify)											
Carbon Black											
Ethylene											
Dichloroethylene											
Styrene											
Methanol											

<sup>(1)</sup> Where the IPCC Guidelines provide options for activity data, e.g. cement production or clinker production for estimating the emissions from Cement Production, specify the activity data used (as shown in the example in parentheses) in order to make the choice of emission factor more transparent and to facilitate comparisons of implied emission factors.

<sup>(2)</sup> The implied emission factors (IEF) are estimated on the basis of gross emissions as follows: IEF = (emissions plus amounts recovered, oxidized, destroyed or transformed) / activity data.

<sup>(3)</sup> Final emissions are to be reported (after subtracting the amounts of emission recovery, oxidation, destruction or transformation).

<sup>(4)</sup> Amounts of emission recovery, oxidation, destruction or transformation.

<sup>(5)</sup> To avoid double counting, make offsetting deductions for fuel consumption (e.g. natural gas) in Ammonia Production, first for feedstock use of the fuel, and then for a sequestering use of the feedstock.

**TABLE 2(I).A-G SECTORAL BACKGROUND DATA FOR INDUSTRIAL PROCESSES**  
**Emissions of CO<sub>2</sub>, CH<sub>4</sub> and N<sub>2</sub>O**  
(Sheet 2 of 2)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA		IMPLIED EMISSION FACTORS <sup>(2)</sup>			EMISSIONS					
	Production/Consumption quantity		CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	CO <sub>2</sub>		CH <sub>4</sub>		N <sub>2</sub> O	
	Description <sup>(1)</sup>	(kt)	(t/t)			Emissions <sup>(3)</sup>	Recovery <sup>(4)</sup>	Emissions <sup>(3)</sup>	Recovery <sup>(4)</sup>	Emissions <sup>(3)</sup>	Recovery <sup>(4)</sup>
<b>C. Metal Production</b>											
1. Iron and Steel Production											
Steel											
Pig Iron											
Sinter											
Coke											
Other (please specify)											
2. Ferroalloys Production											
3. Aluminium Production											
4. SF6 Used in Aluminium and Magnesium Foundries											
5. Other (please specify)											
<b>D. Other Production</b>											
1. Pulp and Paper											
2. Food and Drink											
G. Other (please specify)											

<sup>(1)</sup> Where the IPCC Guidelines provide options for activity data, e.g. cement production or clinker production for estimating the emissions from Cement Production, specify the activity data used (as shown in the example in parentheses) in order to make the choice of emission factor more transparent and to facilitate comparisons of implied emission factors.

<sup>(2)</sup> The implied emission factors (IEF) are estimated on the basis of gross emissions as follows: IEF = (emissions + amounts recovered, oxidized, destroyed or transformed) / activity data.

<sup>(3)</sup> Final emissions are to be reported (after subtracting the amounts of emission recovery, oxidation, destruction or transformation).

<sup>(4)</sup> Amounts of emission recovery, oxidation, destruction or transformation.

**Documentation box:**

- Parties should provide detailed explanations on the industrial processes sector in Chapter 4: Industrial processes (CRF sector 2) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
- In relation to metal production, more specific information (e.g. data on virgin and recycled steel production) could be provided in this documentation box, or in the NIR, together with a reference to the relevant section.
- Confidentiality: Where only aggregate figures for activity data are provided, e.g. due to reasons of confidentiality, a note indicating this should be provided in this documentation box.

Country  
Year  
Submission

**TABLE 2(II) SECTORAL REPORT FOR INDUSTRIAL PROCESSES - EMISSIONS OF HFCs, PFCs AND SF<sub>6</sub>**  
(Sheet 1 of 2)

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	HFC-223	HFC-32	HFC-41	HFC-43-10mee	HFC-125	HFC-134	HFC-134a	HFC-152a	HFC-143	HFC-143a	HFC-227ea	HFC-236fa	HFC-245ca	Unspecified mix of listed HFCs	Total HFCs	CF <sub>4</sub>	C <sub>2</sub> F <sub>6</sub>	C <sub>3</sub> F <sub>8</sub>	C <sub>4</sub> F <sub>10</sub>	c-C <sub>3</sub> F <sub>8</sub>	C <sub>5</sub> F <sub>12</sub>	C <sub>6</sub> F <sub>14</sub>	Total PFCs	SF <sub>6</sub>	
	(t) <sup>(a)</sup>	(t) <sup>(a)</sup>	(t) <sup>(a)</sup>	(t) <sup>(a)</sup>	(t) <sup>(a)</sup>	(t) <sup>(a)</sup>	(t) <sup>(a)</sup>	(t) <sup>(a)</sup>	(t) <sup>(a)</sup>																
<b>Total Actual Emissions of Halocarbons (by chemical) and SF<sub>6</sub></b>																									
<b>C. Metal Production</b>																									
Aluminium Production																									
SF <sub>6</sub> Used in Aluminium Foundries																									
SF <sub>6</sub> Used in Magnesium Foundries																									
<b>E. Production of Halocarbons and SF<sub>6</sub></b>																									
1. By-product Emissions																									
Production of HCFC-22																									
Other																									
2. Fugitive Emissions																									
3. Other (as specified in table 2(II).C.E)																									
<b>F(a). Consumption of Halocarbons and SF<sub>6</sub> (actual emissions - Tier 2)</b>																									
1. Refrigeration and Air Conditioning Equipment																									
2. Foam Blowing																									
3. Fire Extinguishers																									
4. Aerosols/Metered Dose Inhalers																									
5. Solvents																									
6. Other applications using ODS <sup>(a)</sup> substitutes																									
7. Semiconductor Manufacture																									
8. Electrical Equipment																									
9. Other (as specified in table 2(II).F)																									
<b>G. Other (please specify)</b>																									

**Note:**

1. All footnotes for this table are given at the end of the table on sheet 2.
2. Gases with global warming potential (GWP) values not yet agreed upon by the Conference of the Parties should be reported in table 9(b).

Country  
Year  
Submission

**TABLE 2(II) SECTORAL REPORT FOR INDUSTRIAL PROCESSES - EMISSIONS OF HFCs, PFCs AND SF<sub>6</sub>**  
(Sheet 2 of 2)

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	HFC-23	HFC-32	HFC-41	HFC-43-10mee	HFC-125	HFC-134	HFC-134a	HFC-152a	HFC-143	HFC-143a	HFC-227ea	HFC-236fa	HFC-245ca	Unspecified mix of listed HFCs <sup>(1)</sup>	Total HFCs	CF <sub>4</sub>	C <sub>2</sub> F <sub>6</sub>	C <sub>3</sub> F <sub>8</sub>	C <sub>4</sub> F <sub>10</sub>	c-C <sub>4</sub> F <sub>8</sub>	C <sub>5</sub> F <sub>12</sub>	C <sub>6</sub> F <sub>14</sub>	Unspecified mix of listed PFCs <sup>(1)</sup>	Total PFCs	SF <sub>6</sub>
	(t) <sup>(2)</sup>													CO <sub>2</sub> equivalent (Gg)	(t) <sup>(2)</sup>					CO <sub>2</sub> equivalent (Gg)	(t) <sup>(2)</sup>				
<b>F(p). Total Potential Emissions of Halocarbons (by chemical) and SF<sub>6</sub><sup>(4)</sup></b>																									
Production <sup>(5)</sup>																									
Import:																									
In bulk																									
In products <sup>(6)</sup>																									
Export:																									
In bulk																									
In products <sup>(6)</sup>																									
Destroyed amount																									
<b>GWP values used</b>	11700	650	150	1300	2800	1000	1300	140	300	3800	2900	6300	560			6500	9200	7000	7000	8700	7500	7400		23900	
<b>Total Actual Emissions<sup>(7)</sup> (CO<sub>2</sub> equivalent (Gg))</b>																									
C. Metal Production																									
E. Production of Halocarbons and SF <sub>6</sub>																									
F(a). Consumption of Halocarbons and SF <sub>6</sub>																									
G. Other																									
<b>Ratio of Potential/Actual Emissions from Consumption of Halocarbons and SF<sub>6</sub></b>																									
Actual emissions - F(a) (Gg CO <sub>2</sub> eq.)																									
Potential emissions - F(p) <sup>(8)</sup> (Gg CO <sub>2</sub> eq.)																									
Potential/Actual emissions ratio																									

(1) In accordance with the UNFCCC reporting guidelines, HFC and PFC emissions should be reported for each relevant chemical. However, if it is not possible to report values for each chemical (i.e. mixtures, confidential data, lack of disaggregation), these columns could be used for reporting aggregate figures for HFCs and PFCs, respectively. Note that the unit used for these columns is Gg of CO<sub>2</sub> equivalent.

(2) Note that the units used in this table differ from those used in the rest of the Sectoral report tables, i.e. t instead of Gg.

(3) ODS: ozone-depleting substances

(4) Potential emissions of each chemical of halocarbons and SF<sub>6</sub> estimated using Tier 1a or Tier 1b of the IPCC Guidelines (Volume 3, Reference Manual, pp. 2.47-2.50). Where potential emission estimates are available in a disaggregated manner for the source categories F.1 to F.9, these should be reported in the NIR and a reference should be provided in the documentation box. Use table Summary 3 to indicate whether Tier 1a or Tier 1b was used.

(5) Production refers to production of new chemicals. Recycled substances could be included here, but avoid double counting of emissions. An indication as to whether recycled substances are included should be provided in the documentation box to this table.

(6) Relevant only for Tier 1b.

(7) Total actual emissions equal the sum of the actual emissions of each halocarbon and SF<sub>6</sub> from the source categories 2.C, 2.E, 2.F and 2.G as reported in sheet 1 of this table multiplied by the corresponding GWP values.

(8) Potential emissions of each halocarbon and SF<sub>6</sub> taken from row F(p) multiplied by the corresponding GWP values.

**Note:** As stated in the UNFCCC reporting guidelines, Parties should report actual emissions of HFCs, PFCs and SF<sub>6</sub>, where data are available, providing disaggregated data by chemical and source category in units of mass and in CO<sub>2</sub> equivalent. Parties reporting actual emissions should also report potential emissions for the sources where the concept of potential emissions applies, for reasons of transparency and comparability. Gases with GWP values not yet agreed upon by the COP should be reported in Table 9 (b).

**Documentation box:**

- Parties should provide detailed explanations on the industrial processes sector in Chapter 4: Industrial processes (CRF sector 2) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
- If estimates are reported under "2.G Other", use this documentation box to provide information regarding activities covered under this category and to provide reference to the section in the NIR where background information can be found.

**TABLE 2(II). C, E SECTORAL BACKGROUND DATA FOR INDUSTRIAL PROCESSES**  
**Metal Production; Production of Halocarbons and SF<sub>6</sub>**  
(Sheet 1 of 1)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA		IMPLIED EMISSION FACTORS <sup>(2)</sup>			EMISSIONS					
			CF <sub>4</sub>	C <sub>2</sub> F <sub>6</sub>	SF <sub>6</sub>	CF <sub>4</sub>		C <sub>2</sub> F <sub>6</sub>		SF <sub>6</sub>	
	Description <sup>(1)</sup>	(t)	(kg/t)				Emissions <sup>(3)</sup>	Recovery <sup>(4)</sup>	Emissions <sup>(3)</sup>	Recovery <sup>(4)</sup>	Emissions <sup>(3)</sup>
<b>C. PFCs and SF<sub>6</sub> from Metal Production</b>											
PFCs from Aluminium Production											
SF <sub>6</sub> used in Aluminium and Magnesium Foundries											
Aluminium Foundries	(SF <sub>6</sub> consumption)										
Magnesium Foundries	(SF <sub>6</sub> consumption)										

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA		IMPLIED EMISSION FACTORS <sup>(2)</sup>			EMISSIONS						
			HFC-23	SF <sub>6</sub>	HFCs/PFCs (as specified)	HFC-23		SF <sub>6</sub>		HFCs/PFCs		
	Description <sup>(1)</sup>	(t)	(kg/t)				Emissions <sup>(3)</sup>	Recovery <sup>(4)</sup>	Emissions <sup>(3)</sup>	Recovery <sup>(4)</sup>	(specify chemical)	Emissions <sup>(3)</sup>
<b>E. Production of Halocarbons and SF<sub>6</sub></b>												
<b>1. By-product Emissions</b>												
Production of HCFC-22												
Other (please specify activity)												
<b>2. Fugitive Emissions (please specify activity)</b>												
<b>3. Other (please specify activity)</b>												

<sup>(1)</sup> Specify the activity data used as shown in the examples in parentheses.

<sup>(2)</sup> The implied emission factors (IEFs) are estimated on the basis of gross emissions as follows: IEF = (emissions + amounts recovered, oxidized, destroyed or transformed) / activity data.

<sup>(3)</sup> Final emissions (after subtracting the amounts of emission recovery, oxidation, destruction or transformation).

<sup>(4)</sup> Amounts of emission recovery, oxidation, destruction or transformation.

**Documentation box:**

- Parties should provide detailed explanations on the industrial processes sector in Chapter 4: Industrial processes (CRF sector 2) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
- Where only aggregate figures for activity data are provided, e.g. due to reasons of confidentiality (see footnote 1 to table 2(II)), a note indicating this should be provided in this documentation box.
- Where applying Tier 1b (for source category 2.C), Tier 2 (for source category 2.E) and country-specific methods, specify any other relevant activity data used in this documentation box, including a reference to the section of the NIR where more detailed information can be found.
- Use this documentation box for providing clarification on emission recovery, oxidation, destruction and/or transformation, and provide a reference to the section of the NIR where more detailed information can be found.

**TABLE 2(II).F SECTORAL BACKGROUND DATA FOR INDUSTRIAL PROCESSES**  
**Consumption of Halocarbons and SF<sub>6</sub>**  
(Sheet 1 of 2)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA <i>Amount of fluid</i>			IMPLIED EMISSION FACTORS			EMISSIONS		
	Filled into new manufactured products	In operating systems (average annual stocks)	Remaining in products at decommissioning	Product manufacturing factor	Product life factor	Disposal loss factor	From manufacturing	From stocks	From disposal
								(t)	(t)
<b>1. Refrigeration<sup>(1)</sup></b>									
Air Conditioning Equipment									
Domestic Refrigeration (please specify chemical) <sup>(1)</sup>									
Commercial Refrigeration									
Transport Refrigeration									
Industrial Refrigeration									
Stationary Air-Conditioning									
Mobile Air-Conditioning									
<b>2. Foam Blowing<sup>(1)</sup></b>									
Hard Foam									
Soft Foam									

<sup>(1)</sup> Under each of the listed source categories, specify the chemical consumed (e.g. HFC-32) as indicated under category Domestic Refrigeration; use one row per chemical.

**Note:** This table provides for reporting of the activity data and emission factors used to calculate actual emissions from consumption of halocarbons and SF<sub>6</sub> using the "bottom-up approach" (based on the total stock of equipment and estimated emission rates from this equipment). Some Parties may prefer to estimate actual emissions following the alternative "top-down approach" (based on annual sales of equipment and/or gas). Those Parties should indicate the activity data used and provide any other information needed to understand the content of the table in the documentation box at the end of sheet 2 to this table, including a reference to the section of the NIR where further details can be found. Those Parties should provide the following data in the NIR:

1. the amount of fluid used to fill new products,
2. the amount of fluid used to service existing products,
3. the amount of fluid originally used to fill retiring products (the total nameplate capacity of retiring products),
4. the product lifetime, and
5. the growth rate of product sales, if this has been used to calculate the amount of fluid originally used to fill retiring products.

In the NIR, Parties may provide alternative formats for reporting equivalent information with a similar level of detail.

Country  
Year  
Submission

**TABLE 2(II).F SECTORAL BACKGROUND DATA FOR INDUSTRIAL PROCESSES**  
**Consumption of Halocarbons and SF<sub>6</sub>**  
(Sheet 2 of 2)

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA <i>Amount of fluid</i>			IMPLIED EMISSION FACTORS			EMISSIONS			
	Filled into new manufactured products	In operating systems (average annual stocks)	Remaining in products at decommissioning	Product manufacturing factor	Product life factor	Disposal loss factor	From manufacturing	From stocks	From disposal	
							(t)	(% per annum)		
3. Fire Extinguishers (please specify chemical) <sup>(1)</sup>										
4. Aerosols <sup>(1)</sup>										
Metered Dose Inhalers										
Other										
5. Solvents <sup>(1)</sup>										
6. Other applications using ODS <sup>(2)</sup> substitutes <sup>(1)</sup>										
7. Semiconductors <sup>(1)</sup>										
8. Electric Equipment <sup>(1)</sup>										
9. Other (please specify) <sup>(1)</sup>										

<sup>(1)</sup> Under each of the listed source categories, specify the chemical consumed (e.g. HFC-32) as indicated under category Fire Extinguishers; use one row per chemical.

<sup>(2)</sup> ODS: ozone-depleting substances.

**Documentation box:**

- Parties should provide detailed explanations on the industrial processes sector in Chapter 4: Industrial processes (CRF sector 2) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
- Where only aggregate figures for activity data are provided, e.g. due to reasons of confidentiality (see footnote 1 to table 2(II)), a note indicating this should be provided in this documentation box.
- With regard to data on the amounts of fluid that remained in retired products at decommissioning, use this documentation box to provide a reference to the section of the NIR where information on the amount of the chemical recovered (recovery efficiency) and other relevant information used in the emission estimation can be found.
- Parties that estimate their actual emissions following the alternative top-down approach might not be able to report emissions using this table. As indicated in the note to sheet 1 of this table, Parties should in these cases provide, in the NIR, alternative formats for reporting equivalent information with a similar level of detail. References to the relevant section of the NIR should be provided in this documentation box.

**TABLE 3 SECTORAL REPORT FOR SOLVENT AND OTHER PRODUCT USE**

(Sheet 1 of 1)

Country

Year

Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	CO <sub>2</sub>	N <sub>2</sub> O	NMVOC
	(Gg)		
Total Solvent and Other Product Use			
A. Paint Application			
B. Degreasing and Dry Cleaning			
C. Chemical Products, Manufacture and Processing			
D. Other			
1. Use of N <sub>2</sub> O for Anaesthesia			
2. N <sub>2</sub> O from Fire Extinguishers			
3. N <sub>2</sub> O from Aerosol Cans			
4. Other Use of N <sub>2</sub> O			
5. Other (as specified in table 3.A-D)			

**Note:** The quantity of carbon released in the form of NMVOCs should be accounted for in both the NMVOC and the CO<sub>2</sub> columns.

The quantities

of NMVOCs should be converted into CO<sub>2</sub> equivalent emissions before being added to the CO<sub>2</sub> amounts in the CO<sub>2</sub> column.

<b>Documentation box:</b>
• Parties should provide detailed explanations about the Solvent and Other Product Use sector in Chapter 5: Solvent and Other Product Use (CRF sector 3) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
• The IPCC Guidelines do not provide methodologies for the calculation of emissions of N <sub>2</sub> O from Solvent and Other Product Use. If reporting such data, Parties should provide in the NIR additional information (activity data and emission factors) used to derive these estimates, and provide in this documentation box a reference to the section of the NIR where this information can be found.

**TABLE 3.A-D SECTORAL BACKGROUND DATA FOR SOLVENT AND OTHER PRODUCT USE**  
**(Sheet 1 of 1)**

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA		IMPLIED EMISSION FACTORS <sup>(1)</sup>	
	Description	(kt)	CO <sub>2</sub> (t/t)	N <sub>2</sub> O (t/t)
A. Paint Application				
B. Degreasing and Dry Cleaning				
C. Chemical Products, Manufacture and Processing				
D. Other				
1. Use of N <sub>2</sub> O for Anaesthesia				
2. N <sub>2</sub> O from Fire Extinguishers				
3. N <sub>2</sub> O from Aerosol Cans				
4. Other Use of N <sub>2</sub> O				
5. Other (please specify) <sup>(2)</sup>				

<sup>(1)</sup> The implied emission factors will not be calculated until the corresponding emission estimates are entered directly into table 3.

<sup>(2)</sup> Some probable sources to be reported under 3.D Other are listed in this table. Complement the list with other relevant sources, as appropriate.

**Documentation box:**

Parties should provide detailed explanations on the Solvent and Other Product Use sector in Chapter 5: Solvent and Other Product Use (CRF sector 3) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

**TABLE 4 SECTORAL REPORT FOR AGRICULTURE**  
**(Sheet 1 of 2)**

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	CH <sub>4</sub>	N <sub>2</sub> O	NO <sub>x</sub> (Gg)	CO	NMVOC
<b>Total Agriculture</b>					
<b>A. Enteric Fermentation</b>					
1. Cattle <sup>(1)</sup>					
<i>Option A:</i>					
Dairy Cattle					
Non-Dairy Cattle					
<i>Option B:</i>					
Mature Dairy Cattle					
Mature Non-Dairy Cattle					
Young Cattle					
2. Buffalo					
3. Sheep					
4. Goats					
5. Camels and Llamas					
6. Horses					
7. Mules and Asses					
8. Swine					
9. Poultry					
10. Other (as specified in table 4.A)					
<b>B. Manure Management</b>					
1. Cattle <sup>(1)</sup>					
<i>Option A:</i>					
Dairy Cattle					
Non-Dairy Cattle					
<i>Option B:</i>					
Mature Dairy Cattle					
Mature Non-Dairy Cattle					
Young Cattle					
2. Buffalo					
3. Sheep					
4. Goats					
5. Camels and Llamas					
6. Horses					
7. Mules and Asses					
8. Swine					
9. Poultry					
10. Other livestock (as specified in table 4.B(a))					

**Note:** All footnotes for this table are given at the end of the table on sheet 2.

**TABLE 4 SECTORAL REPORT FOR AGRICULTURE**  
**(Sheet 2 of 2)**

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	CH <sub>4</sub>	N <sub>2</sub> O	NO <sub>x</sub> (Gg)	CO	NMVOC	Country
	Year	Submission				
<b>B. Manure Management (continued)</b>						
11. Anaerobic Lagoons						
12. Liquid Systems						
13. Solid Storage and Dry Lot						
14. Other ( <i>please specify</i> )						
<b>C. Rice Cultivation</b>						
1. Irrigated						
2. Rainfed						
3. Deep Water						
4. Other ( <i>as specified in table 4.C</i> )						
<b>D. Agricultural Soils<sup>(2)</sup></b>						
1. Direct Soil Emissions						
2. Pasture, Range and Paddock Manure <sup>(3)</sup>						
3. Indirect Emissions						
4. Other ( <i>as specified in table 4.D</i> )						
<b>E. Prescribed Burning of Savannas</b>						
<b>F. Field Burning of Agricultural Residues</b>						
1. Cereals						
2. Pulses						
3. Tubers and Roots						
4. Sugar Cane						
5. Other ( <i>as specified in table 4.F</i> )						
<b>G. Other (<i>please specify</i>)</b>						

<sup>(1)</sup> The sum for cattle would be calculated on the basis of entries made under either option A (dairy and non-dairy cattle) or option B (mature dairy cattle, mature non-dairy cattle and young cattle).

<sup>(2)</sup> See footnote 4 to Summary 1.A of this common reporting format. Parties which choose to report CO<sub>2</sub> emissions and removals from agricultural soils under 4.D Agricultural Soils of the sector Agriculture should report the amount (in Gg) of these emissions or removals in table Summary 1.A of the CRF. References to additional information (activity data, emissions factors) reported in the NIR should be provided in the documentation box to table 4.D. In line with the corresponding table in the IPCC Guidelines (i.e. IPCC Sectoral Report for Agriculture), this table does not include provisions for reporting CO<sub>2</sub> estimates.

<sup>(3)</sup> Direct N<sub>2</sub>O emissions from pasture, range and paddock manure are to be reported in the "4.D Agricultural Soils" category. All other N<sub>2</sub>O emissions from animal manure are to be reported in the "4.B Manure Management" category. See also chapter 4.4 of the IPCC good practice guidance report.

**Note:** The IPCC Guidelines do not provide methodologies for the calculation of CH<sub>4</sub> emissions and CH<sub>4</sub> and N<sub>2</sub>O removals from agricultural soils, or CO<sub>2</sub> emissions from prescribed burning of savannas and field burning of agricultural residues. Parties that have estimated such emissions should provide, in the NIR, additional information (activity data and emission factors) used to derive these estimates and include a reference to the section of the NIR in the documentation box of the corresponding Sectoral background data tables.

**Documentation box:**

- Parties should provide detailed explanations on the agriculture sector in Chapter 6: Agriculture (CRF sector 4) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
- If estimates are reported under "4.G Other", use this documentation box to provide information regarding activities covered under this category and to provide reference to the section in the NIR where background information can be found.

**TABLE 4.A SECTORAL BACKGROUND DATA FOR AGRICULTURE**  
**Enteric Fermentation**  
**(Sheet 1 of 1)**

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA AND OTHER RELATED INFORMATION			IMPLIED EMISSION FACTORS <sup>(3)</sup> CH <sub>4</sub> (kg CH <sub>4</sub> /head/yr)
	Population size <sup>(1)</sup> (1000s)	Average gross energy intake (GE) (MJ/head/day)	Average CH <sub>4</sub> conversion rate (Y <sub>m</sub> ) <sup>(2)</sup> (%)	
1. Cattle				
<i>Option A:</i>				
Dairy Cattle <sup>(4)</sup>				
Non-Dairy Cattle				
<i>Option B:</i>				
Mature Dairy Cattle				
Mature Non-Dairy Cattle				
Young Cattle				
2. Buffalo				
3. Sheep				
4. Goats				
5. Camels and Llamas				
6. Horses				
7. Mules and Asses				
8. Swine				
9. Poultry				
10. Other ( <i>please specify</i> )				

Additional information (only for those livestock types for which Tier 2 was used)<sup>(a)</sup>

Disaggregated list of animals <sup>(b)</sup>		Dairy Cattle	Non-Dairy Cattle	Other (specify)	
<b>Indicators:</b>					
Weight	(kg)				
Feeding situation <sup>(c)</sup>					
Milk yield	(kg/day)				
Work	(h/day)				
Pregnant	(%)				
Digestibility of feed	(%)				

<sup>(a)</sup> See also Tables A-1 and A-2 of the IPCC Guidelines (Volume 3, Reference Manual, pp. 4.31-4.34). These data are relevant if Parties do not have data on average feed intake.

<sup>(b)</sup> Disaggregate to the split actually used. Add columns to the table if necessary.

<sup>(c)</sup> Specify feeding situation as pasture, stall fed, confined, open range, etc.

<sup>(1)</sup> Parties are encouraged to provide detailed livestock population data by animal type and region, if available, in the NIR, and provide in the documentation box below a reference to the relevant section. Parties should use the same animal population statistics to estimate CH<sub>4</sub> emissions from enteric fermentation, CH<sub>4</sub> and N<sub>2</sub>O from manure management, N<sub>2</sub>O direct emissions from soil and N<sub>2</sub>O emissions associated with manure production, as well as emissions from the use of manure as fuel, and sewage-related emissions reported in the Waste sector.

<sup>(2)</sup> Y<sub>m</sub> refers to the fraction of gross energy in feed converted to methane and should be given in per cent in this table.

<sup>(3)</sup> The implied emission factors will not be calculated until the corresponding emission estimates are entered directly into Table 4.

<sup>(4)</sup> Including data on dairy heifers, if available.

**Documentation box:**

- Parties should provide detailed explanations on the Agriculture sector in Chapter 6: Agriculture (CRF sector 4) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
- Indicate in this documentation box whether the activity data used are one-year estimates or three-year averages.
- Provide a reference to the relevant section in the NIR, in particular with regard to:
  - (a) disaggregation of livestock population (e.g. according to the classification recommended in the IPCC good practice guidance), including information on whether these data are one-year estimates or three-year averages.
  - (b) parameters relevant to the application of IPCC good practice guidance.

**TABLE 4.B(a) SECTORAL BACKGROUND DATA FOR AGRICULTURE**  
**CH<sub>4</sub> Emissions from Manure Management**  
(Sheet 1 of 1)

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	Population size (1000s)	ACTIVITY DATA AND OTHER RELATED INFORMATION						IMPLIED EMISSION FACTORS <sup>(4)</sup> CH <sub>4</sub> (kg CH <sub>4</sub> /head/yr)	
		Allocation by climate region <sup>(1)</sup>			Typical animal mass (average) (kg)	VS <sup>(2)</sup> daily excretion (average) (kg dm/head/day)	CH <sub>4</sub> producing potential (Bo) <sup>(2)</sup> (average) (m <sup>3</sup> CH <sub>4</sub> /kg VS)		
		Cool	Temperate	Warm					
1. Cattle									
<i>Option A:</i>									
Dairy Cattle <sup>(3)</sup>									
Non-Dairy Cattle									
<i>Option B:</i>									
Mature Dairy Cattle									
Mature Non-Dairy Cattle									
Young Cattle									
2. Buffalo									
3. Sheep									
4. Goats									
5. Camels and Llamas									
6. Horses									
7. Mules and Asses									
8. Swine									
9. Poultry									
10. Other livestock ( <i>please specify</i> )									

<sup>(1)</sup> Climate regions are defined in terms of annual average temperature as follows: Cool = less than 15°C; Temperate = 15 - 25°C inclusive; and Warm = greater than 25°C (see table 4.2 of the IPCC Guidelines (Volume 3, Reference Manual, p. 4.8)).

<sup>(2)</sup> VS = Volatile Solids; Bo = maximum methane producing capacity for manure IPCC Guidelines (Volume 3, Reference Manual, p.4.23 and p.4.15); dm = dry matter. Provide average values for VS and Bo where original calculations were made at a more disaggregated level of these livestock categories.

<sup>(3)</sup> Including data on dairy heifers, if available.

<sup>(4)</sup> The implied emission factors will not be calculated until the corresponding emission estimates are entered directly into table 4.

		Additional information (for Tier 2) <sup>(a)</sup>			Animal waste management system						
		Animal category	Indicator	Climate region	Anaerobic lagoon	Liquid system	Daily spread	Solid storage	Dry lot	Pasture range paddock	Other
Dairy	Cattle			Cool							
				Temperate							
				Warm							
Non-Dairy	Cattle			Cool							
				Temperate							
				Warm							
Swine				Cool							
				Temperate							
				Warm							
Other livestock ( <i>please specify</i> )				Cool							
				Temperate							
				Warm							

<sup>(a)</sup> The information required in this table may not be directly applicable to country-specific methods developed for MCF calculations. In such cases, information on MCF derivation should be described in the NIR and references to the relevant sections of the NIR should be provided in the documentation box.

<sup>(b)</sup> MCF = Methane Conversion Factor (IPCC Guidelines, (Volume 3, Reference Manual, p. 4.9)). If another climate region categorization is used, replace the entries in the cells with the climate regions for which the MCFs are specified.

**Documentation box:**

- Parties should provide detailed explanations on the Agriculture sector in Chapter 6: Agriculture (CRF sector 4) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and further details are needed to understand the content of this table.
- Indicate in this documentation box whether the activity data used are one-year estimates or three-year averages.
- Provide a reference to the relevant section in the NIR, in particular with regard to:
  - (a) disaggregation of livestock population (e.g. according to the classification recommended in the IPCC good practice guidance), including information on whether these data are one-year estimates or three-year averages;
  - (b) parameters relevant to the application of IPCC good practice guidance;
  - (c) information on how the MCFs are derived, if relevant data could not be provided in the additional information box.

**TABLE 4.B(b) SECTORAL BACKGROUND DATA FOR AGRICULTURE**  
**N<sub>2</sub>O Emissions from Manure Management**  
(Sheet 1 of 1)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA AND OTHER RELATED INFORMATION							IMPLIED EMISSION FACTORS <sup>(1)</sup> Emission factor per animal waste management system (kg N <sub>2</sub> O-N/kg N)	
	Population size (1000s)	Nitrogen excretion (kg N/head/yr)	Nitrogen excretion per animal waste management system (AWMS) (kg N/yr)						
			Anaerobic lagoon	Liquid system	Daily spread	Solid storage and dry lot	Pasture range and paddock		
Cattle								Anaerobic lagoon	
<i>Option A:</i>								Liquid system	
Dairy Cattle								Solid storage and dry lot	
Non-Dairy Cattle								Other AWMS	
<i>Option B:</i>									
Mature Dairy Cattle									
Mature Non-Dairy Cattle									
Young Cattle									
Sheep									
Swine									
Poultry									
Other livestock ( <i>please specify</i> )									
<b>Total per AWMS</b>									

<sup>(1)</sup> The implied emission factor will not be calculated until the emissions are entered directly into table 4.

**Documentation box:**

- Parties should provide detailed explanations on the Agriculture sector in Chapter 6: Agriculture (CRF sector 4) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
- Indicate in this documentation box whether the activity data used are one-year estimates or three-year averages.
  - (a) disaggregation of livestock population (e.g. according to the classification recommended in the IPCC good practice guidance), including information on whether these data are one-year estimates or three-year averages;
  - (b) information on other AWMS, if reported.

**TABLE 4.C SECTORAL BACKGROUND DATA FOR AGRICULTURE**

Rice Cultivation  
(Sheet 1 of 1)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA AND OTHER RELATED INFORMATION			IMPLIED EMISSION FACTOR <sup>(1)</sup>	EMISSIONS CH <sub>4</sub> (Gg)
	Harvested area <sup>(2)</sup> (10 <sup>9</sup> m <sup>2</sup> /yr)	Organic amendments added <sup>(3)</sup> type	(t/ha)		
<b>1. Irrigated</b>					
Continuously Flooded					
Intermittently Flooded	Single Aeration				
	Multiple Aeration				
<b>2. Rainfed</b>					
Flood Prone					
Drought Prone					
<b>3. Deep Water</b>					
Water Depth 50-100 cm					
Water Depth > 100 cm					
<b>4. Other (please specify)</b>					
	Upland Rice <sup>(4)</sup>				
	Total <sup>(4)</sup>				

<sup>(1)</sup> The implied emission factor implicitly takes account of all relevant corrections for continuously flooded fields without organic amendment, the correction for the organic amendments and the effect of different soil characteristics, if considered in the calculation of methane emissions.

<sup>(2)</sup> Harvested area is the cultivated area multiplied by the number of cropping seasons per year.

<sup>(3)</sup> Specify dry weight or wet weight for organic amendments in the documentation box.

<sup>(4)</sup> These rows are included to allow comparison with international statistics. Methane emissions from upland rice are assumed to be zero.

**Documentation box:**

- Parties should provide detailed explanations on the Agriculture sector in Chapter 6: Agriculture (CRF sector 4) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
- When disaggregating by more than one region within a country, and/or by growing season, provide additional information on disaggregation and related data in the NIR and provide a reference to the relevant section in the NIR.
- Where available, provide activity data and scaling factors by soil type and rice cultivar in the NIR.

TABLE 4.D SECTORAL BACKGROUND DATA FOR AGRICULTURE

## Agricultural Soils

(Sheet 1 of 1)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA AND OTHER RELATED INFORMATION		IMPLIED EMISSION FACTORS kg N <sub>2</sub> O-N/kg N <sup>(2)</sup>	EMISSIONS N <sub>2</sub> O (Gg)
	Description	Value kg N/yr		
<b>1. Direct Soil Emissions</b>	<b>N input to soils</b>			
1. Synthetic Fertilizers	Nitrogen input from application of synthetic fertilizers			
2. Animal Manure Applied to Soils	Nitrogen input from manure applied to soils			
3. N-fixing Crops	Nitrogen fixed by N-fixing crops			
4. Crop Residue	Nitrogen in crop residues returned to soils			
5. Cultivation of Histosols <sup>(1)</sup>	Area of cultivated organic soils (ha/yr)			
6. Other direct emissions ( <i>please specify</i> )				
<b>2. Pasture, Range and Paddock Manure</b>	<b>N excretion on pasture range and paddock</b>			
<b>3. Indirect Emissions</b>				
1. Atmospheric Deposition	Volatized N from fertilizers, animal manures and other			
2. Nitrogen Leaching and Run-off	N from fertilizers, animal manures and other that is lost through leaching and run-off			
<b>4. Other (<i>please specify</i>)</b>				

Additional information		
Fraction <sup>(a)</sup>	Description	Value
Frac <sub>BURN</sub>	Fraction of crop residue burned	
Frac <sub>FUEL</sub>	Fraction of livestock N excretion in excrements burned for fuel	
Frac <sub>GASF</sub>	Fraction of synthetic fertilizer N applied to soils that volatilizes as NH <sub>3</sub> and NO <sub>x</sub>	
Frac <sub>GASM</sub>	Fraction of livestock N excretion that volatilizes as NH <sub>3</sub> and NO <sub>x</sub>	
Frac <sub>GRAZ</sub>	Fraction of livestock N excreted and deposited onto soil during grazing	
Frac <sub>LEACH</sub>	Fraction of N input to soils that is lost through leaching and run-off	
Frac <sub>NCRB</sub>	Fraction of total above-ground biomass of N-fixing crop that is N	
Frac <sub>NCRO</sub>	Fraction of residue dry biomass that is N	
Frac <sub>R</sub>	Fraction of total above-ground crop biomass that is removed from the field as a crop product	
Other fractions ( <i>please specify</i> )		

<sup>(a)</sup> Use the definitions for fractions as specified in the IPCC Guidelines (Volume 3. Reference Manual, pp. 4.92-4.113) as elaborated by the IPCC good practice guidance (pp. 4.54-4.74).

<sup>(1)</sup> To convert from N<sub>2</sub>O-N to N<sub>2</sub>O emissions, multiply by 44/28. Note that for cultivation of Histosols the unit of the IEF is kg N<sub>2</sub>O-N/ha.

**Documentation box:**

- Parties should provide detailed explanations on the Agriculture sector in Chapter 6: Agriculture (CRF sector 4) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
- Provide a reference to the relevant section in the NIR, in particular with regard to:
  - (a) Background information on CH<sub>4</sub> emissions from agricultural soils, if accounted for under the Agriculture sector;
  - (b) Disaggregated values for Frac<sub>GRAZ</sub> according to animal type, and for Frac<sub>BURN</sub> according to crop types;
  - (c) Full list of assumptions and fractions used.

**TABLE 4.E SECTORAL BACKGROUND DATA FOR AGRICULTURE**  
**Prescribed Burning of Savannas**  
**(Sheet 1 of 1)**

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA AND OTHER RELATED INFORMATION					IMPLIED EMISSION FACTORS		EMISSIONS	
	Area of savanna burned (kha/yr)	Average above-ground biomass density (t dm/ha)	Fraction of savanna burned	Biomass burned (Gg dm)	Nitrogen fraction in biomass	CH <sub>4</sub>	N <sub>2</sub> O	CH <sub>4</sub>	N <sub>2</sub> O
				(kg/t dm)	(Gg)				
(specify ecological zone)									

**Additional information**

	Living Biomass	Dead Biomass
Fraction of above-ground biomass		
Fraction oxidized		
Carbon fraction		

**Documentation box:**

Parties should provide detailed explanations on the Agriculture sector in Chapter 6: Agriculture (CRF sector 4) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

**TABLE 4.F SECTORAL BACKGROUND DATA FOR AGRICULTURE**

Field Burning of Agricultural Residues

(Sheet 1 of 1)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA AND OTHER RELATED INFORMATION								IMPLIED EMISSION FACTORS		EMISSIONS	
	Crop production (t)	Residue-crop ratio	Dry matter (dm) fraction of residue	Fraction burned in fields	Fraction oxidized	Total biomass burned (Gg dm)	C fraction of residue	N-C ratio in biomass residues	CH <sub>4</sub>	N <sub>2</sub> O	CH <sub>4</sub>	N <sub>2</sub> O
									(kg/t dm)	(Gg)		
<b>1. Cereals</b>												
Wheat												
Barley												
Maize												
Oats												
Rye												
Rice												
Other ( <i>please specify</i> )												
<b>2. Pulses</b>												
Dry bean												
Peas												
Soybeans												
Other ( <i>please specify</i> )												
<b>3. Tubers and Roots</b>												
Potatoes												
Other ( <i>please specify</i> )												
<b>4. Sugar Cane</b>												
<b>5. Other (<i>please specify</i>)</b>												

**Documentation box:**

Parties should provide detailed explanations on the Agriculture sector in Chapter 6: Agriculture (CRF sector 4) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

**TABLE 5 SECTORAL REPORT FOR LAND USE, LAND-USE CHANGE AND FORESTRY**  
(Sheet 1 of 1)

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	Net CO <sub>2</sub> emissions/ removals <sup>(1), (2)</sup>	CH <sub>4</sub>	N <sub>2</sub> O	NO <sub>x</sub>	CO	Country Year Submission
		(Gg)				
<b>Total Land-Use Categories</b>						
<b>A. Forest Land</b>						
1. Forest Land remaining Forest Land						
2. Land converted to Forest Land						
<b>B. Cropland</b>						
1. Cropland remaining Cropland						
2. Land converted to Cropland						
<b>C. Grassland</b>						
1. Grassland remaining Grassland						
2. Land converted to Grassland						
<b>D. Wetlands<sup>(3)</sup></b>						
1. Wetlands remaining Wetlands						
2. Land converted to Wetlands						
<b>E. Settlements<sup>(3)</sup></b>						
1. Settlements remaining Settlements						
2. Land converted to Settlements						
<b>F. Other Land<sup>(4)</sup></b>						
1. Other Land remaining Other Land						
2. Land converted to Other Land						
<b>G. Other (please specify)<sup>(5)</sup></b>						
<i>Harvested Wood Products<sup>(6)</sup></i>						
<b>Information items<sup>(7)</sup></b>						
Forest Land converted to Other Land-Use Categories						
Grassland converted to Other Land-Use Categories						

<sup>(1)</sup> According to the Revised 1996 IPCC Guidelines, for the purposes of reporting, the signs for removals are always negative (-) and for emissions positive (+). Net changes in carbon stocks are converted to CO<sub>2</sub> by multiplying C by 44/12 and by changing the sign for net CO<sub>2</sub> removals to be negative (-) and for net CO<sub>2</sub> emissions to be positive (+).

<sup>(2)</sup> CO<sub>2</sub> emissions from liming and biomass burning are included in this column.

<sup>(3)</sup> Parties do not have to prepare estimates for categories contained in appendices 3a.2, 3a.3 and 3a.4 of the IPCC good practice guidance for LULUCF, although they may do so if they wish and report in this row.

<sup>(4)</sup> Parties do not have to prepare estimates for this category contained in Chapter 3.7 of the IPCC good practice guidance for LULUCF, although they may do so if they wish and report in this row. This land-use category is to allow the total of identified land area to match the national area.

<sup>(5)</sup> May include other non-specified sources and sinks.

<sup>(6)</sup> Parties do not have to prepare estimates for this category contained in appendix 3a.1 of the IPCC good practice guidance for LULUCF, although they may do so if they wish and report in this row.

<sup>(7)</sup> These items are listed for information only and will not be added to the totals, because they are already included in subcategories 5.A.2 to 5.F.2.

**Note:** The totals for N<sub>2</sub>O (5.A and 5.D), CO<sub>2</sub> (5.B and 5.C) and CO<sub>2</sub>, CH<sub>4</sub>, N<sub>2</sub>O (5.E and 5.F) may not equal the summation of the subcategories included in this table, because these totals include data from tables 5(II), 5(IV) and 5(V), where the subcategories are not available. Emissions of CO<sub>2</sub>, CH<sub>4</sub>, N<sub>2</sub>O from 5.G Other are estimated based on the information provided in the background data tables.

**Documentation box:**

- Parties should provide detailed explanations on the Land Use, Land-Use Change and Forestry sector in Chapter 7: Land Use, Land-Use Change and Forestry (CRF sector 5) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
- If estimates are reported under 5.G Other, use this documentation box to provide information regarding activities covered under this category and to provide reference to the section in the NIR where background information can be found.

**TABLE 5.A SECTORAL BACKGROUND DATA FOR LAND USE, LAND-USE CHANGE AND FORESTRY**  
**Forest Land**  
(Sheet 1 of 1)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES		ACTIVITY DATA  Land-Use Category	Subdivision <sup>(1)</sup>  Total area (kha)	IMPLIED EMISSION FACTORS			EMISSIONS/REMOVALS			
Carbon stock change in living biomass per area <sup>(2), (3)</sup>			Net carbon stock change in dead organic matter per area <sup>(3)</sup>	Net carbon stock change in soils per area <sup>(3)</sup>	Carbon stock change in living biomass <sup>(2), (3)</sup>			Net carbon stock change in dead organic matter <sup>(3)</sup>	Net carbon stock change in soils <sup>(3)</sup>	
Increase	Decrease	Net change			Increase	Decrease	Net change			
(Mg C/ha)						(Gg C)				
<b>A. Total Forest Land</b>										
1. Forest Land remaining Forest Land										
2. Land converted to Forest Land <sup>(4)</sup>										
2.1 Cropland converted to Forest Land										
2.2 Grassland converted to Forest Land										
2.3 Wetlands converted to Forest Land										
2.4 Settlements converted to Forest Land										
2.5 Other Land converted to Forest Land										

<sup>(1)</sup> Land categories may be further divided according to climate zone, management system, soil type, vegetation type, tree species, ecological zone or national land classification.

<sup>(2)</sup> CO<sub>2</sub> emissions and removals (carbon stock increase and decrease) should be listed separately except where, due to the methods used, it is technically impossible to separate information on increases and decreases.

<sup>(3)</sup> The signs for estimates of increases in carbon stocks are positive (+) and of decreases in carbon stocks are negative (-).

<sup>(4)</sup> A Party may report aggregate estimates for all conversions of land to forest land when data are not available to report them separately. A Party should specify in the documentation box which types of land conversion are included. Separate estimates for grassland conversion should be provided in table 5 as an information item.

**Documentation box:**

Parties should provide detailed explanations on the Land Use, Land-Use Change and Forestry sector in Chapter 7: Land Use, Land-Use Change and Forestry (CRF sector 5) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

**TABLE 5.B SECTORAL BACKGROUND DATA FOR LAND USE, LAND-USE CHANGE AND FORESTRY**

Cropland  
(Sheet 1 of 1)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES		ACTIVITY DATA  Land-Use Category	IMPLIED EMISSION FACTORS			EMISSIONS/REMOVALS					
Subdivision <sup>(1)</sup>	Total area (kha)		Carbon stock change in living biomass per area <sup>(2), (3)</sup>		Net carbon stock change in dead organic matter per area <sup>(3)</sup>	Net carbon stock change in soils per area <sup>(3)</sup>	Carbon stock change in living biomass <sup>(2), (3), (4)</sup>		Net carbon stock change in dead organic matter <sup>(3), (5)</sup>	Net carbon stock change in soils <sup>(3)</sup>	
			Increase	Decrease			Net change	(Mg C/ha)	(Gg C)		
<b>B. Total Cropland</b>											
1. Cropland remaining Cropland											
2. Land converted to Cropland <sup>(6)</sup>											
2.1 Forest Land converted to Cropland											
2.2 Grassland converted to Cropland											
2.3. Wetlands converted to Cropland											
2.4 Settlements converted to Cropland											
2.5 Other Land converted to Cropland											

<sup>(1)</sup> Land categories may be further divided according to climate zone, management system, soil type, vegetation type, tree species, ecological zone or national land classification.

<sup>(2)</sup> CO<sub>2</sub> emissions and removals (carbon stock increase and decrease) should be listed separately except in cases where, due to the methods used, it is technically impossible to separate information on increases and decreases.

<sup>(3)</sup> The signs for estimates of increases in carbon stocks are positive (+) and of decreases in carbon stocks are negative (-).

<sup>(4)</sup> For category 5.B.1 Cropland remaining Cropland this column includes only changes in perennial woody biomass.

<sup>(5)</sup> No reporting on dead organic matter pools is required for category 5.B.1. Cropland remaining Cropland.

<sup>(6)</sup> A Party may report aggregate estimates for all land conversions to cropland, when data are not available to report them separately. A Party should specify in the documentation box which types of land conversion are included. Separate estimates for forest and grassland conversion should be provided in table 5 as an information item.

**Documentation box:**

Parties should provide detailed explanations on the Land Use, Land-Use Change and Forestry sector in Chapter 7: Land Use, Land-Use Change and Forestry (CRF sector 5) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

**TABLE 5.C SECTORAL BACKGROUND DATA FOR LAND USE, LAND-USE CHANGE AND FORESTRY**  
**Grassland**  
**(Sheet 1 of 1)**

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES		ACTIVITY DATA  Land-Use Category	Subdivision <sup>(1)</sup>  Total area (kha)	IMPLIED EMISSION FACTORS			EMISSIONS/REMOVALS			
Carbon stock change in living biomass per area <sup>(2), (3)</sup>			Net carbon stock change in dead organic matter per area <sup>(2)</sup>	Net carbon stock change in soils per area <sup>(2)</sup>	Carbon stock change in living biomass <sup>(2), (3), (4)</sup>			Net carbon stock change in dead organic matter <sup>(2), (5)</sup>	Net carbon stock change in soils <sup>(2)</sup>	
Increase	Decrease	Net change			Increase	Decrease	Net change			
(Mg C/ha)						(Gg C)				
<b>C. Total Grassland</b>										
1. Grassland remaining Grassland										
2. Land converted to Grassland <sup>(6)</sup>										
2.1 Forest Land converted to Grassland										
2.2 Cropland converted to Grassland										
2.3 Wetlands converted to Grassland										
2.4 Settlements converted to Grassland										
2.5 Other Land converted to Grassland										

<sup>(1)</sup> Land categories may be further divided according to climate zone, management system, soil type, vegetation type, tree species, ecological zone or national land classification.

<sup>(2)</sup> The signs for estimates of increases in carbon stocks are positive (+) and of decreases in carbon stocks are negative (-).

<sup>(3)</sup> CO<sub>2</sub> emissions and removals (carbon stock increase and decrease) should be listed separately except in cases where, due to the methods used, it is technically impossible to separate information on increases and decreases.

<sup>(4)</sup> For category 5.C.1 Grassland remaining Grassland this column includes only changes in perennial woody biomass.

<sup>(5)</sup> No reporting on dead organic matter pools is required for category 5.C.1 Grassland remaining Grassland.

<sup>(6)</sup> A Party may report aggregate estimates for all land conversions to grassland, when data are not available to report them separately. A Party should specify in the documentation box which types of land conversion are included. Separate estimates for forest conversion should be provided in table 5 as an information item.

**Documentation box:**

Parties should provide detailed explanations on the Land Use, Land-Use Change and Forestry sector in Chapter 7: Land Use, Land-Use Change and Forestry (CRF sector 5) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

**TABLE 5.D SECTORAL BACKGROUND DATA FOR LAND USE, LAND-USE CHANGE AND FORESTRY**

**Wetlands<sup>(1)</sup>**  
**(Sheet 1 of 1)**

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES			ACTIVITY DATA	IMPLIED EMISSION FACTORS			EMISSIONS/REMOVALS					
Land-Use Category	Subdivision <sup>(2)</sup>	Total area (kha)		Carbon stock change in living biomass per area <sup>(3), (4)</sup>		Net carbon stock change in dead organic matter per area <sup>(4)</sup>	Net carbon stock change in soils per area <sup>(4)</sup>	Carbon stock change in living biomass <sup>(3), (4)</sup>		Net carbon stock change in dead organic matter <sup>(4)</sup>	Net carbon stock change in soils <sup>(4)</sup>	
				Increase	Decrease			Increase	Decrease			
(Mg C/ha)						(Gg C)						
<b>D. Total Wetlands</b>												
1. Wetlands remaining Wetlands												
2. Land converted to Wetlands <sup>(5)</sup>												
2.1 Forest Land converted to Wetlands												
2.2 Cropland converted to Wetlands												
2.3 Grassland converted to Wetlands												
2.4 Settlements converted to Wetlands												
2.5 Other Land converted to Wetlands												

<sup>(1)</sup> Parties do not have to prepare estimates for categories contained in appendices 3a.2, 3a.3 and 3a.4 of the IPCC good practice guidance for LULUCF, although they may do so if they wish.

<sup>(2)</sup> Land categories may be further divided according to climate zone, management system, soil type, vegetation type, tree species, ecological zone or national land classification.

<sup>(3)</sup> CO<sub>2</sub> emissions and removals (carbon stock increase and decrease) should be listed separately except in cases where, due to the methods used, it is technically impossible to separate information on increases and decreases.

<sup>(4)</sup> The signs for estimates of increases in carbon stocks are positive (+) and of decreases in carbon stocks are negative (-).

<sup>(5)</sup> A Party may report aggregate estimates for all land conversions to wetlands, when data are not available to report them separately. A Party should specify in the documentation box which types of land conversion are included. Separate estimates for forest and grassland conversion should be provided in table 5 as an information item.

**Documentation box:**

Parties should provide detailed explanations on the Land Use, Land-Use Change and Forestry sector in Chapter 7: Land Use, Land-Use Change and Forestry (CRF sector 5) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

**TABLE 5.E SECTORAL BACKGROUND DATA FOR LAND USE, LAND-USE CHANGE AND FORESTRY**  
**Settlements<sup>(1)</sup>**  
(Sheet 1 of 1)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES		ACTIVITY DATA  Land-Use Category	Subdivision <sup>(2)</sup>  Total area (kha)	IMPLIED EMISSION FACTORS			EMISSIONS/REMOVALS			
Carbon stock change in living biomass per area <sup>(3), (4)</sup>			Net carbon stock change in dead organic matter per area <sup>(4)</sup>	Net carbon stock change in soils per area <sup>(4)</sup>	Carbon stock change in living biomass <sup>(3), (4) (5)</sup>			Net carbon stock change in dead organic matter <sup>(4)</sup>	Net carbon stock change in soils <sup>(4)</sup>	
Increase	Decrease	Net change			Increase	Decrease	Net change			
(Mg C/ha)						(Gg C)				
<b>E. Total Settlements</b>										
1. Settlements remaining Settlements										
2. Land converted to Settlements <sup>(6)</sup>										
2.1 Forest Land converted to Settlements										
2.2 Cropland converted to Settlements										
2.3 Grassland converted to Settlements										
2.4 Wetlands converted to Settlements										
2.5 Other Land converted to Settlements										

<sup>(1)</sup> Parties do not have to prepare estimates for categories contained in appendices 3a.2, 3a.3 and 3a.4 of the IPCC good practice guidance for LULUCF, although they may do so if they wish.

<sup>(2)</sup> Land categories may be further divided according to climate zone, management system, soil type, vegetation type, tree species, ecological zone or national land classification.

<sup>(3)</sup> CO<sub>2</sub> emissions and removals (carbon stock increase and decrease) should be listed separately except in cases where, due to the methods used, it is technically impossible to separate information on increases and decreases.

<sup>(4)</sup> The signs for estimates of increases in carbon stocks are positive (+) and of decreases in carbon stocks are negative (-).

<sup>(5)</sup> For category 5.E.1 Settlements remaining Settlements this column includes only changes in perennial woody biomass.

<sup>(6)</sup> A Party may report aggregate estimates for all land conversions to settlements, when data are not available to report them separately. A Party should specify in the documentation box which types of land conversion are included. Separate estimates for forest and grassland conversion should be provided in table 5 as an information item.

**Documentation box:**

Parties should provide detailed explanations on the Land Use, Land-Use Change and Forestry sector in Chapter 7: Land Use, Land-Use Change and Forestry (CRF sector 5) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

**TABLE 5.F SECTORAL BACKGROUND DATA FOR LAND USE, LAND-USE CHANGE AND FORESTRY**  
**Other land<sup>(1)</sup>**  
**(Sheet 1 of 1)**

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES		ACTIVITY DATA  Land-Use Category	IMPLIED EMISSION FACTORS			EMISSIONS/REMOVALS						
Subdivision <sup>(2)</sup>	Total area (kha)		Carbon stock change in living biomass per area <sup>(3), (4)</sup>		Net carbon stock change in dead organic matter per area <sup>(4)</sup>	Net carbon stock change in soils per area <sup>(4)</sup>	Carbon stock change in living biomass <sup>(3), (4)</sup>		Net carbon stock change in dead organic matter <sup>(4)</sup>	Net carbon stock change in soils <sup>(4)</sup>		
			Increase	Decrease			Increase	Decrease				
(Mg C/ha)		(Gg C)						(Gg C)				
<b>F. Total Other Land</b>												
1. Other Land remaining Other Land												
2. Land converted to Other Land <sup>(5)</sup>												
2.1 Forest Land converted to Other Land												
2.2 Cropland converted to Other Land												
2.3 Grassland converted to Other Land												
2.4 Wetlands converted to Other Land												
2.5 Settlements converted to Other Land												

<sup>(1)</sup> Parties do not have to prepare estimates for this category contained in Chapter 3.7 of the IPCC good practice guidance for LULUCF, although they may do so if they wish. This land-use category is to allow the total of identified land area to match the national area.

<sup>(2)</sup> Land categories may be further divided according to climate zone, management system, soil type, vegetation type, tree species, ecological zone or national land classification.

<sup>(3)</sup> CO<sub>2</sub> emissions and removals (carbon stock increase and decrease) should be listed separately except in cases where, due to the methods used, it is technically impossible to separate information on increases and decreases.

<sup>(4)</sup> The signs for estimates of increases in carbon stocks are positive (+) and of decreases in carbon stocks are negative (-).

<sup>(5)</sup> A Party may report aggregate estimates for all land conversions to other land, when data are not available to report them separately. A Party should specify in the documentation box which types of land conversion are included. Separate estimates for forest and grassland conversion should be provided in Table 5 as an information item.

**Documentation box:**

Parties should provide detailed explanations on the Land Use, Land-Use Change and Forestry sector in Chapter 7: Land Use, Land-Use Change and Forestry (CRF sector 5) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

**TABLE 5 (I) SECTORAL BACKGROUND DATA FOR LAND USE, LAND-USE CHANGE AND FORESTRY**  
**Direct N<sub>2</sub>O emissions from N fertilization<sup>(1)</sup>**  
**(Sheet 1 of 1)**

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA	IMPLIED EMISSION FACTORS	EMISSIONS
<b>Land-Use Category<sup>(2)</sup></b>	<b>Total amount of fertilizer applied</b>	<b>N<sub>2</sub>O-N emissions per unit of fertilizer</b>	<b>N<sub>2</sub>O</b>
	(Gg N/yr)	(kg N <sub>2</sub> O-N/kg N) <sup>(3)</sup>	(Gg)
<b>Total for all Land Use Categories</b>			
<b>A. Forest Land<sup>(4), (5)</sup></b>			
1. Forest Land remaining Forest Land			
2. Land converted to Forest Land			
<b>G. Other (please specify)</b>			

<sup>(1)</sup> Direct N<sub>2</sub>O emissions from fertilization are estimated using equations 3.2.17 and 3.2.18 of the IPCC good practice guidance for LULUCF based on the amount of fertilizer applied to forest land. The indirect N<sub>2</sub>O emissions from forest land are estimated as part of the total indirect emissions (Agriculture sector and Forest Land) in the Agriculture sector based on the total fertilizers used in the country.

<sup>(2)</sup> N<sub>2</sub>O emissions from N fertilization of cropland and grassland are reported in the Agriculture sector; therefore only forest land is included in this table.

<sup>(3)</sup> In the calculation of the implied emission factor, N<sub>2</sub>O emissions are converted to N<sub>2</sub>O-N by multiplying by 28/44.

<sup>(4)</sup> If a Party is not able to separate the fertilizer applied to forest land from that applied to agriculture, it may report all N<sub>2</sub>O emissions from fertilization in the Agriculture sector. This should be explicitly indicated in the documentation box.

<sup>(5)</sup> A Party may report aggregate estimates for all N fertilization on forest land when data are not available to report forest land remaining forest land and land conversion to forest land separately.

**Documentation box:**

Parties should provide detailed explanations on the Land Use, Land-Use Change and Forestry sector in Chapter 7: Land Use, Land-Use Change and Forestry (CRF sector 5) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

**TABLE 5 (II) SECTORAL BACKGROUND DATA FOR LAND USE, LAND-USE CHANGE AND FORESTRY**  
**N<sub>2</sub>O emissions from drainage of soils<sup>(1)</sup>**  
(Sheet 1 of 1)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES		ACTIVITY DATA	IMPLIED EMISSION FACTORS	EMISSIONS
Land-Use Category <sup>(2)</sup>	Subdivision <sup>(3)</sup>	Area of drained soils (kha)	N <sub>2</sub> O-N per area drained <sup>(4)</sup> (kg N <sub>2</sub> O-N/ha)	N <sub>2</sub> O (Gg)
<b>Total all Land-Use Categories</b>				
<b>A. Forest Land</b>				
Organic Soil				
Mineral Soil				
<b>D. Wetlands</b>				
Organic Soil				
Mineral Soil				
<b>G. Other (please specify)</b>				

<sup>(1)</sup> Methodologies for estimating N<sub>2</sub>O emissions from drainage of soils are not addressed in the Revised 1996 IPCC Guidelines, but are addressed for forest soils in Appendix 3a.2 of the IPCC good practice guidance for LULUCF (equation 3a.2.1) and for wetland soils in appendix 3a.3.

<sup>(2)</sup> N<sub>2</sub>O emissions from drained cropland and grassland soils are covered in the Agriculture tables of the CRF under Cultivation of Histosols.

<sup>(3)</sup> A Party should report further disaggregations of drained soils corresponding to the methods used. Tier 1 disaggregates soils into "nutrient rich" and "nutrient poor" areas, whereas higher-tier methods can further disaggregate into different peatland types, soil fertility or tree species.

<sup>(4)</sup> In the calculation of the implied emission factor, N<sub>2</sub>O emissions are converted to N<sub>2</sub>O-N by multiplying by 28/44.

**Documentation box:**

Parties should provide detailed explanations on the Land Use, Land-Use Change and Forestry sector in Chapter 7: Land Use, Land-Use Change and Forestry (CRF sector 5) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

**TABLE 5 (III) SECTORAL BACKGROUND DATA FOR LAND USE, LAND-USE CHANGE AND FORESTRY**  
**N<sub>2</sub>O emissions from disturbance associated with land-use conversion to cropland<sup>(1)</sup>**  
(Sheet 1 of 1)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA	IMPLIED EMISSION FACTORS	EMISSIONS
<b>Land-Use Category<sup>(2)</sup></b>	<b>Land area converted</b>	<b>N<sub>2</sub>O-N emissions per area converted<sup>(3)</sup></b>	<b>N<sub>2</sub>O</b>
	(kha)	(kg N <sub>2</sub> O-N/ha)	(Gg)
<b>Total all Land-Use Categories<sup>(4)</sup></b>			
<b>B. Cropland</b>			
2. Lands converted to Cropland <sup>(5)</sup>			
Organic Soils			
Mineral Soils			
2.1 Forest Land converted to Cropland			
Organic Soils			
Mineral Soils			
2.2 Grassland converted to Cropland			
Organic Soils			
Mineral Soils			
2.3 Wetlands converted to Cropland <sup>(6)</sup>			
Organic Soils			
Mineral Soils			
2.5 Other Land converted to Cropland			
Organic Soils			
Mineral Soils			
<b>G. Other (please specify)</b>			

<sup>(1)</sup> Methodologies for N<sub>2</sub>O emissions from disturbance associated with land-use conversion are based on equations 3.3.14 and 3.3.15 of the IPCC good practice guidance for LULUCF. N<sub>2</sub>O emissions from fertilization in the preceding land use and new land use should not be reported.

<sup>(2)</sup> According to the IPCC good practice guidance for LULUCF, N<sub>2</sub>O emissions from disturbance of soils are only relevant for land conversions to cropland. N<sub>2</sub>O emissions from cropland remaining cropland are included in the Agriculture sector of the good practice guidance. The good practice guidance provides methodologies only for mineral soils.

<sup>(3)</sup> In the calculation of the implied emission factor, N<sub>2</sub>O emissions are converted to N<sub>2</sub>O-N by multiplying by 28/44.

<sup>(4)</sup> Parties can separate between organic and mineral soils, if data are available.

<sup>(5)</sup> If activity data cannot be disaggregated to all initial land uses, Parties may report some initial land uses aggregated under other lands converted to cropland (indicate in the documentation box what this category includes).

<sup>(6)</sup> Parties should avoid double counting with N<sub>2</sub>O emissions from drainage and from cultivation of organic soils reported in Agriculture under Cultivation of histosols.

**Documentation box:**

Parties should provide detailed explanations on the Land Use, Land-Use Change and Forestry sector in Chapter 7: Land Use, Land-Use Change and Forestry (CRF Sector 5) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

Country  
Year  
Submission

**TABLE 5 (IV) SECTORAL BACKGROUND DATA FOR LAND USE, LAND-USE CHANGE AND FORESTRY**  
**Carbon emissions from agricultural lime application<sup>(1)</sup>**  
**(Sheet 1 of 1)**

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA	IMPLIED EMISSION FACTORS	EMISSIONS
Land-Use Category	Total amount of lime applied	Carbon emissions per unit of lime	Carbon
	(Mg/yr)	(Mg C/Mg)	(Gg)
<b>Total all Land-Use Categories<sup>(2), (3), (4)</sup></b>			
<b>B. Cropland<sup>(4)</sup></b>			
Limestone CaCO <sub>3</sub>			
Dolomite CaMg(CO <sub>3</sub> ) <sub>2</sub>			
<b>C. Grassland<sup>(4)</sup></b>			
Limestone CaCO <sub>3</sub>			
Dolomite CaMg(CO <sub>3</sub> ) <sub>2</sub>			
<b>G. Other (please specify)<sup>(4), (5)</sup></b>			
Limestone CaCO <sub>3</sub>			
Dolomite CaMg(CO <sub>3</sub> ) <sub>2</sub>			

<sup>(1)</sup> Carbon emissions from agricultural lime application are addressed in equation 3.3.6 and 3.4.11 of the IPCC good practice guidance for LULUCF.

<sup>(2)</sup> If Parties are not able to separate liming application for different land-use categories, they should include liming for all land-use categories in the total.

<sup>(3)</sup> Parties that are able to provide data for lime application to forest land should provide this information under 5.G Other and specify in the documentation box that forest land application is included in this category.

<sup>(4)</sup> A Party may report aggregate estimates for total lime applications when data are not available for limestone and dolomite.

<sup>(5)</sup> If a Party has data broken down to limestone and dolomite at the national level, it can report these data under 5.G Other.

**Documentation box:**

Parties should provide detailed explanations on the Land Use, Land-Use Change and Forestry sector in Chapter 7: Land Use, Land-Use Change and Forestry (CRF sector 5) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

**TABLE 5 (V) SECTORAL BACKGROUND DATA FOR LAND USE, LAND-USE CHANGE AND FORESTRY**

Country

Year

Submission

Biomass Burning<sup>(1)</sup>

(Sheet 1 of 1)

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA			IMPLIED EMISSION FACTOR			EMISSIONS		
	Description <sup>(2)</sup>	Unit	Values	CO <sub>2</sub> (Mg/activity data unit)	CH <sub>4</sub>	N <sub>2</sub> O	CO <sub>2</sub> <sup>(4)</sup> (Gg)	CH <sub>4</sub>	N <sub>2</sub> O
<b>Land-Use Category<sup>(2)</sup></b>									
<b>Total for Land-Use Categories</b>									
<b>A. Forest Land</b>									
1. Forest Land remaining Forest Land									
Controlled Burning									
Wildfires									
2. Land converted to Forest Land									
Controlled Burning									
Wildfires									
<b>B. Cropland</b>									
1. Cropland remaining Cropland <sup>(5)</sup>									
Controlled Burning									
Wildfires									
2. Land converted to Cropland									
Controlled Burning									
Wildfires									
2.1 Forest Land converted to Cropland									
Controlled Burning									
Wildfires									
<b>C. Grassland</b>									
1. Grassland remaining Grassland <sup>(6)</sup>									
Controlled Burning									
Wildfires									
2. Land converted to Grassland									
Controlled Burning									
Wildfires									
2.1 Forest Land converted to Grassland									
Controlled Burning									
Wildfires									
<b>D. Wetlands<sup>(7)</sup></b>									
1. Wetlands remaining Wetlands									
Controlled Burning									
Wildfires									
2. Land converted to Wetlands									
Controlled Burning									
Wildfires									
2.1 Forest Land converted to Wetlands									
Controlled Burning									
Wildfires									
<b>E. Settlements<sup>(8)</sup></b>									
<b>F. Other Land<sup>(9)</sup></b>									
<b>G. Other (please specify)</b>									

(1) Methodological guidance on burning can be found in sections 3.2.1.4 and 3.4.1.3 of the IPCC good practice guidance for LULUCF.

(2) Parties should report both Controlled/Prescribed Burning and Wildfires emissions, where appropriate, in a separate manner.

(3) For each category activity data should be selected between area burned or biomass burned. Units for area will be ha and for biomass burned kg dm. The implied emission factor will refer to the selected activity data with an automatic change in the units.

(4) If CO<sub>2</sub> emissions from biomass burning are not already included in tables 5.A - 5.F, they should be reported here. This should be clearly documented in the documentation box and in the NIR. Double counting should be avoided. Parties that include all carbon stock changes in the carbon stock tables (5.A, 5.B, 5.C, 5.D, 5.E and 5.F), should report IE (included elsewhere) in this column.

(5) Biomass burning on cropland remaining cropland is reported the Agriculture sector.

(6) Only includes emissions from controlled biomass burning on grasslands outside the tropics (prescribed savanna burning is reported under the Agriculture sector).

(7) Parties do not have to prepare estimates for categories contained in appendices 3a.2, 3a.3 and 3a.4 of the IPCC good practice guidance for LULUCF, although they may do so if they wish.

(8) Parties do not have to prepare estimates for categories contained in Chapter 3.7 of the IPCC good practice guidance for LULUCF, although they may do so if they wish. This land-use category is to allow the total of identified land area to match the national area.

**Documentation box:**

Parties should provide detailed explanations on the Land Use, Land-Use Change and Forestry sector in Chapter 7: Land Use, Land-Use Change and Forestry (CRF sector 5) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.

**TABLE 6 SECTORAL REPORT FOR WASTE**  
**(Sheet 1 of 1)**

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	CO <sub>2</sub> <sup>(1)</sup>	CH <sub>4</sub>	N <sub>2</sub> O	NO <sub>x</sub>	CO	NMVOC	SO <sub>2</sub>
	(Gg)						
<b>Total Waste</b>							
<b>A. Solid Waste Disposal on Land</b>							
1. Managed Waste Disposal on Land							
2. Unmanaged Waste Disposal Sites							
3. Other ( <i>as specified in table 6.A</i> )							
<b>B. Waste-Water Handling</b>							
1. Industrial Waste Water							
2. Domestic and Commercial Waste Water							
3. Other ( <i>as specified in table 6.B</i> )							
<b>C. Waste Incineration</b>							
<b>D. Other (<i>please specify</i>)</b>							

<sup>(1)</sup> CO<sub>2</sub> emissions from source categories Solid Waste Disposal on Land and Waste Incineration should only be included if they derive from non-biological or inorganic waste sources.

<b>Documentation box:</b>
• Parties should provide detailed explanations on the Waste sector in Chapter 8: Waste (CRF sector 6) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
• If estimates are reported under 6.D Other, use this documentation box to provide information regarding activities covered under this category and to provide reference to the section in the NIR where background information can be found.

**TABLE 6.A SECTORAL BACKGROUND DATA FOR WASTE**  
**Solid Waste Disposal**  
(Sheet 1 of 1)

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA AND OTHER RELATED INFORMATION			IMPLIED EMISSION FACTOR		EMISSIONS	
	Annual MSW at the SWDS (Gg)	MCF	DOC degraded %	CH <sub>4</sub> <sup>(1)</sup>	CO <sub>2</sub>	CH <sub>4</sub>	CO <sub>2</sub> <sup>(4)</sup>
				(t/t MSW)		Emissions <sup>(2)</sup>	Recovery <sup>(3)</sup>
1. Managed Waste Disposal on Land							
2. Unmanaged Waste Disposal Sites							
a. Deep (>5 m)							
b. Shallow (<5 m)							
3. Other ( <i>please specify</i> )							

Note: MSW - Municipal Solid Waste, SWDS - Solid Waste Disposal Site, MCF - Methane Correction Factor, DOC - Degradable Organic Carbon (IPCC Guidelines (Volume 3. Reference Manual, section 6.2.4)). MSW includes household waste, yard/garden waste, commercial/market waste and organic industrial solid waste. MSW should not include inorganic industrial waste such as construction or demolition materials.

(1) The CH<sub>4</sub> implied emission factor (IEF) is calculated on the basis of gross CH<sub>4</sub> emissions, as follows: IEF = (CH<sub>4</sub> emissions + CH<sub>4</sub> recovered)/annual MSW at the SWDS.

(2) Actual emissions (after recovery).

(3) CH<sub>4</sub> recovered and flared or utilized.

(4) Under Solid Waste Disposal, CO<sub>2</sub> emissions should be reported only when the disposed waste is combusted at the disposal site as a management practice. CO<sub>2</sub> emissions from non-biogenic wastes are included in the total emissions, whereas the CO<sub>2</sub> emissions from biogenic wastes are not included in the total emissions.

#### Additional information

Description	Value
Total population (1000s) <sup>(a)</sup>	
Urban population (1000s) <sup>(a)</sup>	
Waste generation rate (kg/capita/day)	
Fraction of MSW disposed to SWDS	
Fraction of DOC in MSW	
CH <sub>4</sub> oxidation factor <sup>(b)</sup>	
CH <sub>4</sub> fraction in landfill gas	
CH <sub>4</sub> generation rate constant (k) <sup>(c)</sup>	
Time lag considered (yr) <sup>(c)</sup>	

(a) Specify whether total or urban population is used and the rationale for doing so.

(b) See IPCC Guidelines (Volume 3. Reference Manual, p. 6.9).

(c) Only for Parties using Tier 2 methods.

**TABLE 6.C SECTORAL BACKGROUND DATA FOR WASTE**

**Waste Incineration**  
(Sheet 1 of 1)

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA Amount of incinerated wastes (Gg)	IMPLIED EMISSION FACTOR			EMISSIONS		
		CO <sub>2</sub>	CH <sub>4</sub>	N <sub>2</sub> O	CO <sub>2</sub> <sup>(1)</sup>	CH <sub>4</sub>	N <sub>2</sub> O
		(kg/t waste)			(Gg)		
Waste Incineration							
a. Biogenic <sup>(1)</sup>							
b. Other (non-biogenic - <i>please specify</i> ) <sup>(1), (2)</sup>							

(1) Under Solid Waste Disposal, CO<sub>2</sub> emissions should be reported only when the disposed waste is combusted at the disposal site as a management practice. CO<sub>2</sub> emissions from non-biogenic wastes are included in the total emissions, while the CO<sub>2</sub> emissions from biogenic wastes are not included in the total emissions.

(2) Enter under this source category all types of non-biogenic wastes, such as plastics.

**Note:** Only emissions from waste incineration without energy recovery are to be reported in the Waste sector. Emissions from incineration with energy recovery are to be reported in the Energy sector, as Other Fuels (see IPCC good practice guidance, page 5.23).

#### Documentation box:

- Parties should provide detailed explanations on the Waste sector in Chapter 8: Waste (CRF sector 6) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
- Parties that use country-specific models should provide a reference in the documentation box to the relevant section in the NIR where these models are described, and fill in only the relevant cells of tables 6.A and 6.C.
- Provide a reference to the relevant section in the NIR, in particular with regard to:
  - (a) Population size (total or urban population) used in the calculations and the rationale for doing so;
  - (b) Composition of landfilled waste;
  - (c) Amount of incinerated wastes (specify whether the reported data relate to wet or dry matter).

**TABLE 6.B SECTORAL BACKGROUND DATA FOR WASTE**

**Waste-Water Handling**

(Sheet 1 of 1)

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA AND RELATED INFORMATION <sup>(1)</sup>		IMPLIED EMISSION FACTOR		EMISSIONS		Additional information		
	Total organic product		CH <sub>4</sub> <sup>(2)</sup>	N <sub>2</sub> O <sup>(3)</sup>	CH <sub>4</sub>	N <sub>2</sub> O <sup>(3)</sup>			
	(Gg DC <sup>(1)</sup> /yr)				(kg/kg DC)	(Gg)			
1. Industrial Waste Water									
a. Waste Water									
b. Sludge									
2. Domestic and Commercial Waste Water									
a. Waste Water									
b. Sludge									
3. Other (please specify)									
(6)									
a. Waste Water									
b. Sludge									
(6)									
GREENHOUSE GAS SOURCE AND SINK CATEGORIES	ACTIVITY DATA AND OTHER RELATED INFORMATION			IMPLIED EMISSION FACTOR		EMISSIONS			
	Population (1000s)	Protein consumption (kg/person/yr)	N fraction (kg N/kg protein)	N <sub>2</sub> O (kg N <sub>2</sub> O-N/kg sewage N produced)		N <sub>2</sub> O (Gg)			
	N <sub>2</sub> O from human sewage <sup>(5)</sup>								

<sup>(1)</sup> DC - degradable organic component. DC indicators are COD (Chemical Oxygen Demand) for industrial waste water and BOD (Biochemical Oxygen Demand) for Domestic/Commercial waste water/sludge (IPCC Guidelines (Volume 3. Reference Manual, pp. 6.14, 6.18)).

<sup>(2)</sup> The CH<sub>4</sub> implied emission factor (IEF) is calculated on the basis of gross CH<sub>4</sub> emissions, as follows: IEF = (CH<sub>4</sub> emissions + CH<sub>4</sub> recovered or flared) / total organic product.

<sup>(3)</sup> Parties using methods other than those from the IPCC for estimating N<sub>2</sub>O emissions from human sewage or waste-water treatment should provide aggregate data in this table.

<sup>(4)</sup> Actual emissions (after recovery).

<sup>(5)</sup> CH<sub>4</sub> recovered and flared or utilized.

<sup>(6)</sup> Use these cells to specify each activity covered under "6.B.3 Other". Note that under each reported activity, data for waste water and sludge are to be reported separately.

	Domestic	Industrial
Total waste water (m <sup>3</sup> ):		
Treated waste water (%):		

Waste-water streams:	Waste-water output (m <sup>3</sup> )	DC (kgCOD/m <sup>3</sup> )
Industrial waste water		
Iron and steel		
Non-ferrous		
Fertilizers		
Food and beverage		
Paper and pulp		
Organic chemicals		
Other (please specify)		
Domestic and Commercial		
Other		

Handling systems:	Industrial waste water treated (%)	Industrial sludge treated (%)	Domestic waste water treated (%)	Domestic sludge treated (%)
Aerobic				
Anaerobic				
Other (please specify)				

**Documentation box:**

- Parties should provide detailed explanations on the Waste sector in Chapter 8: Waste (CRF sector 6) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and/or further details are needed to understand the content of this table.
- Regarding the estimates for N<sub>2</sub>O from human sewage, specify whether total or urban population is used in the calculations and the rationale for doing so. Provide explanation in the documentation box.
- Parties using methods other than those from the IPCC for estimating N<sub>2</sub>O emissions from human sewage or waste-water treatment should provide, in the NIR, corresponding information on methods, activity data and emission factors used, and should provide a reference to the relevant section of the NIR in this documentation box.

**SUMMARY 1.A SUMMARY REPORT FOR NATIONAL GREENHOUSE GAS INVENTORIES (IPCC TABLE 7A)**  
**(Sheet 1 of 3)**

Country  
 Year  
 Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	Net CO <sub>2</sub> emissions/ removals	CH <sub>4</sub>	N <sub>2</sub> O	HFCs <sup>(1)</sup>		PFCs <sup>(1)</sup>		SF <sub>6</sub>		NO <sub>x</sub>	CO	NMVOC	SO <sub>2</sub>	
				P	A	P	A	P	A					
	(Gg)				CO <sub>2</sub> equivalent (Gg)				(Gg)					
<b>Total National Emissions and Removals</b>														
<b>1. Energy</b>														
A. Fuel Combustion	Reference Approach <sup>(2)</sup>													
	Sectoral Approach <sup>(2)</sup>													
1. Energy Industries														
2. Manufacturing Industries and Construction														
3. Transport														
4. Other Sectors														
5. Other														
B. Fugitive Emissions from Fuels														
1. Solid Fuels														
2. Oil and Natural Gas														
<b>2. Industrial Processes</b>														
A. Mineral Products														
B. Chemical Industry														
C. Metal Production														
D. Other Production <sup>(3)</sup>														
E. Production of Halocarbons and SF <sub>6</sub>														
F. Consumption of Halocarbons and SF <sub>6</sub>														
G. Other														

**Note:** **A** = Actual emissions based on Tier 2 approach of the IPCC Guidelines.

**P** = Potential emissions based on Tier 1 approach of the IPCC Guidelines.

**Note:** All footnotes for this table are given at the end of the table on sheet 3.

**SUMMARY 1.A SUMMARY REPORT FOR NATIONAL GREENHOUSE GAS INVENTORIES (IPCC TABLE 7A)**  
**(Sheet 2 of 3)**

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	Net CO <sub>2</sub> emissions/ removals	CH <sub>4</sub>	N <sub>2</sub> O	HFCs <sup>(1)</sup>		PFCs <sup>(1)</sup>		SF <sub>6</sub>		NO <sub>x</sub>	CO	NMVOC	SO <sub>2</sub>	
				P	A	P	A	P	A					
	(Gg)				CO <sub>2</sub> equivalent (Gg)				(Gg)					
<b>3. Solvent and Other Product Use</b>														
<b>4. Agriculture</b>														
A. Enteric Fermentation														
B. Manure Management														
C. Rice Cultivation														
D. Agricultural Soils <sup>(4)</sup>														
E. Prescribed Burning of Savannas														
F. Field Burning of Agricultural Residues														
G. Other														
<b>5. Land Use, Land-Use Change and Forestry</b>	<sup>(5)</sup>													
A. Forest Land	<sup>(5)</sup>													
B. Cropland	<sup>(5)</sup>													
C. Grassland	<sup>(5)</sup>													
D. Wetlands	<sup>(5)</sup>													
E. Settlements	<sup>(5)</sup>													
F. Other Land	<sup>(5)</sup>													
G. Other	<sup>(5)</sup>													
<b>6. Waste</b>														
A. Solid Waste Disposal on Land	<sup>(6)</sup>													
B. Waste-water Handling														
C. Waste Incineration	<sup>(6)</sup>													
D. Other														
<b>7. Other (please specify)<sup>(7)</sup></b>														

**Note:** All footnotes for this table are given at the end of the table on sheet 3.

**SUMMARY 1.A SUMMARY REPORT FOR NATIONAL GREENHOUSE GAS INVENTORIES (IPCC TABLE 7A)**  
**(Sheet 3 of 3)**

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	Net CO <sub>2</sub> emissions/ removals	CH <sub>4</sub>	N <sub>2</sub> O	HFCs		PFCs		SF <sub>6</sub>		NO <sub>x</sub>	CO	NMVOC	SO <sub>2</sub>
				P	A	P	A	P	A				
	(Gg)		CO <sub>2</sub> equivalent (Gg)				(Gg)						
<b>Memo Items:<sup>(8)</sup></b>													
<b>International Bunkers</b>													
Aviation													
Marine													
<b>Multilateral Operations</b>													
<b>CO<sub>2</sub> Emissions from Biomass</b>													

<sup>(1)</sup> The emissions of HFCs and PFCs are to be expressed as CO<sub>2</sub> equivalent emissions. Data on disaggregated emissions of HFCs and PFCs are to be provided in Table 2(II) of this common reporting format.

<sup>(2)</sup> For verification purposes, countries are asked to report the results of their calculations using the Reference approach and to explain any differences with the Sectoral approach in the documentation box to Table 1.A.(c). For estimating national total emissions, the results from the Sectoral approach should be used, where possible.

<sup>(3)</sup> Other Production includes Pulp and Paper and Food and Drink Production.

<sup>(4)</sup> Parties which previously reported CO<sub>2</sub> from soils in the Agriculture sector should note this in the NIR.

<sup>(5)</sup> For the purposes of reporting, the signs for removals are always negative (-) and for emissions positive (+).

<sup>(6)</sup> CO<sub>2</sub> from source categories Solid Waste Disposal on Land and Waste Incineration should only be included if it stems from non-biogenic or inorganic waste streams. Only emissions from Waste Incineration Without Energy Recovery are to be reported in the Waste sector, whereas emissions from Incineration With Energy Recovery are to be reported in the Energy sector.

<sup>(7)</sup> If reporting any country-specific source category under sector "7. Other", detailed explanations should be provided in Chapter 9: Other (CRF sector 7) of the NIR.

<sup>(8)</sup> Countries are asked to report emissions from international aviation and marine bunkers and multilateral operations, as well as CO<sub>2</sub> emissions from biomass, under Memo Items.

These emissions should not be included in the national total emissions from the Energy sector. Amounts of biomass used as fuel are included in the national energy consumption but the corresponding CO<sub>2</sub> emissions are not included in the national total as it is assumed that the biomass is produced in a sustainable manner. If the biomass is harvested at an unsustainable rate, net CO<sub>2</sub> emissions are accounted for as a loss of biomass stocks in the Land Use, Land-Use Change and Forestry sector.

**SUMMARY 1.B SHORT SUMMARY REPORT FOR NATIONAL GREENHOUSE GAS INVENTORIES (IPCC TABLE 7B)**  
**(Sheet 1 of 1)**

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	Net CO <sub>2</sub> emissions/ removals	CH <sub>4</sub>	N <sub>2</sub> O	HFCs <sup>(1)</sup>		PFCs <sup>(1)</sup>		SF <sub>6</sub>		NO <sub>x</sub>	CO	NMVOC	SO <sub>2</sub>
				P	A	P	A	P	A				
				(Gg)		CO <sub>2</sub> equivalent (Gg)				(Gg)		(Gg)	
<b>Total National Emissions and Removals</b>													
<b>1. Energy</b>													
A. Fuel Combustion	Reference Approach <sup>(2)</sup>												
	Sectoral Approach <sup>(2)</sup>												
B. Fugitive Emissions from Fuels													
<b>2. Industrial Processes</b>													
<b>3. Solvent and Other Product Use</b>													
<b>4. Agriculture<sup>(3)</sup></b>													
<b>5. Land Use, Land-Use Change and Forestry</b>													
<b>6. Waste</b>													
<b>7. Other</b>													
<b>Memo Items:</b> <sup>(5)</sup>													
<b>International Bunkers</b>													
Aviation													
Marine													
<b>Multilateral Operations</b>													
<b>CO<sub>2</sub> Emissions from Biomass</b>													

**Note:** A = Actual emissions based on Tier 2 approach of the IPCC Guidelines.

P = Potential emissions based on Tier 1 approach of the IPCC Guidelines.

<sup>(1)</sup> The emissions of HFCs and PFCs are to be expressed as CO<sub>2</sub> equivalent emissions. Data on disaggregated emissions of HFCs and PFCs are to be provided in Table 2(II) of this common reporting format.

<sup>(2)</sup> For verification purposes, countries are asked to report the results of their calculations using the Reference approach and to explain any differences with the Sectoral approach in the documentation box to Table 1.A.(c). For estimating national total emissions, the result from the Sectoral approach should be used, where possible.

<sup>(3)</sup> Parties which previously reported CO<sub>2</sub> from soils in the Agriculture sector should note this in the NIR.

<sup>(4)</sup> For the purposes of reporting, the signs for removals are always negative (-) and for emissions positive (+).

<sup>(5)</sup> Countries are asked to report emissions from international aviation and marine bunkers and multilateral operations, as well as CO<sub>2</sub> emissions from biomass, under Memo Items. These emissions should not be included in the national total emissions from the energy sector. Amounts of biomass used as fuel are included in the national energy consumption but the corresponding CO<sub>2</sub> emissions are not included in the national total as it is assumed that the biomass is produced in a sustainable manner. If the biomass is harvested at an unsustainable rate, net CO<sub>2</sub> emissions are accounted for as a loss of biomass stocks in the Land Use, Land-Use Change and Forestry sector.

**SUMMARY 2 SUMMARY REPORT FOR CO<sub>2</sub> EQUIVALENT EMISSIONS**  
 (Sheet 1 of 1)

Country  
 Year  
 Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	CO <sub>2</sub> <sup>(1)</sup>	CH <sub>4</sub>	N <sub>2</sub> O	HFCs <sup>(2)</sup>	PFCs <sup>(3)</sup>	SF <sub>6</sub> <sup>(2)</sup>	Total
	CO <sub>2</sub> equivalent (Gg)						
<b>Total (Net Emissions)<sup>(4)</sup></b>							
<b>1. Energy</b>							
A. Fuel Combustion (Sectoral Approach)							
1. Energy Industries							
2. Manufacturing Industries and Construction							
3. Transport							
4. Other Sectors							
5. Other							
B. Fugitive Emissions from Fuels							
1. Solid Fuels							
2. Oil and Natural Gas							
<b>2. Industrial Processes</b>							
A. Mineral Products							
B. Chemical Industry							
C. Metal Production							
D. Other Production							
E. Production of Halocarbons and SF <sub>6</sub>							
F. Consumption of Halocarbons and SF <sub>6</sub> <sup>(2)</sup>							
G. Other							
<b>3. Solvent and Other Product Use</b>							
<b>4. Agriculture</b>							
A. Enteric Fermentation							
B. Manure Management							
C. Rice Cultivation							
D. Agricultural Soils <sup>(5)</sup>							
E. Prescribed Burning of Savannas							
F. Field Burning of Agricultural Residues							
G. Other							
<b>5. Land Use, Land-Use Change and Forestry<sup>(1)</sup></b>							
A. Forest Land							
B. Cropland							
C. Grassland							
D. Wetlands							
E. Settlements							
F. Other Land							
G. Other							
<b>6. Waste</b>							
A. Solid Waste Disposal on Land							
B. Waste-water Handling							
C. Waste Incineration							
D. Other							
<b>7. Other (as specified in Summary I.A)</b>							
<b>Memo Items:<sup>(6)</sup></b>							
<b>International Bunkers</b>							
Aviation							
Marine							
<b>Multilateral Operations</b>							
<b>CO<sub>2</sub> Emissions from Biomass</b>							
	Total CO <sub>2</sub> Equivalent Emissions without Land Use, Land-Use Change and Forestry <sup>(5)</sup>						
	Total CO <sub>2</sub> Equivalent Emissions with Land Use, Land-Use Change and Forestry <sup>(5)</sup>						

<sup>(1)</sup> For CO<sub>2</sub> from Land Use, Land-Use Change and Forestry the net emissions/removals are to be reported. For the purposes of reporting, the signs for removals are always negative (-) and for emissions positive (+).

<sup>(2)</sup> Actual emissions should be included in the national totals. If no actual emissions were reported, potential emissions should be included.

<sup>(3)</sup> Parties which previously reported CO<sub>2</sub> from soils in the Agriculture sector should note this in the NIR.

<sup>(4)</sup> See footnote 8 to table Summary I.A.

<sup>(5)</sup> These totals will differ from the totals reported in table 10, sheet 5 if Parties report non-CO<sub>2</sub> emissions from LULUCF.

**SUMMARY 3 SUMMARY REPORT FOR METHODS AND EMISSION FACTORS USED**  
 (Sheet 1 of 2)

Country  
 Year  
 Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	CO <sub>2</sub>		CH <sub>4</sub>		N <sub>2</sub> O		HFCs		PFCs		SF <sub>6</sub>	
	Method applied	Emission factor	Method applied	Emission factor	Method applied	Emission factor	Method applied	Emission factor	Method applied	Emission factor	Method applied	Emission factor
<b>1. Energy</b>												
A. Fuel Combustion												
1. Energy Industries												
2. Manufacturing Industries and Construction												
3. Transport												
4. Other Sectors												
5. Other												
B. Fugitive Emissions from Fuels												
1. Solid Fuels												
2. Oil and Natural Gas												
<b>2. Industrial Processes</b>												
A. Mineral Products												
B. Chemical Industry												
C. Metal Production												
D. Other Production												
E. Production of Halocarbons and SF <sub>6</sub>												
F. Consumption of Halocarbons and SF <sub>6</sub>												
G. Other												

Use the following notation keys to specify the method applied:

**D** (IPCC default)

**RA** (Reference Approach)

**T1** (IPCC Tier 1)

**T1a, T1b, T1c** (IPCC Tier 1a, Tier 1b and Tier 1c, respectively)

**T2** (IPCC Tier 2)

**T3** (IPCC Tier 3)

**CR** (CORINAIR)

**CS** (Country Specific)

**OTH** (Other)

If using more than one method within one source category, list all the relevant methods. Explanations regarding country-specific methods, other methods or any modifications to the default IPCC methods, as well as information regarding the use of different methods per source category where more than one method is indicated, should be provided in the documentation box. Also use the documentation box to explain the use of notation OTH.

Use the following notation keys to specify the emission factor used:

**D** (IPCC default)

**CR** (CORINAIR)

**CS** (Country Specific)

**PS** (Plant Specific)

**OTH** (Other)

Where a mix of emission factors has been used, list all the methods in the relevant cells and give further explanations in the documentation box. Also use the documentation box to explain the use of notation OTH.

**SUMMARY 3 SUMMARY REPORT FOR METHODS AND EMISSION FACTORS USED**  
**(Sheet 2 of 2)**

Country  
 Year  
 Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	CO <sub>2</sub>		CH <sub>4</sub>		N <sub>2</sub> O		HFCs		PFCs		SF <sub>6</sub>	
	Method applied	Emission factor	Method applied	Emission factor	Method applied	Emission factor	Method applied	Emission factor	Method applied	Emission factor	Method applied	Emission factor
<b>3. Solvent and Other Product Use</b>												
<b>4. Agriculture</b>												
A. Enteric Fermentation												
B. Manure Management												
C. Rice Cultivation												
D. Agricultural Soils												
E. Prescribed Burning of Savannas												
F. Field Burning of Agricultural Residues												
G. Other												
<b>5. Land Use, Land-Use Change and Forestry</b>												
A. Forest Land												
B. Cropland												
C. Grassland												
D. Wetlands												
E. Settlements												
F. Other Land												
G. Other												
<b>6. Waste</b>												
A. Solid Waste Disposal on Land												
B. Waste-water Handling												
C. Waste Incineration												
D. Other												
<b>7. Other (as specified in Summary 1.A)</b>												

Use the following notation keys to specify the method applied:

D (IPCC default)  
 RA (Reference Approach)  
 T1 (IPCC Tier 1)

T1a, T1b, T1c (IPCC Tier 1a, Tier 1b and Tier 1c, respectively)  
 T2 (IPCC Tier 2)  
 T3 (IPCC Tier 3)

CR (CORINAIR)  
 CS (Country Specific)  
 OTH (Other)

If using more than one method within one source category, list all the relevant methods. Explanations regarding country-specific methods, other methods or any modifications to the default IPCC methods, as well as information regarding the use of different methods per source category where more than one method is indicated, should be provided in the documentation box. Also use the documentation box to explain the use of notation OTH.

Use the following notation keys to specify the emission factor used:

D (IPCC default)  
 CR (CORINAIR)

CS (Country Specific)  
 PS (Plant Specific)

OTH (Other)

Where a mix of emission factors has been used, list all the methods in the relevant cells and give further explanations in the documentation box. Also use the documentation box to explain the use of notation OTH.

**Documentation box:**

- Parties should provide the full information on methodological issues, such as methods and emission factors used, in the relevant sections of Chapters 3 to 9 (see section 2.2 of each of Chapters 3–9) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and further details are needed to understand the content of this table.
- Where a mix of methods/emission factors has been used within one source category, use this documentation box to specify those methods/emission factors for the various sub-sources where they have been applied.
- Where the notation OTH (Other) has been entered in this table, use this documentation box to specify those other methods/emission factors.

**TABLE 7 SUMMARY OVERVIEW FOR KEY CATEGORIES**  
**(Sheet 1 of 1)**

Country  
Year  
Submission

KEY CATEGORIES OF EMISSIONS AND REMOVALS	GAS	CRITERIA USED FOR KEY CATEGORY IDENTIFICATION			Key category excluding LULUCF <sup>(1)</sup>	Key category including LULUCF <sup>(1)</sup>	COMMENTS <sup>(1)</sup>
		L	T	Q			
Specify key categories according to the national level of disaggregation used:							
<i>For example: 4.B Manure management</i>	<i>CH<sub>4</sub></i>	<i>X</i>			<i>X</i>		

**Note:** L = Level assessment; T = Trend assessment; Q = Qualitative assessment.

<sup>(1)</sup> The term “key categories” refers to both the key source categories as addressed in the IPCC good practice guidance and the key categories as addressed in the IPCC good practice guidance for LULUCF.

<sup>(2)</sup> For estimating key categories Parties may chose the disaggregation level presented as an example in table 7.1 of the IPCC good practice guidance (page 7.6) and table 5.4.1 (page 5.31) of the IPCC good practice guidance for LULUCF, the level used in table Summary 1.A of the common reporting format or any other disaggregation level that the Party used to determine its key categories.

**Documentation box:**

Parties should provide the full information on methodologies used for identifying key categories and the quantitative results from the level and trend assessments (according to tables 7.1–7.3 of the IPCC good practice guidance and tables 5.4.1–5.4.3 of the IPCC good practice guidance for LULUCF) in Annex 1 to the NIR.

**TABLE 8(a) RECALCULATION - RECALCULATED DATA**

(Sheet 1 of 2)

Recalculated year:

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	CO <sub>2</sub>					CH <sub>4</sub>					N <sub>2</sub> O				
	Previous submission	Latest submission	Difference	Difference <sup>(1)</sup>	Impact of recalculation on total emissions <sup>(2)</sup>	Previous submission	Latest submission	Difference	Difference <sup>(1)</sup>	Impact of recalculation on total emissions <sup>(2)</sup>	Previous submission	Latest submission	Difference	Difference <sup>(1)</sup>	Impact of recalculation on total emissions <sup>(2)</sup>
	CO <sub>2</sub> equivalent (Gg)		(% )		(%)	CO <sub>2</sub> equivalent (Gg)		(% )		(%)	CO <sub>2</sub> equivalent (Gg)		(% )		(%)
<b>Total National Emissions and Removals</b>															
<b>1. Energy</b>															
A. Fuel Combustion Activities															
1. Energy Industries															
A.2. Manufacturing Industries and Construction															
A.3. Transport															
A.4. Other Sectors															
A.5. Other															
B. Fugitive Emissions from Fuels															
B.1. Solid Fuel															
B.2. Oil and Natural Gas															
<b>2. Industrial Processes</b>															
A. Mineral Products															
B. Chemical Industry															
C. Metal Production															
D. Other Production															
G. Other															
<b>3. Solvent and Other Product Use</b>															
<b>4. Agriculture</b>															
A. Enteric Fermentation															
B. Manure Management															
C. Rice Cultivation															
D. Agricultural Soils <sup>(3)</sup>															
E. Prescribed Burning of Savannas															
F. Field Burning of Agricultural Residues															
G. Other															
<b>5. Land Use, Land-Use Change and Forestry (net)<sup>(4)</sup></b>															
A. Forest Land															
B. Cropland															
C. Grassland															
D. Wetlands															
E. Settlements															
F. Other Land															
G. Other															

Note: All footnotes for this table are given at the end of the table on sheet 2.

**TABLE 8(a) RECALCULATION - RECALCULATED DATA**  
(Sheet 2 of 2)

Recalculated year:

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	CO <sub>2</sub>					CH <sub>4</sub>					N <sub>2</sub> O							
	Previous submission	Latest submission	Difference	CO <sub>2</sub> equivalent (Gg)	Difference <sup>(1)</sup> (%)	Impact of recalculation on total emissions <sup>(2)</sup> (%)	Previous submission	Latest submission	Difference	CO <sub>2</sub> equivalent (Gg)	Difference <sup>(1)</sup> (%)	Impact of recalculation on total emissions <sup>(2)</sup> (%)	Previous submission	Latest submission	Difference	CO <sub>2</sub> equivalent (Gg)	Difference <sup>(1)</sup> (%)	Impact of recalculation on total emissions <sup>(2)</sup> (%)
<b>6. Waste</b>																		
A. Solid Waste Disposal on Land																		
B. Waste-water Handling																		
C. Waste Incineration																		
D. Other																		
<b>7. Other (as specified in Summary I.A)</b>																		
Memo Items:																		
International Bunkers																		
Multilateral Operations																		
CO <sub>2</sub> Emissions from Biomass																		
GREENHOUSE GAS SOURCE AND SINK CATEGORIES	HFCs					PFCs					SF <sub>6</sub>							
	Previous submission	Latest submission	Difference	CO <sub>2</sub> equivalent (Gg)	Difference <sup>(1)</sup> (%)	Impact of recalculation on total emissions <sup>(2)</sup> (%)	Previous submission	Latest submission	Difference	CO <sub>2</sub> equivalent (Gg)	Difference <sup>(1)</sup> (%)	Impact of recalculation on total emissions <sup>(2)</sup> (%)	Previous submission	Latest submission	Difference	CO <sub>2</sub> equivalent (Gg)	Difference <sup>(1)</sup> (%)	Impact of recalculation on total emissions <sup>(2)</sup> (%)
Total Actual Emissions																		
C.3 Aluminium Production																		
E. Production of Halocarbons and SF <sub>6</sub>																		
F. Consumption of Halocarbons and SF <sub>6</sub>																		
G. Other																		
Potential Emissions from Consumption of HFCs/PFCs and SF <sub>6</sub>																		
	Previous submission	Latest submission	Difference	CO <sub>2</sub> equivalent (Gg)	Difference <sup>(1)</sup> (%)													
Total CO <sub>2</sub> Equivalent Emissions with Land Use, Land-Use Change and Forestry <sup>(3)</sup>																		
Total CO <sub>2</sub> Equivalent Emissions without Land Use, Land-Use Change and Forestry <sup>(5)</sup>																		

<sup>(1)</sup> Estimate the percentage change due to recalculation with respect to the previous submission (Percentage change = 100 x [(LS-PS)/PS], where LS = Latest submission and PS = Previous submission. All cases of recalculation of the estimate of the source/sink category should be addressed and explained in table 8(b).

<sup>(2)</sup> Total emissions refer to total aggregate GHG emissions expressed in terms of CO<sub>2</sub> equivalent, excluding GHGs from the LULUCF sector. The impact of the recalculation on the total emissions is calculated as follows: impact of recalculation (%) = 100 x [(source (LS) - source (PS))/total emissions (LS)], where LS = Latest submission, PS = Previous submission.

<sup>(3)</sup> Parties which previously reported CO<sub>2</sub> from soils in the Agriculture sector should note this in the NIR.

<sup>(4)</sup> Net CO<sub>2</sub> emissions/removals to be reported.

<sup>(5)</sup> The information in these rows is requested to facilitate comparison of data, because Parties differ in the way they report emissions and removals from Land Use, Land-Use Change and Forestry.

**Documentation box:**

Parties should provide detailed information on recalculations in Chapter 10: Recalculations and Improvements, and in the relevant sections of Chapters 3 to 9 (see section 2.5 of each of Chapters 3 - 9) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and further details are needed to understand the content of this table.

**TABLE 8(b) RECALCULATION - EXPLANATORY INFORMATION**  
**(Sheet 1 of 1)**

Country  
 Year  
 Submission

Specify the sector and source/sink category <sup>(1)</sup> where changes in estimates have occurred:	GHG	RECALCULATION DUE TO				
		CHANGES IN:			Addition/removal/reallocation of source/sink categories	Other changes in data (e.g. statistical or editorial changes, correction of errors)
		Methods <sup>(2)</sup>	Emission factors <sup>(2)</sup>	Activity data <sup>(2)</sup>		

<sup>(1)</sup> Enter the identification code of the source/sink category (e.g. 1.B.1) in the first column and the name of the category (e.g. Fugitive Emissions from Solid Fuels) in the second column of the table. Note that the source categories entered in this table should match those used in table 8(a).

<sup>(2)</sup> Explain changes in methods, emission factors and activity data that have resulted in recalculation of the estimate of the source/sink as indicated in table 8(a). Include changes in the assumptions and coefficients in the Methods column.

**Documentation box:**

Parties should provide the full information on recalculations in Chapter 10: Recalculations and Improvements, and in the relevant sections of Chapters 3 to 9 (see section 2.5 of each of chapters 3 - 9) of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and further details are needed to understand the content of this table. References should point particularly to the sections of the NIR in which justifications of the changes as to improvements in the accuracy, completeness and consistency of the inventory are reported.

**TABLE 9(a) COMPLETENESS - INFORMATION ON NOTATION KEYS**  
 (Sheet 1 of 1)

Country  
 Year  
 Submission

Sources and sinks not estimated (NE) <sup>(1)</sup>				
GHG	Sector <sup>(2)</sup>	Source/sink category <sup>(2)</sup>	Explanation	
CO <sub>2</sub>				
CH <sub>4</sub>				
N <sub>2</sub> O				
HFCs				
PFCs				
SF <sub>6</sub>				
Sources and sinks reported elsewhere (IE) <sup>(3)</sup>				
GHG	Source/sink category	Allocation as per IPCC Guidelines	Allocation used by the Party	Explanation
CO <sub>2</sub>				
CH <sub>4</sub>				
N <sub>2</sub> O				
HFCs				
PFCs				
SF <sub>6</sub>				

<sup>(1)</sup> Clearly indicate sources and sinks which are considered in the IPCC Guidelines but are not considered in the submitted inventory. Explain the reason for excluding these sources and sinks, in order to avoid arbitrary interpretations. An entry should be made for each source/sink category for which the notation key NE (not estimated) is entered in the sectoral tables.

<sup>(2)</sup> Indicate omitted source/sink following the IPCC source/sink category structure (e.g. sector: Waste, source category: Waste-Water Handling).

<sup>(3)</sup> Clearly indicate sources and sinks in the submitted inventory that are allocated to a sector other than that indicated by the IPCC Guidelines. Show the sector indicated in the IPCC Guidelines and the sector to which the source or sink is allocated in the submitted inventory. Explain the reason for reporting these sources and sinks in a different sector. An entry should be made for each source/sink for which the notation key IE (included elsewhere) is used in the sectoral tables.

**TABLE 9(b) COMPLETENESS - INFORMATION ON ADDITIONAL GREENHOUSE GASES**  
**(Sheet 1 of 1)**

Country  
 Year  
 Submission

Additional GHG emissions reported <sup>(1)</sup>						
GHG	Source category	Emissions (Gg)	Estimated GWP value (100-year horizon)	Emissions CO <sub>2</sub> equivalent (Gg)	Reference to the source of GWP value	Explanation

<sup>(1)</sup> Parties are encouraged to provide information on emissions of greenhouse gases whose GWP values have not yet been agreed upon by the COP. Include such gases in this table if they are considered in the submitted inventory. Provide additional information on the estimation methods used.

**Documentation box:**

Parties should provide detailed information regarding completeness of the inventory in the NIR (Chapter 1.8: General Assessment of the Completeness, and Annex 5). Use this documentation box to provide references to relevant sections of the NIR if any additional information and further details are needed to understand the content of this table.

**TABLE 10 EMISSIONS TRENDS (CO<sub>2</sub>)**  
**(Sheet 1 of 5)**

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	Base year <sup>(1)</sup>	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	Change from 1990 <sup>(1)</sup> to latest reported year
		(Gg)														(%)
<b>1. Energy</b>																
A. Fuel Combustion (Sectoral Approach)																
1. Energy Industries																
2. Manufacturing Industries and Construction																
3. Transport																
4. Other Sectors																
5. Other																
B. Fugitive Emissions from Fuels																
1. Solid Fuels																
2. Oil and Natural Gas																
<b>2. Industrial Processes</b>																
A. Mineral Products																
B. Chemical Industry																
C. Metal Production																
D. Other Production																
E. Production of Halocarbons and SF <sub>6</sub>																
F. Consumption of Halocarbons and SF <sub>6</sub>																
G. Other																
<b>3. Solvent and Other Product Use</b>																
<b>4. Agriculture</b>																
A. Enteric Fermentation																
B. Manure Management																
C. Rice Cultivation																
D. Agricultural Soils																
E. Prescribed Burning of Savannas																
F. Field Burning of Agricultural Residues																
G. Other																
<b>5. Land Use, Land-Use Change and Forestry<sup>(s)</sup></b>																
A. Forest Land																
B. Cropland																
C. Grassland																
D. Wetlands																
E. Settlements																
F. Other Land																
G. Other																
<b>6. Waste</b>																
A. Solid Waste Disposal on Land																
B. Waste-water Handling																
C. Waste Incineration																
D. Other																
<b>7. Other (as specified in Summary I.A)</b>																
Total CO <sub>2</sub> emissions including net CO <sub>2</sub> from LULUCF <sup>(s)</sup>																
Total CO <sub>2</sub> emissions excluding net CO <sub>2</sub> from LULUCF <sup>(s)</sup>																
<b>Memo Items:</b>																
<b>International Bunkers</b>																
Aviation																
Marine																
<b>Multilateral Operations</b>																
CO <sub>2</sub> Emissions from Biomass																

**Note:** All footnotes for this table are given at the end of the table on sheet 5.

**TABLE 10 EMISSIONS TRENDS (CH<sub>4</sub>)**  
 (Sheet 2 of 5)

Country  
 Year  
 Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	Base year <sup>(1)</sup>	(Gg)													Change from 1990 <sup>(1)</sup> to latest reported year (%)	
		1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	
<b>Total CH<sub>4</sub> emissions</b>																
<b>1. Energy</b>																
A. Fuel Combustion (Sectoral Approach)																
1. Energy Industries																
2. Manufacturing Industries and Construction																
3. Transport																
4. Other Sectors																
5. Other																
B. Fugitive Emissions from Fuels																
1. Solid Fuels																
2. Oil and Natural Gas																
<b>2. Industrial Processes</b>																
A. Mineral Products																
B. Chemical Industry																
C. Metal Production																
D. Other Production																
E. Production of Halocarbons and SF <sub>6</sub>																
F. Consumption of Halocarbons and SF <sub>6</sub>																
G. Other																
<b>3. Solvent and Other Product Use</b>																
<b>4. Agriculture</b>																
A. Enteric Fermentation																
B. Manure Management																
C. Rice Cultivation																
D. Agricultural Soils																
E. Prescribed Burning of Savannas																
F. Field Burning of Agricultural Residues																
G. Other																
<b>5. Land Use, Land-Use Change and Forestry</b>																
A. Forest Land																
B. Cropland																
C. Grassland																
D. Wetlands																
E. Settlements																
F. Other Land																
G. Other																
<b>6. Waste</b>																
A. Solid Waste Disposal on Land																
B. Waste-water Handling																
C. Waste Incineration																
D. Other																
<b>7. Other (as specified in Summary I.A)</b>																
<b>Memo Items:</b>																
<b>International Bunkers</b>																
Aviation																
Marine																
<b>Multilateral Operations</b>																
<b>CO<sub>2</sub> Emissions from Biomass</b>																

Note: All footnotes for this table are given at the end of the table on sheet 5.

**TABLE 10 EMISSIONS TRENDS (N<sub>2</sub>O)**  
**(Sheet 3 of 5)**

Country  
Year  
Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	Base year <sup>(1)</sup>	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	Change from 1990 <sup>(1)</sup> to latest reported year
		(Gg)														(%)
<b>Total N<sub>2</sub>O emissions</b>																
<b>1. Energy</b>																
A. Fuel Combustion (Sectoral Approach)																
1. Energy Industries																
2. Manufacturing Industries and Construction																
3. Transport																
4. Other Sectors																
5. Other																
B. Fugitive Emissions from Fuels																
1. Solid Fuels																
2. Oil and Natural Gas																
<b>2. Industrial Processes</b>																
A. Mineral Products																
B. Chemical Industry																
C. Metal Production																
D. Other Production																
E. Production of Halocarbons and SF <sub>6</sub>																
F. Consumption of Halocarbons and SF <sub>6</sub>																
G. Other																
<b>3. Solvent and Other Product Use</b>																
<b>4. Agriculture</b>																
A. Enteric Fermentation																
B. Manure Management																
C. Rice Cultivation																
D. Agricultural Soils																
E. Prescribed Burning of Savannas																
F. Field Burning of Agricultural Residues																
G. Other																
<b>5. Land Use, Land-Use Change and Forestry</b>																
A. Forest Land																
B. Cropland																
C. Grassland																
D. Wetlands																
E. Settlements																
F. Other Land																
G. Other																
<b>6. Waste</b>																
A. Solid Waste Disposal on Land																
B. Waste-water Handling																
C. Waste Incineration																
D. Other																
<b>7. Other (as specified in Summary I.A)</b>																
<b>Memo Items:</b>																
<b>International Bunkers</b>																
Aviation																
Marine																
<b>Multilateral Operations</b>																
<b>CO<sub>2</sub> Emissions from Biomass</b>																

Note: All footnotes for this table are given at the end of the table on sheet 5.

**TABLE 10 EMISSIONS TRENDS ( HFCs, PFCs and SF<sub>6</sub>)**  
 (Sheet 4 of 5)

Country  
 Year  
 Submission

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	Base year <sup>(1)</sup>	(Gg)													Change from 1990 <sup>(1)</sup> to latest reported year	%
		1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002		
<b>Emissions of HFCs<sup>(4)</sup> - (Gg CO<sub>2</sub> equivalent)</b>																
HFC-23																
HFC-32																
HFC-41																
HFC-43-10mee																
HFC-125																
HFC-134																
HFC-134a																
HFC-152a																
HFC-143																
HFC-143a																
HFC-227ea																
HFC-236fa																
HFC-245ca																
Unspecified mix of listed HFCs <sup>(5)</sup> - (Gg CO <sub>2</sub> equivalent)																
<b>Emissions of PFCs<sup>(4)</sup> - (Gg CO<sub>2</sub> equivalent)</b>																
CF <sub>4</sub>																
C <sub>2</sub> F <sub>6</sub>																
C <sub>3</sub> F <sub>8</sub>																
C <sub>4</sub> F <sub>10</sub>																
c-C <sub>4</sub> F <sub>8</sub>																
C <sub>5</sub> F <sub>12</sub>																
C <sub>6</sub> F <sub>14</sub>																
CF <sub>3</sub> F <sub>14</sub>																
Unspecified mix of listed PFCs <sup>(5)</sup> - (Gg CO <sub>2</sub> equivalent)																
<b>Emissions of SF<sub>6</sub><sup>(4)</sup> - (Gg CO<sub>2</sub> equivalent)</b>																
SF <sub>6</sub>																

Chemical	GWP
HFCs	
HFC-23	11700
HFC-32	650
HFC-41	150
HFC-43-10mee	1300
HFC-125	2800
HFC-134	1000
HFC-134a	1300
HFC-152a	140
HFC-143	300
HFC-143a	3800
HFC-227ea	2900
HFC-236fa	6300
HFC-245ca	560
PFCs	
CF <sub>4</sub>	6500
C <sub>2</sub> F <sub>6</sub>	9200
C <sub>3</sub> F <sub>8</sub>	7000
C <sub>4</sub> F <sub>10</sub>	7000
c-C <sub>4</sub> F <sub>8</sub>	8700
C <sub>5</sub> F <sub>12</sub>	7500
C <sub>6</sub> F <sub>14</sub>	7400
SF <sub>6</sub>	23900

**Note:** All footnotes for this table are given at the end of the table on sheet 5.

Country  
Year  
Submission

**TABLE 10 EMISSIONS TRENDS (SUMMARY)**  
(Sheet 5 of 5)

GREENHOUSE GAS EMISSIONS	Base year <sup>(1)</sup>	CO <sub>2</sub> equivalent (Gg)													Change from 1990 <sup>(1)</sup> to latest reported year (%)
		1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
CO <sub>2</sub> emissions including net CO <sub>2</sub> from LULUCF <sup>(3)</sup>															
CO <sub>2</sub> emissions excluding net CO <sub>2</sub> from LULUCF <sup>(3)</sup>															
CH <sub>4</sub>															
N <sub>2</sub> O															
HFCs															
PFCs															
SF <sub>6</sub>															
<b>Total (including net CO<sub>2</sub> from LULUCF)<sup>(4)</sup></b>															
<b>Total (excluding net CO<sub>2</sub> from LULUCF)<sup>(5), (6)</sup></b>															

  

GREENHOUSE GAS SOURCE AND SINK CATEGORIES	Base year <sup>(1)</sup>	CO <sub>2</sub> equivalent (Gg)													Change from 1990 <sup>(1)</sup> to latest reported year (%)
		1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
1. Energy															
2. Industrial Processes															
3. Solvent and Other Product Use															
4. Agriculture															
5. Land Use, Land-Use Change and Forestry <sup>(7)</sup>															
6. Waste															
7. Other															
<b>Total (including LULUCF)<sup>(7)</sup></b>															

<sup>(1)</sup> The column "Base year" should be filled in only by those Parties with economies in transition that use a base year different from 1990 in accordance with the relevant decisions of the COP. For these Parties, this different base year is used to calculate the percentage change in the final column of this table.

<sup>(2)</sup> Fill in net emissions/removals as reported in table Summary 1.A. For the purposes of reporting, the signs for removals are always negative (-) and for emissions positive (+).

<sup>(3)</sup> The information in these rows is requested to facilitate comparison of data, because Parties differ in the way they report CO<sub>2</sub> emissions and removals from LULUCF.

<sup>(4)</sup> Enter actual emissions estimates. If only potential emissions estimates are available, these should be reported in this table and an indication for this be provided in the documentation box. Only in these rows are the emissions expressed as CO<sub>2</sub> equivalent emissions.

<sup>(5)</sup> In accordance with the UNFCCC reporting guidelines, HFC and PFC emissions should be reported for each relevant chemical. However, if it is not possible to report values for each chemical (i.e. mixtures, confidential data, lack of disaggregation), this row could be used for reporting aggregate figures for HFCs and PFCs, respectively. Note that the unit used for this row is Gg of CO<sub>2</sub> equivalent and that appropriate notation keys should be entered in the cells for the individual chemicals.

<sup>(6)</sup> These totals will differ from the totals reported in table Summary 2 if Parties report non-CO<sub>2</sub> emissions from LULUCF.

<sup>(7)</sup> Includes net CO<sub>2</sub>, CH<sub>4</sub> and N<sub>2</sub>O from LULUCF.

**Documentation box:**

- Parties should provide detailed explanations on emissions trends in Chapter 2: Trends in Greenhouse Gas Emissions and, as appropriate, in the corresponding Chapters 3 - 9 of the NIR. Use this documentation box to provide references to relevant sections of the NIR if any additional information and further details are needed to understand the content of this table.
- Use the documentation box to provide explanations if potential emissions are reported.

-----