

29 April 2010

AGREEMENT

**CONCERNING THE ADOPTION OF UNIFORM TECHNICAL PRESCRIPTIONS
FOR WHEELED VEHICLES, EQUIPMENT AND PARTS WHICH CAN BE FITTED
AND/OR BE USED ON WHEELED VEHICLES AND THE CONDITIONS FOR
RECIPROCAL RECOGNITION OF APPROVALS GRANTED ON THE BASIS OF
THESE PRESCRIPTIONS */**

(Revision 2, including the amendments which entered into force on 16 October 1995)

Addendum 97: Regulation No. 98

Revision 2 - Corrigendum 1

Corrigendum 1 to Supplement 10 to the original version of the Regulation, subject of Depository
Notification C.N.127.2010.TREATIES-2 dated 3 March 2010

**UNIFORM PROVISIONS CONCERNING THE APPROVAL OF MOTOR VEHICLE
HEADLAMPS EQUIPPED WITH GAS-DISCHARGE LIGHT SOURCES**



UNITED NATIONS

*/ Former title of the Agreement:

Agreement Concerning the Adoption of Uniform Conditions of Approval and Reciprocal Recognition of Approval
for Motor Vehicle Equipment and Parts, done at Geneva on 20 March 1958.


GE.10-22176

Annex 4 - Appendix, amend to read:
 "....


- Abbreviations:
- P: passing beam lamp
 - D: driving beam lamp (D₁ + D₂ means two driving beams)
 - F: front fog lamp
 - - - - means a cycle of 15 minutes off and 5 minutes lit.
 - means a cycle of 9 minutes off and 1 minutes lit
 - . - . . means a cycle of 15 minutes lit and 5 minutes off

All the following grouped headlamps and front fog lamps together with the added marking symbols are given as examples and are not exhaustive.


1. P or D or F (DC or DR or B)



2. P+F (DC B) or P+D (DCR)



3. P+F (DC B/) or DC/B or P+D (DC/R)



4. P+D (DCR) with the same light source

